



# DESS

> DENTAL SMART SOLUTIONS



*CATALOGUE 2019/3*

**NEW PRODUCTS**



Dear Customer

We're pleased to introduce you to our new 2019 range of products. In this catalogue you'll find the already well known and proven 100% compatible DESS connections, and the all new innovations we're bringing to the market this quarter.

2018 was a landmark year, we celebrated 10 years of the launch of the DESS Brand, we've increased our manufacturing capabilities adding eight new machines; we launched new compatibilities, incorporated new members to our extended network of distributors and opened new markets.

All this has been possible thanks to innovation, quality, affordability, product range and closeness to our customer needs. Our range of products is second to none and with the best quality and precision available.

At Terrats Medical we're focused on creating the most comprehensive range of compatible prosthetic solutions, our aim is to give you under one brand as many alternatives as possible.

We're the only manufacturer of compatible prosthetic solutions that can proudly say that our products are fully compatible with the originals and that our screws, crucial element in the reconstruction has been engineered to perfection, it has a perfect fit with the original implant and can be adjusted using the original tools without any compromise.

The pure switch concept, is the core essence of our products philosophy, this means all the products that we design and manufacture are fully exchangeable with OEM parts, giving you peace of mind, this is reinforced by the visual check of 100% and the lifetime warranty of all our products, which shows the dedication, professionalism and attention to detail we put in the manufacturing of our products.

For 2019 we have very exiting plans to keep bringing key and relevant products to the market.

We like to thank you for your trust and we hope we can continue this journey together.


Sincerely



Roger Terrats  
COO




# PRODUCT LIST





 **ACTIVE HEX**  
FITS  
NOBELACTIVE® &  
NOBELREPLACE® CC 18

 **TRI-LOBE**  
FITS  
NOBEL REPLACE  
SELECT™ 22


 **EXTERNAL HEX UNIVERSAL**  
FITS  
NOBELBRÅNEMARK® 26


 **EXTERNAL HEX USA**  
FITS  
3i OSSEOTITE® 30


 **INTERNAL HEX "CLICK"**  
FITS  
3i CERTAIN® 34


 **OCTAGON**  
FITS  
STRAUMANN® SOFT  
TISSUE LEVEL &  
synOCTA® 38


 **CONICAL BL**  
FITS  
STRAUMANN®  
BONE LEVEL 42


 **INTERNAL HEX USA**  
FITS  
ZIMMER  
SCREW-VENT® 46


 **CONIC EVO**  
FITS  
ASTRA TECH IMPLANT  
SYSTEM™ EV 50


 **INTERNAL HEX CONIC**  
FITS  
ASTRA TECH  
OSSEOSPEED™ 54


 **INTERNAL HEX FD**  
FITS  
DENTSPLY  
FRIADENT XIVE® 58


 **INTERNAL ANK**  
FITS  
DENTSPLY  
ANKYLOS® C/X 62


 **CONIC OSS**  
FITS  
OSSTEM® TS 66


 **INTERNAL CAM**  
FITS  
CAMLOG® 68

 **INTERNAL CON**  
FITS  
CONELOG® 72


 **INTERNAL HEX BH**  
FITS  
BIOHORIZONS®  
INTERNAL 74


 **EXTERNAL HEX BH**  
FITS  
BIOHORIZONS®  
EXTERNAL 76

 **INTERNAL HEX MI**  
FITS  
MIS® SEVEN 80


 **CONIC MC**  
FITS  
MIS® C1 84

 **CONIC MV**  
FITS  
MIS® V3 86


 **CONIC ANYR**  
FITS  
MEGAGEN AnyRidge® 88


 **CONIC AXIO**  
FITS  
ANTHOGYR AXIOM® 90

 **CONIC IC**  
FITS  
MEDENTIS ICX® 92

 **CONIC INK**  
FITS  
GLOBALD IN-KONE® 94

 **CONIC DENT**  
FITS  
DENTIUM  
SUPERLINE™ &  
IMPLANTIUM® 96

 **INTERNAL SEM**  
FITS  
BEGO Semados® 98

 **CONIC BIO**  
FITS  
BIOTECH KONTACT® 100 NEW

 **INTERNAL BT**  
FITS  
BTI® 102 NEW

 **MULTI-UNIT CONNECTION**  
104

 **DESSLoc**  
110

 **PRE-MILLED BLANKS & HOLDERS**  
116

 **TOOLS**  
122

 **CLINICAL SCREWS  
RECOMMENDED  
TORQUE** 124



**DESS**  
DENTAL SMART SOLUTIONS

Barcelona  
Barcelona

# Welcome to DESS

Located in Barcelona, Spain our HQ of 6,500m<sup>2</sup> is one of the most modern manufacturing facilities in Europe



**“Staying true to our history and values empowers our brand”**

**Some Key dates of our company history:**

- **1947** Founded in Barcelona. Manufacture of precision mechanical components.
- **1970** 70% of production using Swiss-style automatic lathes.
- **1988** First purchase of a Japanese numerical control Okuma CNC lathe.
- **1997** First Japanese Okuma CNC machining.
- **1999** First incorporation of DECO lathes specialized in micro precision machining.
- **2000** ISO 9001 Certification. 2003 100% of production using numerical control CNC machines.
- **2004** First production of dental implant components.
- **2008** Creation of the sanitary department with its own clean room.
  - Sanitary certificate ISO 13485 and CE.
  - Creation of the DESS Dental Smart Solutions brand.
- **2009** SelectGrip® Patent for surface finishes. 200% proven increased retention of cemented crown.
- **2011** DESS already has a presence in 16 countries around the world.
- **2012** Creation of DESS GmbH in Düsseldorf, Germany.
- **2013** DESS already has a presence in 26 countries around the world.
- **2014** DESS LAB starts offering one piece custom abutments.
- **2015** Health Canada approval.
- **2016** We completed the full assortment of angulated multiunits.
  - We launched a revolutionary intraoral scan abutment, without hole on top.
  - METALIVE® is accepted by the regulatory bodies as the unique surface offering real soft tissue attachment and finally available in Europe.
  - 2016 DESS is present in 34 countries worldwide.
- **2017** Achievement of FDA.
  - Relocation of manufacturing plant and offices with a total of 6500m<sup>2</sup>.
- **2018** We launch our angulated screw channel solution "AURUMBase®".
  - Resellers in 41 countries.
  - 100% Increase of the production.

Since our beginnings quality has been quintessential to our philosophy and is reflected in every product that we manufacture. Our choice of the best Swiss and Japanese milling machines allow us to create the most precise parts. Our quality standards entails measuring to a few microns of precision.




**“Great things are done by a series of small things brought together”**



A business without quality will not last. Terrats Medical is in its third generation and we want to honour our heritage with the highest requirements on quality in all we do.





**“The difference between something good and something exceptional is in the smallest detail”**

At DESS® we believe that no detail is too small to escape close attention. That's why our exhaustive quality controls in every single part of the manufacturing process ensure that the quality of our products is guaranteed. Our confidence is such that we offer a lifetime warranty on all our products.



We are proud to say that innovation and quality are at the center of our core values. We look at different solutions and re-engineer them to provide better and more reliable alternatives. Products like our intra-oral scan abutment without a screw hole, which improves substantially the image precision, our angled Multiunit abutment with a fully shaped connection and vertical access for more stability and less screw loosening or our angulated screw channel solution AURUMBase® that allows you 25° angle with a 360° rotation, are clear examples of our way of doing things.

**“There is no good idea that cannot be improved”**




## IMPLANTOLOGICAL PHASE



### Implant in patient


identify it to use the correct abutments



### Healing abutments


ref. 20.xxx/y

## IMPRESSION TAKING / CLINIC




### Transfer for open and closed tray

ref. 17.xxx



### Temporary abutment

ref. 24.xxx and 25.xxx



### Converter, UniAbutment® and Multi-unit® abutment

ref. 34.00x, 35.001, 40.xxx/y, 41.xxx/y and 43.xxx/y




### Clinical screw

ref. 19.xxx



### Intra-oral scan abutment

ref. 52.xxx



### DESS LOC

ref. 88.xxx/y

## LABORATORY PHASE




### Analogue for implant and abutment

ref. 14.xxx




### Scan abutment

ref. 50.xxx




### Straight, angled and custom abutment

ref. 13.xxx  
ref. 22.xxx and 23.xxx  
ref. 51.xxx



### Pre-milled blanks

ref. 61.xxx and 62.xxx  
63.xxx  
ref. 71.xxx




### Ti base

ref. 15.xxx and 16.xxx




### DESS AURUMBase®

ref. 36.xxx and 37.xxx



### Plastic sleeves For Ti base and AURUMBase®

ref. 32.xxx and 33.xxx  
ref. 33.1xx



### CoCr base with castable

ref. 30.xxx and 31.xxx

### for welding techniques


ref. 30.1xx and 31.1xx



### Castable

ref. 28.xxx and 29.xxx

## TOOLS & MATERIALS




### Screwdriver handles and special tools

ref. MDTxxx, PHxxx and DTxxx



### Screwdriver tips for different screw head types

ref. DTxxx



### Holders for different milling machines

ref. HLDxx




### CoCr Ingots

ref. CRCO1000

# ACTIVE HEX

compatible with

## NobelActive® / Replace® CC



### Screw UG




more alternatives in the special design screws section

- Pack of 10
- DLC coated
- NEW** TIN coated

DESS  
prosthetic platform  
NobelActive® / Replace® CC  
equivalent prosthetic platform

	3.0 SILVER 3.0	NP PURPLE 3.5	RP YELLOW 4.3	WP BLUE 5.5
	19.068	19.027	19.030	19.030
		19.027-P10	19.030-P10	19.030-P10
	19.268	19.227	19.230	19.230
	19.668	19.627	19.630	19.630

### Analogue



Pack of 10

	14.068	14.041	14.042	14.069
		14.041-P10	14.042-P10	

Our analogues are suitable for both 3D and traditional models.

### Ti base



		GH		
		1,2mm	●	15.041 15.042
		1,5mm	●	15.068 15.069
	<b>NEW</b>	3,0mm	●	15.341 15.342
		1,2mm	●	16.041 16.042
		1,5mm	●	16.068 16.069
	<b>NEW</b>	3,0mm	●	16.341 16.342

### Ti base Castables



Pack of 5

	●	32.001-P5	32.001-P5	32.001-P5	32.001-P5
	●	33.001-P5	33.001-P5	33.001-P5	33.001-P5

### CoCr base



	●	30.041	30.042
	●	31.041	31.042

### DESS CoCr Ingots



1kg CRCO1000

## AURUMBase®

NP  
PURPLE  
3.5

RP  
YELLOW  
4.3



Torx® Screw

19.441 19.442



DESS  
AURUMBase®

● 36.041 36.042  
● 37.041 37.042



Plastic sleeves for  
AURUMBase®

- Pack of 5 0°
- Pack of 5 10°
- Pack of 5 20°

33.100-P5 33.100-P5  
33.101-P5 33.101-P5  
33.102-P5 33.102-P5

Torx® ball Screwdriver DT20TB06 DT24TB06 DT35TB06



spherical head for angulated screw channels up to 25°





## Castable



DESS  
prosthetic platform  
NobelActive® / Replace® CC  
equivalent prosthetic platform

3.0 NP RP WP  
SILVER 3.0 PURPLE 3.5 YELLOW 4.3 BLUE 5.5

	●	28.041	28.042
Pack of 10		11.041-P10	11.042-P10
	●	29.041	29.042
Pack of 10		12.041-P10	12.042-P10

## Transfer



17.044 17.045

## Temporary abutments



● 24.041 24.042  
● 25.041 25.042

## Abutments



Straight		13.041	13.042
Angled	15°	22.041	22.042
	25°		23.042

## Healing abutment



3,0mm <sup>A</sup>	20.039/3	20.040/3
3,0mm <sup>B</sup>	20.047/3	20.048/3
4,0mm <sup>A</sup>	20.039/4	20.040/4
4,0mm <sup>B</sup>	20.047/4	20.048/4
5,0mm <sup>A</sup>	20.039/5	20.040/5
5,0mm <sup>B</sup>	20.047/5	20.048/5

<sup>A</sup> for single crown restoration

<sup>B</sup> for bridges and structures restoration

## DESSLoc®



1,0mm	88.039/1	88.040/1
2,0mm	88.039/2	88.040/2
3,0mm	88.039/3	88.040/3
4,0mm	88.039/4	88.040/4

To see all the DESSLoc® available please refer to page 110

## Scan abutments



<b>for desktop scanning</b> <i>* use indicated screw</i>	50.068 * 19.068	50.041 * 19.027	50.042 * 19.030	50.069 * 19.030
<b>for intra-oral scanning</b>	52.068	52.041	52.042	52.069
<b>on Ti base</b>				
	●	53.100-P10	53.100-P10	53.100-P10
Pack of 10	●	53.200-P10	53.200-P10	53.200-P10

● non-engaging

● engaging

## Pre-milled blank



DESS  
prosthetic platform  
NobelActive® / Replace® CC  
equivalent prosthetic platform

3.0 NP RP WP  
SILVER 3.0 PURPLE 3.5 YELLOW 4.3 BLUE 5.5

Ti	●	∅10mm	61.068	61.041	61.042	61.069
	●	∅14mm		62.041	62.042	62.069
CoCr		∅14mm	71.068	71.041	71.042	71.069

To see all the Pre-milled blank available please refer to page 116


## Multiunit abutments



Straight	1,5mm	●	40.007/1	40.008/1
	2,5mm	●	40.007/2	40.008/2
	3,5mm	●	40.007/3	40.008/3
	4,5mm	●		40.008/4



Angled 17°	2,5mm	●	41.707/2	41.708/2
	3,5mm	●	41.707/3	41.708/3



30°	3,5mm	●	43.007/3	43.008/3
	4,5mm	●	43.007/4	43.008/4

To see all the Multiunit abutments available please refer to page 104

Angled Multiunits include DLC SCREW

## Special Design Screws


Fits NobelActive® implants and similar implant systems

Our Ref.	Plat.	A	B	C	D	E	F	G	H	I	
19.101 *	NP	★	2,23	0°	0,50	7,35	1,90	2,70	2,75	M1,6	Flat seat screw. Better for bridges, structures and zirconia abutments
19.327	NP	★	2,30	0°		6,95	1,50	2,70	2,75	M1,6	Special screw head design Torx® for angulated screw channels up to 25°
19.328	RP	★	2,60	0°		7,60	1,50	2,10	4,00	M2,0	Special screw head design Torx® for angulated screw channels up to 25°

\*Available also in pack of 10

★ UG

★ Torx®



All abutments include final screw, except castables in packs of 10 and scan abutments for desktop scanning

# TRI-LOBE

compatible with  
**Nobel Replace Select™**



## Screw UG



more alternatives in the special design screws section

Pack of 10  
DLC coated  
**NEW** TIN coated

DESS  
prosthetic platform  
Nobel Replace Select™  
equivalent prosthetic platform

NP	RP	WP	6.0
PURPLE NP/3.5	YELLOW RP/4.3	BLUE WP/5.0	GREEN 6.0

19.004	19.005	19.005	19.005
19.004-P10	19.005-P10	19.005-P10	19.005-P10
19.204	19.205	19.205	19.205
19.604	19.605	19.605	19.605

## Analogue



Pack of 10

14.004	14.005	14.006	14.097
14.004-P10	14.005-P10		

Our analogues are suitable for both 3D and traditional models.

## Ti base



**NEW**

**NEW**

GH

0,3mm	●	15.004	15.005	15.006	15.097
1,5mm	●	15.204	15.205	15.206	
3,0mm	●	15.304	15.305	15.306	
0,3mm	◀	16.004	16.005	16.006	16.097
1,5mm	◀	16.204	16.205	16.206	
3,0mm	◀	16.304	16.305	16.306	

### Ti base Castables



Pack of 5

●	32.001-P5	32.001-P5	32.001-P5	32.001-P5
◀	33.001-P5	33.001-P5	33.001-P5	33.001-P5

## CoCr base



DESS CoCr Ingots

1kg CRCO1000

●	30.004	30.005	30.006
◀	31.004	31.005	31.006


## AURUMBase®



Torx® Screw

NP	RP	WP
PURPLE NP/3.5	YELLOW RP/4.3	BLUE WP/5.0

19.404	19.405	19.405
--------	--------	--------



DESS  
AURUMBase®

●	36.004	36.005	36.006
◀	37.004	37.005	37.006



Plastic sleeves for  
AURUMBase®

Pack of 5	0°	33.100-P5	33.100-P5	33.100-P5
Pack of 5	10°	33.101-P5	33.101-P5	33.101-P5
Pack of 5	20°	33.102-P5	33.102-P5	33.102-P5

Torx® ball Screwdriver DT20TB06 20 mm  
DT24TB06 24 mm  
DT35TB06 35 mm



spherical head for angulated screw channels up to 25°





## Castable

DESS  
prosthetic platform  
Nobel Replace Select™  
equivalent prosthetic platform

NP RP WP 6.0

PURPLE NP/3.5 YELLOW RP/4.3 BLUE WP/5.0 GREEN 6.0

	●	28.004	28.005	28.006
Pack of 10		11.004-P10	11.005-P10	
	◀	29.004	29.005	29.006
Pack of 10		12.004-P10	12.005-P10	

## Transfer

		17.004	17.005	17.006
--	--	--------	--------	--------

## Temporary abutments

	●	24.004	24.005	24.006
	◀	25.004	25.005	25.006

## Abutments

Straight		13.004	13.005	13.006
Angled	15°	22.004	22.005	22.006
	25°		23.005	

## Healing abutment

3,0mm		20.004/3	20.005/3	20.006/3
4,0mm		20.004/4	20.005/4	20.006/4
5,0mm		20.004/5	20.005/5	20.006/5

## DESSLoc®

1,0mm		88.004/1	88.005/1	
2,0mm		88.004/2	88.005/2	
3,0mm		88.004/3	88.005/3	
4,0mm		88.004/4	88.005/4	

To see all the DESSLoc® available please refer to page 110

## Scan abutments

<b>for desktop scanning</b> <small>* use indicated screw</small>		50.004 * 19.004	50.005 * 19.005	50.006 * 19.005	50.097 * 19.005
<b>for intra-oral scanning</b>		52.004	52.005	52.006	52.097
<b>on Ti base</b> Pack of 10	●	53.100-P10	53.100-P10	53.100-P10	53.100-P10
	◀	53.200-P10	53.200-P10	53.200-P10	53.200-P10

● non-engaging      ◀ engaging

All abutments include final screw, except castables in packs of 10 and scan abutments for desktop scanning

## Pre-milled blank

DESS  
prosthetic platform  
Nobel Replace Select™  
equivalent prosthetic platform

NP RP WP 6.0

PURPLE NP/3.5 YELLOW RP/4.1 BLUE WP/5.0 GREEN 6.0

Ti	∅10mm	61.004	61.005	61.006	61.097
	∅14mm		62.005	62.006	62.097
CoCr	∅14mm	71.004	71.005	71.006	71.097

To see all the Pre-milled blank available please refer to page 116

## Multiunit abutments

MULTI-UNIT PLATFORM  
4.8

Straight	1,0mm	●	40.004/1	40.005/1	40.006/1	
	2,0mm	●	40.004/2	40.005/2	40.006/2	
	3,0mm	●	40.004/3	40.005/3	40.006/3	
	4,0mm	●		40.005/4		
	5,0mm	●		40.005/5		
Angled 17°	2,0mm	◀	41.704/2	41.705/2		
	3,0mm	◀	41.704/3	41.705/3		
	4,0mm	◀		41.705/4		
	30°	4,0mm	◀		43.005/4	
		4,0mm	●		43.005/4R	
		5,0mm	◀		43.005/5	
5,0mm	●		43.005/5R			

To see all the Multiunit abutments available please refer to page 104


Angled Multiunits include DLC SCREW.

## Special Design Screws

Fits Nobel Replace Select™ implants and similar tri-lobe implant systems

Our Ref.	Plat.	A	B	C	D	E	F	G	H	I	
19.304	NP	★	2,50	0°		8,10	1,50	4,00	2,60	M1,8	Special screw head design Torx® for angulated screw channels up to 25°
19.305	RP/WP	★	2,60	0°		9,90	1,50	4,90	3,50	M2,0	Special screw head design Torx® for angulated screw channels up to 25°


★ Torx®





# EXTERNAL HEX UNIVERSAL

compatible with  
NobelBrånemark®



## Screw UG



more alternatives in the special design screws section

- Pack of 10
- DLC coated
- NEW** TIN coated

DESS prosthetic platform NobelBrånemark® equivalent prosthetic platform	NP NP/3.5	RP RP/4.1	WP WP/5.1
	19.027	19.028	19.029
	19.027-P10	19.028-P10	19.029-P10
	19.227	19.228	19.229
	19.627	19.628	19.629

## Analogue



Pack of 10

14.001	14.002	14.003
	14.002-P10	

Our analogues are suitable for both 3D and traditional models.

## Ti base



**NEW**

**NEW**

GH

0,3mm	●	15.001	15.002	15.003
1,5mm	●	15.201	15.202	15.203
3,0mm	●	15.301	15.302	15.303
0,3mm	●	16.001	16.002	16.003
1,5mm	●	16.201	16.202	16.203
3,0mm	●	16.301	16.302	16.303

## Ti base Castables



Pack of 5

●	32.001-P5	32.001-P5	32.003-P5
●	33.001-P5	33.001-P5	33.003-P5

## CoCr base



for welding techniques

●	30.001	30.002	30.003
●	31.001	31.002	31.003
●		30.102	

## DESS CoCr Ingots



1kg CRCO1000

## AURUMBase®



Torx® Screw

NP  
NP/3.5

RP  
RP/4.1

19.401

19.402



DESS  
AURUMBase®



36.001

36.002



37.001

37.002



Plastic sleeves for  
AURUMBase®

Pack of 5

0°

33.100-P5

33.100-P5

Pack of 5

10°

33.101-P5

33.101-P5

Pack of 5

20°

33.102-P5

33.102-P5

Torx® ball Screwdriver

20 mm

DT20TB06

24 mm

DT24TB06

35 mm

DT35TB06



spherical head for angulated screw channels up to 25°

Up to 25°  
Angulated  
Screw  
Channel



## Castable

DESS  
prosthetic platform  
NobelBrånemark®  
equivalent prosthetic platform

NP RP WP  
NP/3.5 RP/4.1 WP/5.1



	●	28.001	28.002	28.003
Pack of 10	●		11.002-P10	
	●	29.001	29.002	29.003
Pack of 10	●		12.002-P10	

## Transfer



		17.041	17.042	17.043
--	--	--------	--------	--------

## Temporary abutments



	●	24.001	24.002	24.003
	●	25.001	25.002	25.003

## Abutments



Straight		13.001	13.002	13.003
Angled	15°	22.001	22.002	22.003
	25°		23.002	

## Healing abutment



3,0mm	20.001/3	20.002/3	20.003/3
4,0mm	20.001/4	20.002/4	20.003/4
5,0mm	20.001/5	20.002/5	20.003/5

## DESSLoc®



1,0mm	88.001/1	88.002/1	
2,0mm	88.001/2	88.002/2	
3,0mm	88.001/3	88.002/3	
4,0mm		88.002/4	
5,0mm		88.002/5	

## Scan abutments



for desktop scanning * use indicated screw		50.001 * 19.027	50.002 * 19.028	50.003 * 19.029
for intra-oral scanning		52.001	52.002	52.003
NEW on Ti base	●	53.100-P10	53.100-P10	53.100-P10
Pack of 10	●	53.200-P10	53.200-P10	53.200-P10

● non-engaging      ● engaging

All abutments include final screw, except castables in packs of 10 and scan abutments for desktop scanning.

## Pre-milled blank

DESS  
prosthetic platform  
NobelBrånemark®  
equivalent prosthetic platform

NP RP WP  
NP/3.5 RP/4.1 WP/5.1



Ti	∅10mm	61.001	61.002	61.003
CoCr	∅14mm	71.001	71.002	71.003

To see all the Pre-milled blank available please refer to page 116

## Multunit abutments



Straight	1,0mm	●	40.001/1	40.002/1	40.003/1
	2,0mm	●	40.001/2	40.002/2	40.003/2
	3,0mm	●	40.001/3	40.002/3	40.003/3
	4,0mm	●		40.002/4	
	5,0mm	●		40.002/5	



17°

Angled 17°	2,0mm	●	41.701/2	41.702/2	
	3,0mm	●	41.701/3	41.702/3	
	4,0mm	●		41.702/4	



30°

Angled 30°	4,0mm	●		43.002/4	
	4,0mm	●		43.002/4R	
	5,0mm	●		43.002/5	
	5,0mm	●		43.002/5R	

To see all the Multunit abutments available please refer to page 104

Angled Multiunits include DLC SCREW.

## Special Design Screws


Fits NobelBrånemark® implants and similar external hex implant systems

Our Ref.	Plat.	A	B	C	D	E	F	G	H	I	
19.101*	NP	●	2,23	0°	0,50	7,35	1,90	2,70	2,75	M1,6	Flat seat screw. Better for bridges, structures and zirconia abutments.
19.327	NP	★	2,30	0°		6,95	1,50	2,70	2,75	M1,6	Special screw head design Torx® for angulated screw channels up to 25°
19.328	RP	★	2,60	0°		7,60	1,50	2,10	4,00	M2,0	Special screw head design Torx® for angulated screw channels up to 25°
19.329	WP	★	3,40	0°		7,20	1,50	2,70	3,00	M2,5	Special screw head design Torx® for angulated screw channels up to 25°

\*Available also in pack of 10

★ Torx®

● UG





# EXTERNAL HEX USA

compatible with  
3i Osseotite®



## Screw hex



**1,20mm**

more alternatives in the special design screws section

Pack of 10  
NEW TIN coated

DESS  
prosthetic platform  
3i Osseotite®  
equivalent prosthetic platform

	NP	RP	WP
	PURPLE 3.4	BLUE 4.1	YELLOW 5.0
	19.034	19.034	19.034
	19.034-P10	19.034-P10	19.034-P10
	19.634	19.634	19.634

## Analogue



Pack of 10

	NP	RP	WP
	14.011	14.012	14.013
		14.012-P10	

Our analogues are suitable for both 3D and traditional models.

## Ti base



GH

0,3mm	●	15.011	15.012	15.013
1,5mm	●	15.211	15.212	15.213
3,0mm	●	15.311	15.312	15.313
0,3mm	●	16.011	16.012	16.013
1,5mm	●	16.211	16.212	16.213
3,0mm	●	16.311	16.312	16.313

## Ti base Castables



Pack of 5

●	32.001-P5	32.001-P5	32.001-P5
●	33.001-P5	33.001-P5	33.001-P5

## CoCr base



DESS CoCr Ingots

1kg CRC01000

●	30.011	30.012	30.013
●	31.011	31.012	31.013

## AURUMBase®

	NP	RP	WP
	PURPLE 3.4	BLUE 4.1	YELLOW 5.0



Torx® Screw

	19.402	19.402	19.402
--	--------	--------	--------



DESS  
AURUMBase®

●	36.011	36.012	36.013
●	37.011	37.012	37.013



Plastic sleeves for  
AURUMBase®

Pack of 5

Pack of 5

Pack of 5

0°	33.100-P5	33.100-P5	33.100-P5
10°	33.101-P5	33.101-P5	33.101-P5
20°	33.102-P5	33.102-P5	33.102-P5

Torx® ball Screwdriver

20 mm  
DT20TB06

24 mm  
DT24TB06

35 mm  
DT35TB06

spherical head for angulated screw channels up to 25°



## Castable

DESS  
prosthetic platform  
3i Osseotite®  
equivalent prosthetic platform

	NP PURPLE 3.4	RP BLUE 4.1	WP YELLOW 5.0
--	---------------------	-------------------	---------------------



Pack of 10	●	28.011	28.012	28.013
			11.002-P10	
Pack of 10	◆	29.011	29.012	29.013
			12.002-P10	

## Transfer



		17.011	17.012	17.013
--	--	--------	--------	--------

## Temporary abutments



	●	24.011	24.012	24.013
	◆	25.011	25.012	25.013

## Abutments



		NP	RP	WP
Straight		13.011	13.012	13.013
Angled	15°	22.011	22.012	22.013
	25°		23.012	

## Healing abutment



3,0mm	20.011/3	20.012/3	20.013/3
4,0mm	20.011/4	20.012/4	20.013/4
5,0mm	20.011/5	20.012/5	20.013/5

## DESSLoc®



1,0mm	88.011/1	88.002/1	
2,0mm	88.011/2	88.002/2	
3,0mm	88.011/3	88.002/3	
4,0mm	88.011/4	88.002/4	
5,0mm		88.002/5	

## Scan abutments



for desktop scanning * use indicated screw		50.011	50.012	50.013
		* 19.034	* 19.034	* 19.034
for intra-oral scanning		52.011	52.012	52.013
on Ti base		53.100-P10	53.100-P10	53.100-P10
Pack of 10		53.200-P10	53.200-P10	53.200-P10

● non-engaging    ◆ engaging

## Pre-milled blank

DESS  
prosthetic platform  
3i Osseotite®  
equivalent prosthetic platform

	NP PURPLE 3.4	RP BLUE 4.1	WP YELLOW 5.0
--	---------------------	-------------------	---------------------



Ti	∅10mm	61.011	61.012	61.013
CoCr	∅14mm	71.011	71.012	71.013

To see all the Pre-milled blank available please refer to page 116

## Multunit abutments



		MULTI-UNIT PLATFORM 4.8		
Straight	1,0mm	●	40.009/1	40.017/1
	2,0mm	●	40.009/2	40.017/2
	3,0mm	●	40.009/3	40.017/3
	4,0mm	●		40.017/4
	5,0mm	●		40.017/5
Angled 17°	2,0mm	◆		41.712/2
	3,0mm	◆		41.702/3*
	4,0mm	◆		41.702/4*
Angled 30°	3,0mm	◆		43.012/3
	4,0mm	◆		43.012/4
	5,0mm	◆		43.012/5

\* with DLC screw

To see all the Multunit abutments available please refer to page 104


All abutments include final screw, except castables in packs of 10 and scan abutments for desktop scanning.

## Special Design Screws

Fits 3i Osseotite® implants and similar implant systems

Our Ref.	Plat.	A	B	C	D	E	F	G	H	I	
19.106*	RP 4,8	◆	2,25	0°	3,80	4,48	1,75	0,53	2,20	M1,4	Special screw for abutments on 3i® Low Profile Abutment. Can be used for bridges, structures or zirconia abutments

\*Available also in pack of 10    ★ Torx®    ◆ H1,20





# INTERNAL HEX "CLICK" M1,6

compatible with  
3i Certain®



## Screw hex



**1,20mm**

more alternatives in the special design screws section

Pack of 10  
**NEW** TIN coated

DESS  
prosthetic platform  
3i Certain®  
equivalent prosthetic platform

	NP	RP	WP
	PURPLE 3.4	BLUE 4.1	YELLOW 5.0
	19.011	19.011	19.011
	19.011-P10	19.011-P10	19.011-P10
	19.611	19.611	19.611

## Analogue



Pack of 10

14.014	14.015	14.016
	14.015-P10	

Our analogues are suitable for both 3D and traditional models.

## Ti base



	GH				
	0,3mm	●	15.014	15.015	15.016
	1,5mm	●	15.214	15.215	15.216
	3,0mm	●	15.314	15.315	15.316
	0,3mm	●	16.014	16.015	16.016
	1,5mm	●	16.214	16.215	16.216
	3,0mm	●	16.314	16.315	16.316

## Ti base Castables



●	32.001-P5	32.001-P5	32.001-P5
●	33.001-P5	33.001-P5	33.001-P5

## CoCr base



●	30.014	30.015	30.016
●	31.014	31.015	31.016

## DESS CoCr Ingots



1kg CRC01000

## AURUMBase®

NP  
PURPLE  
3.4

RP  
BLUE  
4.1

WP  
YELLOW  
5.0



Torx® Screw

	19.438	19.438	19.438
--	--------	--------	--------



DESS  
AURUMBase®

●	36.014	36.015	36.016
●	37.014	37.015	37.016



Plastic sleeves for  
AURUMBase®

Pack of 5	0°	33.100-P5	33.100-P5	33.100-P5
Pack of 5	10°	33.101-P5	33.101-P5	33.101-P5
Pack of 5	20°	33.102-P5	33.102-P5	33.102-P5

Torx® ball Screwdriver	20 mm DT20TB06	24 mm DT24TB06	35 mm DT35TB06
------------------------	-------------------	-------------------	-------------------

spherical head for angulated screw channels up to 25°



Up to 25°  
Angulated  
Screw  
Channel

## Castable



DESS  
prosthetic platform  
3i Certain®  
equivalent prosthetic platform

NP  
PURPLE  
3.4

RP  
BLUE  
4.1

WP  
YELLOW  
5.0

	●	28.014	28.015	28.016
Pack of 10			11.015-P10	
	●	29.014	29.015	29.016
Pack of 10			12.015-P10	

## Transfer



		17.014	17.015	17.016
--	--	--------	--------	--------

## Temporary abutments



	●	24.014	24.015	24.016
	●	25.014	25.015	25.016

## Abutments



Straight		13.014	13.015	13.016
Angled 15°		22.014	22.015	22.016
Angled 25°			23.015	

## Healing abutment



3,0mm		20.014/3	20.015/3	20.016/3
4,0mm		20.014/4	20.015/4	20.016/4
5,0mm		20.014/5	20.015/5	20.016/5

## DESSLoc®



1,0mm		88.014/1	88.015/1	
2,0mm		88.014/2	88.015/2	
3,0mm		88.014/3	88.015/3	
4,0mm		88.014/4	88.015/4	

To see all the DESSLoc® available please refer to page 110

## Scan abutments



for desktop scanning * use indicated screw		50.014 * 19.011	50.015 * 19.011	50.016 * 19.011
for intra-oral scanning		52.014	52.015	52.016
on Ti base		53.100-P10	53.100-P10	53.100-P10
Pack of 10	●	53.200-P10	53.200-P10	53.200-P10

## Pre-milled blank



DESS  
prosthetic platform  
3i Certain®  
equivalent prosthetic platform

NP  
PURPLE  
3.4

RP  
BLUE  
4.1

WP  
YELLOW  
5.0

Ti	●	61.014	61.015	61.016
CoCr	●	71.014	71.015	71.016

To see all the Pre-milled blank available please refer to page 116

● non-engaging ● engaging


All abutments include final screw, except castables in packs of 10 and scan abutments for desktop scanning

## Special Design Screws

Fits 3i Certain® implants and similar implant systems

Our Ref.	Plat.	A	B	C	D	E	F	G	H	I	
19.106*	RP	●	2,25	0°	3,80	4,48	1,75	0,53	2,20	M1,4	Special screw for abutments on 3i® Low Profile Abutment. Can be used for bridges, structures or zirconia abutments
19.311	all	★	2,30	0°		8,10	1,50	4,00	2,70	M1,6	Special screw head design Torx® for angulated screw channels up to 25°

\*Available also in pack of 10 ★ Torx® ● H1,20






# OCTAGON

compatible with

Straumann® Tissue level & synOCTA®



## Screw Torx®



more alternatives in the special design screws section

Pack of 10

NEW TIN coated



Pack of 10

NEW TIN coated

## Analogue



Pack of 10

OF ABUTMENT

Pack of 10

## Ti base

GH

Our analogues are suitable for both 3D and traditional models.



NEW

NEW

0,3mm	●		15.045
0,4mm	●		15.046
0,5mm	●	15.070	
0,3mm	●		16.045
0,4mm	●		16.009
0,5mm	●	16.070	

### ON ABUTMENT

0,3mm	●	15.010	15.048
0,3mm	●	16.010	16.048

### Ti base Castables

Pack of 5	●	32.001-P5	32.046-P5	32.045-P5
	●	33.001-P5	33.009-P5	33.045-P5

### ON ABUTMENT

Pack of 5	●		32.010-P5	32.045-P5
	●		33.010-P5	33.045-P5

## AURUMBase®

RN  
RN  
4.8

WN  
WN  
6.5

Up to 25°  
Angulated  
Screw  
Channel



Torx® Screw

19.446 19.446



DESS  
AURUMBase®

●

●

36.046 36.047

37.009 37.045



Plastic sleeves for  
AURUMBase®

Pack of 5

Pack of 5

Pack of 5

0°

10°

20°

33.100-P5 33.100-P5

33.101-P5 33.101-P5

33.102-P5 33.102-P5

Torx® ball Screwdriver

20 mm

24 mm

35 mm

DT20TB06

DT24TB06

DT35TB06

spherical head for angulated screw channels up to 25°



## CoCr base



DESS  
prosthetic platform  
Straumann® Tissue level & synOCTA®  
equivalent prosthetic platform

RN WN  
RN WN  
4.8 6.5

ON ABUTMENT

30.009 30.045  
31.009 31.045  
30.010 30.048  
31.010 31.048

for welding techniques

30.109 30.145  
31.109 31.145

for welding techniques

30.110  
31.110

ON ABUTMENT

DESS CoCr Ingots


1kg CRCO1000

## Castable



		28.009	28.045
Pack of 10		11.009-P10	
		29.009	29.045
Pack of 10		12.009-P10	
ON ABUTMENT			
		28.010	28.046
Pack of 10		11.010-P10	
		29.010	29.046
Pack of 10		12.010-P10	

## Transfer



		17.009	17.053
ON ABUTMENT			
		17.010	17.048

## Temporary abutments



		24.026	24.045
ON ABUTMENT		25.009	25.045
		24.010	24.047
		25.026	25.047

## Abutments



Straight		13.009*	
Angled	15°	22.009*	
	25°	23.009*	

\*inc.captive screw

## Healing abutment



	2,0mm	20.009/2	20.045/2
	3,0mm	20.009/3	20.045/3
	4,0mm	20.009/4	20.045/4

ON ABUTMENT

20.010 20.049

● non-engaging

● engaging

## Converter abutment



DESS  
prosthetic platform  
Straumann® Tissue level & synOCTA®  
equivalent prosthetic platform

NNC RN WP  
NNC RN WN  
3.5 4.8 6.5

35.001  
34.001 34.002

## DESSLoc®



1,0mm	88.009/1
2,0mm	88.009/2
3,0mm	88.009/3
4,0mm	88.009/4

To see all the DESSLoc® available please refer to page 110

## Scan abutments



for desktop scanning <small>* use indicated screw</small>	50.070	50.009	50.045
ON ABUTMENT		* 19.026	* 19.026
		50.010	50.048
for intra-oral scanning		* 19.009	* 19.009
ON ABUTMENT	52.070	52.009	52.045
on Ti base		52.010	52.048
Pack of 10		53.100-P10	
		53.200-P10	

## Pre-milled blank



Ti	ø10mm	61.070	61.009	61.045
CoCr	ø14mm		62.009	62.045
	ø14mm	71.070	71.009	71.045


To see all the Pre-milled blank available please refer to page 116

## Special Design Screws

Fits Straumann® Soft Tissue level & synOCTA® implants and similar octagon implant systems

Our Ref.	Plat.	A	B	C	D	E	F	G	H	I	
19.102*	RN/WN	★	2,40	0°	1,30	7,50	2,52	2,28	2,70	M2,0	Flat seat screw. Better for bridges, structures and zirconia abutments
19.103*	RN/WN	★	2,50	0°	3,25	5,10	1,55	0,00	3,55	M2,0	Flat seat screw. Better for bridges, structures and zirconia abutments
19.328	RN/WN	★	2,60	0°		7,60	1,50	2,10	4,00	M2,0	Special screw head design Torx® for angulated screw channels up to 25°

\*Available also in pack of 10 ★ Torx®




All abutments include final screw. Transfers include two screws (for open and closed tray).



# CONICAL BL

compatible with  
Straumann® Bone level



## Screw Torx®



more alternatives in the special design screws section

DESS  
prosthetic platform  
Straumann® Bone level  
equivalent prosthetic platform

NP RC NP/RP  
NC/3.3 RC/4.1 NC/RC

19.032 19.033 19.037  
19.032-P10 19.033-P10 19.037-P10  
19.632 19.633

Pack of 10

TIN coated

**ON ABUTMENT SRA**

Pack of 10

TIN coated

19.098  
19.098-P10  
19.698

## Analogue



14.043 14.044  
14.043-P10 14.044-P10

**SRA**

14.098

## Ti base



GH

Our analogues are suitable for both 3D and traditional models.

1,2mm ● 15.043 15.044  
3,0mm ● 15.343 15.344  
1,2mm ● 16.043 16.044  
3,0mm ● 16.343 16.344

**SRA**

15.098

16.098

**Ti base Castables**

Pack of 5

● 32.001-P5 32.001-P5  
● 33.001-P5 33.001-P5

## CoCr base



**ON ABUTMENT SRA**

● 30.043 30.044  
● 31.043 31.044

**DESS CoCr Ingots**

30.098 30.098  
31.098 31.098

1kg CRCO1000

## AURUMBase®

NP RC  
NC/3.3 RC/4.1

Up to 25°  
Angulated  
Screw  
Channel



Torx® Screw

19.443 19.443



DESS  
AURUMBase®

● 36.043 36.044  
● 37.043 37.044



Plastic sleeves for  
AURUMBase®

Pack of 5

0° 33.100-P5 33.100-P5

Pack of 5

10° 33.101-P5 33.101-P5

Pack of 5

20° 33.102-P5 33.102-P5

Torx® ball Screwdriver

20 mm  
DT20TB06

24 mm  
DT24TB06

35 mm  
DT35TB06



spherical head for angulated screw channels up to 25°



Castable	DESS prosthetic platform Straumann® Bone level equivalent prosthetic platform	NP	RP	NP/RP
		NC/3.3	RC/4.1	NC/RC
	●	28.043	28.044	
	Pack of 10	11.043-P10	11.044-P10	
	●	29.043	29.044	
	Pack of 10	12.043-P10	12.044-P10	

Transfer			
		17.046	17.047

Temporary abutments			
	●	24.043	24.044
	●	25.043	25.044
	●	24.098	
		25.098	

Abutments			
	Straight	13.043	13.044
	Angled 15°	22.043	22.044

Healing abutment			
	3,0mm	20.041/3	20.042/3
	4,0mm	20.041/4	20.042/4
	5,0mm	20.041/5	20.042/5

DESSLoc®			
	1,0mm		88.042/1
	2,0mm	88.041/2	88.042/2
	3,0mm	88.041/3	88.042/3
	4,0mm	88.041/4	88.042/4

To see all the DESSLoc® available please refer to page 110

Scan abutments			
	for desktop scanning * use indicated screw	50.043 * 19.032	50.044 * 19.033
	for intra-oral scanning	52.043	52.044
	ON ABUTMENT SRA for desktop scanning * use indicated screw		50.098 * 19.098
	for intra-oral scanning		52.098
	on Ti base	53.100-P10	53.100-P10
	Pack of 10	53.200-P10	53.200-P10

All abutments include final screw, except castables in packs of 10 and scan abutments for desktop scanning.

● non-engaging ● engaging

Pre-milled blank	DESS prosthetic platform Straumann® Bone level equivalent prosthetic platform	NP	RP
		NC/3.3	RC/4.1
	Ti	61.043	61.044
	CoCr	62.043	62.044
		71.043	71.044

To see all the Pre-milled blank available please refer to page 116

Multiunit abutments	MULTI-UNIT PLATFORM 4.8				
		Straight	1,5mm ●	40.043/1	40.044/1
2,5mm ●			40.043/2	40.044/2	
3,5mm ●			40.043/3	40.044/3	
4,5mm ●				40.044/4	
	Angled 17°	2,5mm ●	41.743/2	41.744/2	
		3,5mm ●	41.743/3	41.744/3	
		30°	3,5mm ●	43.043/3	43.044/3
			4,5mm ●	43.043/4	43.044/4

To see all the Multiunit abutments available please refer to page 104


## Special Design Screws

Fits Straumann® Bone level implants and similar implant systems

Our Ref.	Plat.	A	B	C	D	E	F	G	H	I	
19.041	NC/RC	★	2,20	45°		4,50	1,60	0,30	2,60	M1,4	Standard screw
19.104*	NC/RC	★	2,10	0°	0,70	8,15	1,55	4,60	2,00	M1,6	Flat seat screw. Better for bridges, structures and zirconia abutments, even without threaded hole.
19.105*	NC/RC	★	2,20	0°		4,50	1,50	0,00	3,00	M1,4	Flat seat screw. Better for bridges and structures
19.311	NC/RC	★	2,30	0°		8,10	1,50	4,00	2,70	M1,6	Special screw head design Torx® for angulated screw channels up to 25°

\*Available also in pack of 10

★ Torx®




All abutments include final screw, except castables in packs of 10 and scan abutments for desktop scanning



# INTERNAL HEX USA

compatible with  
Zimmer® Screw-Vent



## Screw hex



**1,27mm**

more alternatives in the special design screws section

Pack of 10

DESS  
prosthetic platform  
Zimmer® Screw-Vent  
equivalent prosthetic platform

NP	RP	WP
GREEN 3.5	PURPLE 4.5	YELLOW 5.7

19.012	19.012	19.012
19.012-P10	19.012-P10	19.012-P10

## Analogue



NEW COLORS

Pack of 10

14.017	14.018	14.019
14.017-P10	14.018-P10	

Our analogues are suitable for both 3D and traditional models.

## Ti base



GH

0,3mm	●		15.018	15.019
0,8mm	●	15.017		
1,5mm	●	15.217	15.218	15.219
3,0mm	●	15.317	15.318	15.319
0,3mm	●		16.018	16.019
0,8mm	●	16.017		
1,5mm	●	16.217	16.218	16.219
3,0mm	●	16.317	16.318	16.319

## Ti base Castables



Pack of 5

●	32.001-P5	32.001-P5	32.001-P5
●	33.001-P5	33.001-P5	33.001-P5

## CoCr base



●	30.017	30.018	30.019
●	31.017	31.018	31.019

## DESS CoCr Ingots



1kg CRC01000


## AURUMBase®

NP	RP	WP
GREEN 3.5	PURPLE 4.5	YELLOW 5.7



Torx® Screw

19.417	19.417	19.417
--------	--------	--------



DESS  
AURUMBase®

●	36.017	36.018	36.019
●	37.017	37.018	37.019



Plastic sleeves for  
AURUMBase®

Pack of 5	0°	33.100-P5	33.100-P5
Pack of 5	10°	33.101-P5	33.101-P5
Pack of 5	20°	33.102-P5	33.102-P5

Torx® ball Screwdriver	20 mm DT20TB06	24 mm DT24TB06	35 mm DT35TB06
------------------------	-------------------	-------------------	-------------------



spherical head for angulated screw channels up to 25°

Up to 25°  
Angulated  
Screw  
Channel



Castable	DESS prosthetic platform Zimmer® Screw-Vent equivalent prosthetic platform	NP	RP	WP
		GREEN 3.5	PURPLE 4.5	YELLOW 5.7
	●	28.017	28.018	28.019
	Pack of 10	11.017-P10	11.018-P10	
	●	29.017	29.018	29.019
	Pack of 10	12.017-P10	12.018-P10	

Transfer		NP	RP	WP
		17.017	17.018	17.019

Temporary abutments		NP	RP	WP
	●	24.017	24.018	24.019
	●	25.017	25.018	25.019

Abutments		NP	RP	WP
	Straight	13.017	13.018	13.019
	Angled 15°	22.017	22.018	22.019
		23.017	23.018	
	Angled 25°			

Healing abutment		NP	RP	WP
	3,0mm	20.017/3	20.018/3	20.019/3
	4,0mm	20.017/4	20.018/4	20.019/4
	5,0mm	20.017/5	20.018/5	20.019/5

DESSLoc®		NP	RP	WP
	1,0mm	88.017/1	88.018/1	
	2,5mm	88.017/2	88.018/2	
	3,5mm	88.017/3	88.018/3	
	4,5mm	88.017/4	88.018/4	
	5,5mm	88.017/5		

Scan abutments		NP	RP	WP
	for desktop scanning * use indicated screw	50.017	50.018	50.019
		* 19.012	* 19.012	* 19.012
	for intra-oral scanning	52.017	52.018	52.019
	on Ti base	53.100-P10	53.100-P10	53.100-P10
	Pack of 10	53.200-P10	53.200-P10	53.200-P10

● non-engaging      ● engaging

All abutments include final screw, except castables in packs of 10 and scan abutments for desktop scanning.

Pre-milled blank	DESS prosthetic platform Zimmer® Screw-Vent equivalent prosthetic platform	NP	RP	WP
		GREEN 3.5	PURPLE 4.5	YELLOW 5.7
	Ti	61.017	61.018	61.019
	NEW	62.017	62.018	62.019
	CoCr	71.017	71.018	71.019

To see all the Pre-milled blank available please refer to page 116

Multiunit abutments				MULTI-UNIT PLATFORM 4.8	
				NP	RP
	Straight	1,0mm ●	40.019/1	40.020/1	
		2,0mm ●	40.019/2	40.020/2	
		3,0mm ●	40.019/3	40.020/3	
		4,0mm ●	40.019/4		
		5,0mm ●	40.019/5		
	Angled 17°	2,5mm ●	41.719/2		
		3,5mm ●	41.719/3		
	Angled 30°	3,5mm ●	43.019/3		
		4,5mm ●	43.019/4		

To see all the Multiunit abutments available please refer to page 104


Angled Multiunits include DLC SCREW.

## Special Design Screws

Fits Zimmer® implants and similar implant systems

Our Ref.	Plat.	A	B	C	D	E	F	G	H	I	
19.012L	all	●	2,30	19°		8,95	2,55	3,80	2,60	UNF-1-72	Use with DESS abutments. Long version
19.042*	all	●	1,95	19°		8,20	2,49	2,95	2,76	UNF-1-72	Narrow head fits Zimmer® original abutments
19.312	all	★	2,40	0°		7,10	1,50	1,30	2,70	UNF-1-72	Special screw head design Torx® for angulated screw channels up to 25°
19.110	RP(4,8)	●	2,00	0°		2,80	3,45	1,35	0,00	M1,4	ON IMPLANT FOR MULTI-UNIT®
19.642	all	●	1,95	19°		8,20	2,49	2,95	2,76	UNF-1-72	TIN

\*Available also in pack of 10      ★ Torx®      ● H1,27






# CONIC EVO


compatible with

Astra Tech implant system™ EV



Detalle z 30 : 1

## Screw hex



1,27mm

DESS  
prosthetic platform  
Astra Tech implant system™ EV  
equivalent prosthetic platform

EV/3.6 EV/4.2 EV/4.8

PURPLE 3.6 YELLOW 4.2 BLUE 4.8

19.059	19.060	19.061
19.659	19.660	19.661

NEW TIN coated

ON UNIABUTMENT®

19.058

NEW TIN coated

19.658

## Analogue



NEW COLORS

OF UNIABUTMENT®

14.058

Our analogues are suitable for both 3D and traditional models.

## Ti base



1,0mm	●	15.059	15.060	15.061
NEW 3,0mm	●	15.359	15.360	15.361
1,0mm	●	16.059	16.060	16.061
NEW 3,0mm	●	16.359	16.360	16.361

ON UNIABUTMENT®

### Ti base Castables

15.058

Pack of 5	●	32.001-P5	32.001-P5	32.001-P5
ON UNIABUTMENT®	●	33.001-P5	33.001-P5	33.001-P5
Pack of 5	●	32.001-P5		

## CoCr base



●	30.059	30.060	30.061
●	31.059	31.060	31.061

ON UNIABUTMENT®

30.058

DESS CoCr Ingots

1kg CRC01000

## AURUMBase®

EV/3.6 EV/4.2 EV/4.8

PURPLE 3.6 YELLOW 4.2 BLUE 4.8



Torx® Screw

19.441	19.460	19.461
--------	--------	--------



DESS  
AURUMBase®

●	36.059	36.060	36.061
●	37.059	37.060	37.061



Plastic sleeves for  
AURUMBase®

Pack of 5	0°	33.100-P5	33.100-P5	33.100-P5
Pack of 5	10°	33.101-P5	33.101-P5	33.101-P5
Pack of 5	20°	33.102-P5	33.102-P5	33.102-P5



Torx® ball Screwdriver

20 mm	24 mm	35 mm
DT20TB06	DT24TB06	DT35TB06

spherical head for angulated screw channels up to 25°

Up to 25°  
Angulated  
Screw  
Channel



## Castable

DESS  
prosthetic platform  
Astra Tech implant system™ EV  
equivalent prosthetic platform

EV/3.6 EV/4.2 EV/4.8

PURPLE 3.6 YELLOW 4.2 BLUE 4.8



	●	28.059	28.060	28.061
<b>ON UNIABUTMENT®</b>	●	28.058		

## Transfer



		17.059	17.060	17.061
<b>ON UNIABUTMENT®</b>		17.058		

## Temporary abutments



	●	24.059	24.060	24.061
	●	25.059	25.060	25.061
<b>ON UNIABUTMENT®</b>	●	24.058		

## Healing abutment



3,5mm	ø4 20.059/3	ø5 20.060/3	ø5 20.061/3
4,5mm	ø4 20.059/4	ø5 20.060/4	ø6,5 20.061/4
6,5mm	ø4 20.059/6	ø5 20.060/6	ø6,5 20.061/6

## DESSLoc®



1,0mm	88.059/1	88.060/1	88.061/1
2,0mm	88.059/2	88.060/2	88.061/2
3,0mm	88.059/3	88.060/3	88.061/3
4,0mm	88.059/4	88.060/4	88.061/4

To see all the DESSLoc® available please refer to page 110

## Scan abutments



<b>for desktop scanning</b> <i>* use indicated screw</i>	50.059	50.060	50.061
	* 19.059	* 19.060	* 19.061

<b>ON UNIABUTMENT®</b>	50.058		
	* 19.058		

<b>NEW for intra-oral scanning</b>	52.059	52.060	52.061
------------------------------------	--------	--------	--------

<b>ON UNIABUTMENT®</b>	52.058		
------------------------	--------	--	--

<b>NEW on Ti base</b>	●	53.100-P10	53.100-P10	53.100-P10
Pack of 10	●	53.200-P10	53.200-P10	53.200-P10

## Pre-milled blank



Ti  
CoCr

DESS  
prosthetic platform  
Astra Tech implant system™ EV  
equivalent prosthetic platform

EV/3.6 EV/4.2 EV/4.8

PURPLE 3.6 YELLOW 4.2 BLUE 4.8

ø10mm	61.059	61.060	61.061
<b>NEW</b> ø14mm	62.059	62.060	62.061
ø14mm	71.059	71.060	71.061

To see all the Pre-milled blank available please refer to page 116

## UniAbutment®



UniAbutment need a  
1,7mm hex screwdriver

1,0mm	40.059/1	40.060/1	40.061/1
2,0mm	40.059/2	40.060/2	40.061/2
3,0mm	40.059/3	40.060/3	40.061/3
5,0mm	40.059/5	40.060/5	40.061/5

All abutments include final screw. Transfers include two screws (for open and closed tray).

● non-engaging ● engaging

# NEW Ti-Base Scan Abutment

To be used on Ti-bases and AURUMBase®, the new scan abutment offers you total flexibility with the same scanning precision you are used to, from other DESS® scan abutments.

Advantages of the new scan abutment:

- Available for more than 27 different implant connections
- Reusable
- Free\*

Compatible with most of DESS® Ti-bases, the same scan abutment can be used in more than 99 different Ti-bases including AURUMbase® allowing you to re-use it several times.

\*The scan abutment file can be downloaded from our website and printed in a 3d printer






# INTERNAL HEX CONIC

compatible with

Astra Tech Osseospeed™



## Screw hex

1,27mm



DESS  
prosthetic platform  
Astra Tech Osseospeed™  
equivalent prosthetic platform


NP  
YELLOW  
3.0

RP  
AQUA  
3.5-4.0

WP  
LILAC  
4.5-5.0

Pack of 10	19.015	19.016	19.017
Tin coated	19.615	19.616	19.617
<b>ON UNIABUTMENT®</b>			
	19.018		
Pack of 10	19.018-P10		
Tin coated	19.618		

## Analogue



		14.023	14.024	14.025
<b>OF UNIABUTMENT®</b>			14.024-P10	14.025-P10
20°	14.036			
Pack of 10	14.036-P10			
45°	14.037			
Pack of 10	14.037-P10			

## Ti base



Our analogues are suitable for both 3D and traditional models.

0,9mm	●			15.025
1,0mm	●	15.023		
1,1mm	●		15.024	
NEW 3,0mm	●		15.324	15.325
0,9mm	●			16.025
1,0mm	●	16.023		
1,1mm	●		16.024	
NEW 3,0mm	●		16.324	16.325
<b>ON UNIABUTMENT®</b>				
20°	●	15.036		
45°	●	15.037		

## Ti base Castables



		32.001-P5	32.001-P5	32.001-P5
<b>ON UNIABUTMENT®</b>		33.001-P5	33.001-P5	33.001-P5
		32.001-P5		

## AURUMBase®



Torx® Screw

RP  
AQUA  
3.5-4.0

WP  
LILAC  
4.5-5.0



DESS  
AURUMBase®

●	36.024	36.025
●	37.024	37.025



Plastic sleeves for  
AURUMBase®

Pack of 5	0°	33.100-P5	33.100-P5
Pack of 5	10°	33.101-P5	33.101-P5
Pack of 5	20°	33.102-P5	33.102-P5



Torx® ball Screwdriver

20 mm	24 mm	35 mm
DT20TB06	DT24TB06	DT35TB06

spherical head for angulated screw channels up to 25°

Up to 25°  
Angulated  
Screw  
Channel



## CoCr base

DESS  
prosthetic platform  
Astra Tech Osseospeed™  
equivalent prosthetic platform

NP RP WP  
YELLOW 3.0 AQUA 3.5-4.0 LILAC 4.5-5.0



	●		30.024	30.025
	●		31.024	31.025

### ON UNIABUTMENT®

20°	●	30.036
45°	●	30.037



DESS CoCr Ingots  
1kg CRCO1000

## Castable



	●		28.024	28.025
Pack of 10			11.024-P10	11.025-P10
	●		29.024	29.025
Pack of 10			12.024-P10	12.025-P10

### ON UNIABUTMENT®

20°	●	28.036
Pack of 10		11.036-P10
45°	●	28.037
Pack of 10		11.037-P10

## Transfer



			17.024	17.025
	●			
20°		17.036		
45°		17.037		

### ON UNIABUTMENT®

## Temporary abutments



	●		24.024	24.025
	●		25.024	25.025
	●			
20°		24.028		
45°		24.029		

### ON UNIABUTMENT®

## Abutments



Straight			13.024	13.025
Angled	15°		22.024	22.025
	25°		23.024	

## Healing abutment



		3,0mm	20.024/3	20.025/3
		4,0mm	20.024/4	20.025/4
		5,0mm	20.024/5	20.025/5

### Anatomic healing abutment



Ø4,5	4,0mm	20.424/4	
Ø5,5	4,0mm	20.524/4	20.525/4
Ø6,5	4,0mm		20.625/4

## DESSLoc®

DESS  
prosthetic platform  
Astra Tech Osseospeed™  
equivalent prosthetic platform

NP RP WP  
YELLOW 3.0 AQUA 3.5-4.0 LILAC 4.5-5.0



1mm		88.024/1	88.025/1
2mm		88.024/2	88.025/2
3mm		88.024/3	88.025/3
4mm		88.024/4	88.025/4

To see all the DESSLoc® available please refer to page 110

## Scan abutments



for desktop scanning  
\* use indicated screw

### ON UNIABUTMENT®

20°	50.036	50.024	50.025
	* 19.018	* 19.016	* 19.017
45°	50.037		
	* 19.018		

NEW

for intra-oral scanning

### ON UNIABUTMENT®

20°	52.036	52.024	52.025
45°	52.037		

NEW

on Ti base

Pack of 10	●	53.100-P10	53.100-P10	53.100-P10
	●	53.200-P10	53.200-P10	53.200-P10

## Pre-milled blank



Ti	Ø10mm	61.023	61.024	61.025
	NEW Ø14mm		62.024	62.025
CoCr	Ø14mm		71.024	71.025

To see all the Pre-milled blank available please refer to page 116

## UniAbutment®



20°	0,5mm	40.013/0	40.015/0
	1,0mm	40.013/1	40.015/1
	2,0mm	40.013/2	40.015/2
	4,0mm	40.013/4	40.015/4
	6,0mm	40.013/6	40.015/6
45°	0,5mm	40.014/0	40.016/0
	1,0mm	40.014/1	40.016/1
	2,0mm	40.014/2	40.016/2
	4,0mm	40.014/4	40.016/4
	6,0mm	40.014/6	40.016/6

● non-engaging


● engaging

All abutments include final screw, except castables in packs of 10 and scan abutments for desktop scanning.



# INTERNAL HEX FD

compatible with  
**Xive®**




## Screw hex



DESS  
prosthetic platform  
Xive®  
equivalent prosthetic platform

	NP	RP	WP	5.5
	SILVER 3.4	YELLOW 3.8	BLUE 4.5	RED 5.5
	19.024	19.024	19.024	19.024
Pack of 10	19.024-P10	19.024-P10	19.024-P10	19.024-P10
NEW TIN coated	19.624	19.624	19.624	19.624

## Analogue



NEW  
COLORS

	NP	RP	WP	5.5
Pack of 10	14.038	14.039	14.040	14.071
		14.039-P10		

Our analogues are suitable for both 3D and traditional models.

## Ti base



	GH	NP	RP	WP	5.5
0,3mm	●	15.038	15.039	15.040	15.071
1,5mm	●	15.238	15.239	15.240	15.271
3,0mm	●	15.338	15.339	15.340	15.371
0,3mm	⬡	16.038	16.039	16.040	16.071
1,5mm	⬡	16.238	16.239	16.240	16.271
3,0mm	⬡	16.338	16.339	16.340	16.371

## Ti base Castables



	NP	RP	WP	5.5
Pack of 5	32.001-P5	32.001-P5	32.001-P5	32.001-P5
	33.001-P5	33.001-P5	33.001-P5	33.001-P5

## CoCr base



## DESS CoCr Ingots

1kg CRC01000

## AURUMBase®



Torx® Screw

	NP	RP	WP
	SILVER 3.4	YELLOW 3.8	BLUE 4.5
	19.438	19.438	19.438



DESS  
AURUMBase®

●	36.038	36.039	36.040
⬡	37.038	37.039	37.040



Plastic sleeves for  
AURUMBase®

Pack of 5	0°	33.100-P5	33.100-P5
Pack of 5	10°	33.101-P5	33.101-P5
Pack of 5	20°	33.102-P5	33.102-P5

Torx® ball Screwdriver



	20 mm	24 mm	35 mm
	DT20TB06	DT24TB06	DT35TB06

spherical head for angulated screw channels up to 25°



**Castable**

	DESS prosthetic platform Xive® equivalent prosthetic platform	NP SILVER 3.4	RP YELLOW 3.8	WP BLUE 4.5	5.5 RED 5.5
--	--	---------------------	---------------------	-------------------	-------------------

	●	28.038	28.039	28.040	
	Pack of 10		11.039-P10		
	◆	29.038	29.039	29.040	
	Pack of 10		12.039-P10		


**Transfer**

		17.038	17.039	17.040	
---	--	--------	--------	--------	--


**Temporary abutments**

	●	24.038	24.039	24.040	
	◆	25.038	25.039	25.040	


**Abutments**

	Straight	13.038	13.039	13.040		
	Angled	15°	22.038	22.039	22.040	
		25°		23.039		

**Healing abutment**


	3,0mm	20.036/3	20.037/3	20.038/3	
	4,0mm	20.036/4	20.037/4	20.038/4	
	5,0mm	20.036/5	20.037/5	20.038/5	

**DESSLoc®**

	1,0mm	88.036/1	88.037/1		
	2,0mm	88.036/2	88.037/2		
	3,0mm	88.036/3	88.037/3		
	4,0mm	88.036/4	88.037/4		


To see all the DESSLoc® available please refer to page 110

**Scan abutments**

	for desktop scanning * use indicated screw	50.038 * 19.024	50.039 * 19.024	50.040 * 19.024	50.071 * 19.024
	for intra-oral scanning	52.038	52.039	52.040	52.071
NEW	on Ti base				
	Pack of 10	● 53.100-P10 ◆ 53.200-P10	53.100-P10 53.200-P10	53.100-P10 53.200-P10	53.100-P10 53.200-P10

**Pre-milled blank**

	DESS prosthetic platform Xive® equivalent prosthetic platform	NP SILVER 3.4	RP YELLOW 3.8	WP BLUE 4.5	5.5 RED 5.5
--	--	---------------------	---------------------	-------------------	-------------------

	Ti	∅10mm	61.038	61.039	61.040	61.071
	CoCr	∅14mm		62.039	62.040	62.071
		∅14mm	71.038	71.039	71.040	71.071

To see all the Pre-milled blank available please refer to page 116

All abutments include final screw. Transfers include two screws (for open and closed tray).

● non-engaging    ◆ engaging

**YOUR DESIGN  
OUR PRECISION**

Mill your design with the precision of the DESS® connections.  
Our range of Blank premills are available for more than 19 different connections.



INTERNAL HEX F D

# INTERNAL ANK

compatible with

Dentsply Ankylos® C/X



## Screw hex

Dentsply Ankylos® C/X  
equivalent prosthetic platform



1,00mm

more alternatives in the special design screws section

Pack of 10  
NEW TIN coated

height:

1,5mm	19.048
	19.048-P10
	19.648
2,5mm	19.050

## Analogue



Pack of 10

Pack of 10

Ø 3,5	14.048
	14.048-P10
Ø 4,5	14.049
	14.049-P10

Our analogues are suitable for both 3D and traditional models.

## Ti base



GH

1,5mm	●	15.050
NEW 2,5mm	●	15.250
1,5mm	○	16.050
NEW 2,5mm	○	16.250

## Ti base Castables



●	32.001-P5
○	33.001-P5

## CoCr base



height:

1,5mm	●	30.050
2,5mm	●	30.250
1,5mm	○	31.050
2,5mm	○	31.250

## DESS CoCr Ingots



1kg CRCO1000

## Castable



height:

1,5mm	●	28.048
2,5mm	●	28.250

## Transfer



height:

1,5mm	○	17.049
2,5mm	○	17.250

All abutments include final screw. Transfers include two screws (for open and closed tray).

● non-engaging

○ engaging



## Temporary abutments



height:		
1,5mm	●	24.048
2,5mm	●	24.250
1,5mm	○	25.048
2,5mm	○	25.250

## Abutments



	height:		
Straight	1,5mm	○	13.047
	2,5mm	○	13.250
15° Angled	1,5mm	○	22.048
	2,5mm	○	22.250
25° Angled	1,5mm	○	23.048
	2,5mm	○	23.250

## Healing abutment



height:	
1,5mm	20.046/1
2,5mm	20.046/3

## DESSLoc®



height:	
2,0mm	88.046/2
3,0mm	88.046/3
4,0mm	88.046/4

To see all the DESSLoc® available please refer to page 110

## Scan abutments



for desktop scanning <i>* use indicated screw</i>	50.049
	* 19.048
<b>NEW</b> for intra-oral scanning	52.049
<b>NEW</b> on Ti base	53.100-P10
Pack of 10	53.200-P10

## Pre-milled blank



Ti	∅10mm	61.250
CoCr	∅14mm	71.250

To see all the Pre-milled blank available please refer to page 116


## Special Design Screws

Fits Dentsply Ankylos® C/X implants and similar implant systems

Our Ref. Plat. A B C D E F G H I



19.349	★	2,40	0°	5,00	1,50	0,00	2,75	M1,6	Special screw head design Torx® for angulated screw channels up to 25°. On Ankylos® abutment.
--------	---	------	----	------	------	------	------	------	---



★ Torx®


## DESSLoc®

### Superior resistance, better results

Coated with a Zirconium nitride (ZrN), the DESSLoc® overdenture anchor system offers you better resistance with less plaque adhesion improving results and reducing inflammation

- 100% compatible with the most popular system
- Reduces plaque adhesion
- Decreases inflammation

DESSLoc® coated with Zirconium nitride.




aMMP-8 values of fluid from peri-implant sulcus in titanium (Ti) and Zirconium Nitride (ZrN) coated attachments at different times after prosthetic restoration. (Matrix Metalloproteinase-8 Levels in Peri-implant Sulcus Fluid Adjacent to Titanium and Zirconium Nitride Surface, Richard Meissen, MSc1 Mariana Mintcheva, MSc1 Lutz Netuschil, PhD Dr2, Int J Periodontics Restorative Dent 2014; 34:91-95. doi: 10.11607/prd.1504)



Please see the full range of DESSLoc® abutments available from page 110

# CONIC OSS

compatible with  
Osstem® TS



## Screw hex



1,22mm

NEW

DESS  
prosthetic platform  
Osstem® TS  
equivalent prosthetic platform

MINI STD  
YELLOW MINI GREEN REGULAR

19.072	19.073
19.272	19.273
19.672	19.673

## Analogue



14.072	14.073
--------	--------

Our analogues are suitable for both 3D and traditional models.

## Ti base



GH

1,0mm	●	15.072	15.073
3,0mm	●	15.372	15.373
1,0mm	●	16.072	16.073
3,0mm	●	16.372	16.373

## Ti base Castables



Pack of 5

●	32.001-P5	32.001-P5
●	33.001-P5	33.001-P5

## Scan abutments



for desktop scanning  
\* use indicated screw

50.072	50.073
* 19.072	* 19.073

for intra-oral scanning

52.072	52.073
--------	--------

on Ti base

Pack of 10

●	53.100-P10	53.100-P10
●	53.200-P10	53.200-P10

## Pre-milled blank



Ti	∅10mm	61.072	61.073
	∅14mm	62.072	62.073
CoCr	∅14mm	71.072	71.073

To see all the Pre-milled blank available please refer to page 116

## AURUMBase®

MINI STD  
YELLOW MINI GREEN REGULAR



Torx® Screw

19.444	19.461
--------	--------



DESS  
AURUMBase®

●	36.072	36.073
●	37.072	37.073



Plastic sleeves for  
AURUMBase®

Pack of 5	0°	33.100-P5	33.100-P5
Pack of 5	10°	33.101-P5	33.101-P5
Pack of 5	20°	33.102-P5	33.102-P5



Torx® ball Screwdriver

20 mm	24 mm	35 mm
DT20TB06	DT24TB06	DT35TB06

spherical head for angulated screw channels up to 25°

Up to 25°  
Angulated  
Screw  
Channel





All abutments include final screw. Transfers include two screws (for open and closed tray).

● non-engaging

● engaging

# INTERNAL CAM

compatible with  
**Camlog®**



DESS  
prosthetic platform  
Camlog®  
equivalent prosthetic platform

3.3 3.8 4.3 5.0  
SILVER 3.3 YELLOW 3.8 PINK 4.3 BLUE 5.0

## Screw hex




1,27mm

more alternatives in the special design screws section

NEW TIN coated

19.044	19.044	19.044	19.045
19.644	19.644	19.644	19.645

## Analogue



NEW COLORS

14.064	14.065	14.066	14.067
--------	--------	--------	--------

Our analogues are suitable for both 3D and traditional models.

## Ti base



GH

0,3mm	●		15.065	15.066	15.067
0,5mm	●	15.064			
1,5mm	●		15.265	15.266	
3,0mm	●		15.365	15.366	
0,3mm	●		16.065	16.066	16.067
0,5mm	●	16.064			
1,5mm	●		16.265	16.266	
3,0mm	●		16.365	16.366	

## Ti base Castables



Pack of 5

●	32.001-P5	32.001-P5	32.001-P5	32.001-P5
●	33.001-P5	33.001-P5	33.001-P5	33.001-P5

## CoCr base



●	30.065	30.066
●	31.065	31.066

## DESS CoCr Ingots



1kg CRCO1000

# AURUMBase®

3.8 4.3  
YELLOW 3.8 PINK 4.3



Torx® Screw

19.444	19.444
--------	--------



DESS  
AURUMBase®

●	36.065	36.066
●	37.065	37.066



Plastic sleeves for  
AURUMBase®

Pack of 5	0°	33.100-P5	33.100-P5
Pack of 5	10°	33.101-P5	33.101-P5
Pack of 5	20°	33.102-P5	33.102-P5

Torx® ball Screwdriver 20 mm DT20TB06 24 mm DT24TB06 35 mm DT35TB06



spherical head for angulated screw channels up to 25°

Up to 25°  
Angulated  
Screw  
Channel





<b>Castable</b>	DESS prosthetic platform	3.3	3.8	4.3	5.0
	Camlog® equivalent prosthetic platform	SILVER 3.3	YELLOW 3.8	PINK 4.3	BLUE 5.0



●	28.065	28.066
---	--------	--------

<b>Transfer</b>		17.065	17.066
-----------------	--	--------	--------



<b>Temporary abutments</b>	●	24.065	24.066
	◆	25.065	25.066



<b>Healing abutment</b>	3,0mm	20.065/3	20.066/3
	4,0mm	20.065/4	20.066/4
	5,0mm	20.065/5	20.066/5



<b>DESSLoc®</b>	1,0mm	88.065/1	88.066/1
	2,0mm	88.065/2	88.066/2
	3,0mm	88.065/3	88.066/3
	4,0mm	88.065/4	88.066/4



To see all the DESSLoc® available please refer to page 110

<b>Scan abutments</b>	<b>for desktop scanning</b> <i>* use indicated screw</i>	50.064	50.065	50.066	50.067
		* 19.044	* 19.044	* 19.044	* 19.045



<b>for intra-oral scanning</b>		52.064	52.065	52.066	52.067
	<b>on Ti base</b> Pack of 10	●	53.100-P10	53.100-P10	53.100-P10
	◆	53.200-P10	53.200-P10	53.200-P10	53.200-P10

<b>Pre-milled blank</b>	DESS prosthetic platform	3.3	3.8	4.3	5.0
	Camlog® equivalent prosthetic platform	SILVER 3.3	YELLOW 3.8	PINK 4.3	BLUE 5.0



Ti	Ø10mm	61.064	61.065	61.066	61.067
	NEW Ø14mm		62.065	62.066	62.067
CoCr	Ø14mm	71.064	71.065	71.066	71.067

To see all the Pre-milled blank available please refer to page 116

All abutments include final screw. Transfers include two screws (for open and closed tray).

● non-engaging ● engaging

# THE DEFINITIVE MULTI-UNIT ABUTMENT

Full thread in the connection cone means a safer and more stable prosthesis

Multiple gingival heights

Full shaped connection provides more stability.

The vertical access of the screw facilitates the placement of it. It also allows you to tight it at maximum torque of 35Ncm\* avoiding loosening and improving the stability of the Multi-Unit abutment.

\*According to compatibility


Straight 17° 30°

The DESS® Ti Base for Multi-Unit® is available in two different heights: 6mm and 8mm.

**NEW**  
COMPATIBILITY

# INTERNAL CON

compatible with  
**Conelog®**



## Screw hex



1,27mm


DESS  
prosthetic platform  
Conelog®  
equivalent prosthetic platform

*NP*     *RP*     *WP*  
3.3     3.8     5.0

TIN coated

19.074	19.074	19.076
19.674	19.674	19.676

## Analogue



14.074	14.075	14.076
--------	--------	--------

Our analogues are suitable for both 3D and traditional models.

## Ti base



GH

1,4 mm	●	15.074	15.075	15.076
--------	---	--------	--------	--------

1,4 mm	●	16.074	16.075	16.076
--------	---	--------	--------	--------

### Ti base Castables

Pack of 5	●	32.001-P5	32.001-P5	32.001-P5
	●	32.001-P5	32.001-P5	32.001-P5

## Scan abutments



for intra-oral scanning

52.074	52.075	52.076
--------	--------	--------

on Ti base

Pack of 10

●	53.100-P10	53.100-P10	53.100-P10
●	53.200-P10	53.200-P10	53.200-P10

## Pre-milled blank



Ti	∅10mm	61.074	61.075	61.076
	∅14mm	62.074	62.075	62.076
CoCr	∅14mm	71.074	71.075	71.076

To see all the Pre-milled blank available please refer to page 116

All abutments include final screw. Transfers include two screws (for open and closed tray).

● non-engaging

● engaging

# INTERNAL HEX BH

compatible with  
Biohorizons® internal



## Screw hex 1,27mm



DESS  
prosthetic platform  
Biohorizons® internal  
equivalent prosthetic platform

NP	RP	WP
YELLOW 3.5	GREEN 4.5	BLUE 5.7

TIN coated

19.043	19.043	19.043
19.643	19.643	19.643

## Analogue



NEW  
COLORS

14.087	14.088	14.089
--------	--------	--------

Our analogues are suitable for both 3D and traditional models.

## Ti base



GH

0,3 mm	●	15.088	15.089
0,8 mm	●	15.087	
0,3 mm	●	16.088	16.089
0,8 mm	●	16.087	

## Ti base Castables



Pack of 5	●	32.001-P5	32.001-P5	32.001-P5
	●	33.001-P5	33.001-P5	33.001-P5

## Healing abutment



3,0mm	20.017/3	20.018/3	20.019/3
4,0mm	20.017/4	20.018/4	20.019/4
5,0mm	20.017/5	20.018/5	20.019/5

## DESSLoc®



1,0mm	88.017/1	88.018/1
2,5mm	88.017/2	88.018/2
3,5mm	88.017/3	88.018/3
4,5mm	88.017/4	88.018/4
5,5mm	88.017/5	

To see all the DESSLoc® available please refer to page 110

## Multiunit abutments

MULTI-UNIT PLATFORM  
4.8



Straight	1,0mm	●	40.019/1	40.020/1
	2,0mm	●	40.019/2	40.020/2
	3,0mm	●	40.019/3	40.020/3
	4,0mm	●	40.019/4	
	5,0mm	●	40.019/5	

## Scan abutments



for intra-oral scanning	52.087	52.088	52.089
-------------------------	--------	--------	--------

on Ti base	Pack of 10	●	53.100-P10	53.100-P10	53.100-P10
		●	53.200-P10	53.200-P10	53.200-P10



# EXTERNAL HEX BH

compatible with  
BioHorizons® External



## Screw hex



**1,27mm**


more alternatives in the special design screws section

NEW TIN coated

DESS  
prosthetic platform  
BioHorizons® External  
equivalent prosthetic platform

	NP	RP	WP
	YELLOW 3.7	GREEN 4.2	BLUE 5.2
	19.013	19.014	19.014
		19.014-P10	19.014-P10
	19.613	19.614	19.614

## Analogue



NEW COLORS

Pack of 10

	14.020	14.021	14.022
		14.021-P10	

Our analogues are suitable for both 3D and traditional models.

## Ti base



GH

0,3mm



	15.051	15.052	15.053
--	--------	--------	--------

0,3mm



	16.051	16.052	16.053
--	--------	--------	--------

## Ti base Castables



	32.001-P5	32.001-P5	32.003-P5
--	-----------	-----------	-----------



	33.001-P5	33.001-P5	33.003-P5
--	-----------	-----------	-----------

## Castable



Pack of 10



	28.020	28.021	28.022
--	--------	--------	--------

11.021-P10

Pack of 10



	29.020	29.021	29.022
--	--------	--------	--------

12.021-P10

## Transfer



	17.020	17.021	17.022
--	--------	--------	--------

## Temporary abutments



	24.020	24.021	24.022
--	--------	--------	--------



	25.020	25.021	25.022
--	--------	--------	--------

## Abutments



Straight

	13.020	13.021	13.022
--	--------	--------	--------

Angled

15°

	22.020	22.021	
--	--------	--------	--

## Healing abutment



DESS  
prosthetic platform  
BioHorizons® External  
equivalent prosthetic platform

	NP YELLOW 3.7	RP GREEN 4.2	WP BLUE 5.2
3 mm	20.020/3	20.021/3	20.022/3
4 mm	20.020/4	20.021/4	20.022/4
5 mm	20.020/5	20.021/5	20.022/5

## Scan abutments



	NP	RP	WP
for desktop scanning <small>* use indicated screw</small>	50.020 <small>* 19.013</small>	50.021 <small>* 19.014</small>	50.022 <small>* 19.014</small>
for intra-oral scanning	52.020	52.021	52.022
on Ti base Pack of 10	53.100-P10	53.100-P10	53.100-P10
	53.200-P10	53.200-P10	53.200-P10

## Pre-milled blank



	Ti	CoCr
Ø10mm	61.021	61.022
Ø14mm	71.021	71.022

To see all the Pre-milled blank available please refer to page 116

All abutments include final screw. Transfers include two screws (for open and closed tray).

● non-engaging


● engaging

## Special Design Screws

Fits BioHorizons® implants and similar implant systems

Our Ref.	Plat.	A	B	C	D	E	F	G	H	I	
19.312	NP	★	2,40	0°		7,10	1,50	1,30	3,50	UNF-1-72	Special screw head design Torx® for angulated screw channels up to 25°
19.328	NP/WP	★	2,460	0°		7,60	1,50	2,10	4,00	M2,0	Special screw head design Torx® for angulated screw channels up to 25°

★ Torx®



## We are DESS®


DESS® offers a variety of dental prosthetic solutions for nearly all the connections available in the market. DESS® product quality is as good or better than the quality of well-known brands. The *“pure switch concept”* on which our products are conceived assure full compatibility with the implant brand chosen.



AURUMBase®  
Screw channel solution  
for up to 25° angle  
entry point and 360°  
rotation



Titanium Intraoral  
Scan abutment for a  
more precise image




Titanium anodized  
analogues, colour  
coded to match the  
original system

## Reasons to switch to DESS®

- **One stop shop**  
28 compatibilities with the most popular implant connections
- **Fast delivery**  
24hr delivery
- **Competitive Prices**  
Up to 65% below implant brands
- **European Quality**  
ISO 9001, ISO 13485, CE, FDA, Health Canada
- **Lifetime Warranty**  
All DESS® manufactured products have a lifetime warranty

# INTERNAL HEX MI

compatible with  
**MIS® SEVEN**



## Screw hex



**1,27mm**

more alternatives in the special design screws section

NEW Pack of 10  
TIN coated

DESS  
prosthetic platform  
MIS® SEVEN  
equivalent prosthetic platform

	NP YELLOW NARROW	SP PURPLE STANDARD	WP GREEN WIDE	MULTIUNIT 4.8
	19.056	19.081	19.081	19.110
				19.085
	19.656	19.681	19.681	19.685

## Analogue



Pack of 10

14.056	14.095	14.096	14.007
			14.085
	14.095-P10	14.096-P10	14.007-P10

Our analogues are suitable for both 3D and traditional models.

## Ti base



GH

0,3mm	●			15.096
0,8mm	●	15.056	15.095	
1,5mm	●		15.295	15.296
3,0mm	●		15.395	15.396
0,3mm	●			16.096
0,8mm	●	16.056	16.095	
1,5mm	●		16.295	16.296
3,0mm	●		16.395	16.396

## Ti base Castables



Pack of 5

●	32.001-P5	32.001-P5	32.001-P5
●	33.001-P5	33.001-P5	33.001-P5

## CoCr base



●	30.056	30.095	30.096
●	31.056	31.095	31.096

## DESS CoCr Ingots



1kg CRC01000

## AURUMBase®



Torx® Screw

	SP PURPLE STANDARD	WP GREEN WIDE
	19.417	19.417



DESS  
AURUMBase®

●	36.017	36.018
●	37.017	37.018



Plastic sleeves for  
AURUMBase®

Pack of 5	0°	33.100-P5	33.100-P5
Pack of 5	10°	33.101-P5	33.101-P5
Pack of 5	20°	33.102-P5	33.102-P5

Torx® ball Screwdriver 20 mm DT20TB06 24 mm DT24TB06 35 mm DT35TB06





spherical head for angulated screw channels up to 25°

Up to 25°  
Angulated  
Screw  
Channel





## Castable

		DESS prosthetic platform MIS® SEVEN equivalent prosthetic platform	NP YELLOW NARROW	SP PURPLE STANDARD	WP GREEN WIDE
	Pack of 10	●	28.056	28.095	28.096
				11.017-P10	11.018-P10
	Pack of 10	●	29.056	29.095	29.096
				12.017-P10	12.018-P10


## Transfer

			17.056	17.017	17.018
---	--	--	--------	--------	--------

## Temporary abutments

	●	24.095	24.096
	●	25.095	25.096


## Abutments

			13.095	13.096
	15°	●	22.095	22.096
	25°	●	23.095	23.096

## Healing abutment

	3,0mm		20.017/3	20.018/3
	4,0mm		20.017/4	20.018/4
	5,0mm		20.017/5	20.018/5

## DESSLoc®

	1,0mm		88.017/1	88.018/1
	2,5mm		88.017/2	88.018/2
	3,5mm		88.017/3	88.018/3
	4,5mm		88.017/4	88.018/4
	5,5mm		88.017/5	

## Scan abutments


	for desktop scanning <i>* use indicated screw</i>		50.056 * 19.056	50.017 * 19.081	50.018 * 19.081
	for intra-oral scanning		52.056	52.017	52.018
	on Ti base Pack of 10	●	53.100-P10	53.100-P10	53.100-P10
		●	53.200-P10	53.200-P10	53.200-P10

All abutments include final screw, except castables in packs of 10 and scan abutments for desktop scanning.

● non-engaging




● engaging

## Pre-milled blank

		DESS prosthetic platform MIS® SEVEN equivalent prosthetic platform	NP YELLOW NARROW	SP PURPLE STANDARD	WP GREEN WIDE
	Ti	ø10mm		61.095	61.096
	CoCr	ø14mm		71.095	71.096

To see all the Pre-milled blank available please refer to page 116

## Multunit abutments

		DESS DENTAL SMART SOLUTIONS		MULTI-UNIT PLATFORM 4, 8	
	Straight	1,0mm	●	40.019/1	40.020/1
		2,0mm	●	40.019/2	40.020/2
		3,0mm	●	40.019/3	40.020/3
		4,0mm	●	40.019/4	
		5,0mm	●	40.019/5	
	Angled 17°	2,5mm	●	41.719/2	
		3,5mm	●	41.719/3	
	Angled 30°	3,5mm	●	43.019/3	
		4,5mm	●	43.019/4	


## Special Design Screws

Fits MIS® implants and similar implant systems

Our Ref.	Plat.	A	B	C	D	E	F	G	H	I	
19.312	all	★	2,40	0°		7,10	1,50	1,30	2,70	UNF-1-72	Special screw head design Torx® for angulated screw channels up to 25°
ON IMPLANT FOR MULTI-UNIT® 19.110	RP(4,8)	●	2,00	0°	2,80	3,45	1,35	0,00	2,10	M1,4	
ON IMPLANT FOR MULTI-UNIT® 19.300	RP(4,8)	★	2,15	0°		3,95	1,50	0,50	1,95	UNF-1-72	Special screw head design Torx® for angulated screw channels up to 25°

★ Torx®


● H1,27



**NEW**  
COMPATIBILITY

# CONIC MC

compatible with  
**MIS® C1 internal**



## Screw hex



1,27mm

DESS  
prosthetic platform  
MIS® C1 internal  
equivalent prosthetic platform

TIN coated

	NP YELLOW	SP PURPLE	WP GREEN	MULTIUNIT 4.8
	19.081	19.056	19.081	19.085 MIS
	19.681	19.656	19.681	19.685 MIS

## Analogue



	14.081	14.082	14.083	14.085 MIS
--	--------	--------	--------	------------

Our analogues are suitable for both 3D and traditional models.

## Ti base



GH

0,3mm



15.085 MIS

1,0mm



15.081 15.082 15.083

1,0mm



16.081 16.082 16.083

### Ti base Castables

Pack of 5



32.001-P5 32.001-P5 32.001-P5 32.007-P5



33.001-P5 33.001-P5 33.001-P5

## Scan abutments

for intra-oral scanning



on Ti base

Pack of 10

52.081 52.082 52.083 52.085



53.100-P10 53.100-P10 53.100-P10 53.100-P10



53.200-P10 53.200-P10 53.200-P10 53.200-P10

All abutments include final screw. Transfers include two screws (for open and closed tray).


non-engaging

engaging

**NEW**  
COMPATIBILITY

# CONIC MV

compatible with  
**MIS® V3**



	DESS prosthetic platform MIS® V3 equivalent prosthetic platform	NP BLUE	SP PURPLE	MULTIUNIT 4.8
<b>Screw hex</b> 1,27mm		19.056	19.081	19.085 MIS
	TIN coated	19.656	19.681	19.685 MIS



## Analogue



	14.084	14.082	14.085 MIS
--	--------	--------	------------

Our analogues are suitable for both 3D and traditional models.

## Ti base



	GH		
0,3mm	●		15.085 MIS
1,0mm	●	15.084	15.082
1,0mm	●	16.084	16.082

## Ti base Castables



Pack of 5	●	32.001-P5	32.001-P5	32.007-P5
	●	33.001-P5	33.001-P5	

## Scan abutments



for intra-oral scanning		52.084	52.082
on Ti base			
Pack of 10	●	53.100-P10	53.100-P10
	●	53.200-P10	53.200-P10


All abutments include final screw. Transfers include two screws (for open and closed tray).

● non-engaging ● engaging



# CONIC ANYR

compatible with  
**MEGAGEN AnyRidge®**



## Screw hex

MEGAGEN AnyRidge®  
equivalent prosthetic platform



1,20mm

TIN coated

19.057

19.657

## Analogue



NEW  
COLOR

14.057

Our analogues are suitable for both 3D and traditional models.

## Ti base



GH

2,0mm



15.057

3,0mm



15.357

2,0mm



16.057

3,0mm



16.357

## Ti base Castables



Pack of 5



32.001-P5



33.001-P5

## Scan abutments



for desktop scanning

\* use indicated screw

50.057

\* 19.057

for intra-oral scanning

52.057

on Ti base

Pack of 10



53.100-P10



53.200-P10

## Pre-milled blank



Ti

ø10mm

61.057

CoCr

ø14mm

71.057

To see all the Pre-milled blank available please refer to page 116

## AURUMBase®



Torx® Screw

19.460



DESS  
AURUMBase®



36.057



37.057



Plastic sleeves for  
AURUMBase®

Pack of 5

0°

33.100-P5

Pack of 5

10°

33.101-P5

Pack of 5

20°

33.102-P5

Torx® ball Screwdriver

20 mm

DT20TB06

24 mm

DT24TB06

35 mm

DT35TB06




spherical head for angulated screw channels up to 25°



# CONIC AXIO

compatible with  
Anthogyr AXIOM®



## Screw hex

Anthogyr AXIOM®  
equivalent prosthetic platform



1,18mm

TIN coated



ON ABUTMENT®

TIN coated

## Analogue



Our analogues are suitable for both 3D and traditional models.

## Ti base



GH

2,9 mm



15.077

2,9 mm



16.077

## Ti base Castables



32.001-P5



33.001-P5

## Scan abutments

for intra-oral scanning

52.077



on Ti base

Pack of 10



53.100-P10



53.200-P10

All abutments include final screw. Transfers include two screws (for open and closed tray).

● non-engaging

● engaging

# CONIC IC

compatible with  
Medentis ICX®



## Screw hex

Medentis ICX®  
equivalent prosthetic platform



1,40mm

NEW TIN coated

19.080  
19.680

## Analogue



14.080

Our analogues are suitable for both 3D and traditional models.

## Ti base



GH

2,2 mm



15.080

2,2 mm



16.080

## Ti base Castables



Pack of 5



32.001-P5



32.001-P5

## Scan abutments



for desktop scanning  
\* use indicated screw

50.080  
\* 19.080

for intra-oral scanning

52.080

NEW on Ti base

Pack of 10



53.100-P10



53.200-P10

## Pre-milled blank



Ti

NEW

ø10mm

61.080

ø14mm

62.080

CoCr

ø14mm

71.080

## AURUMBase®



Torx® Screw

2,2 mm

19.444

0,9 mm

19.443



DESS  
AURUMBase®

2,2 mm



36.080

0,9 mm



36.180

2,2 mm



37.080

0,9 mm



37.180



Plastic sleeves for  
AURUMBase®

Pack of 5

0°

33.100-P5

Pack of 5

10°

33.101-P5

Pack of 5

20°

33.102-P5



Torx® ball Screwdriver

20 mm

DT20TB06

24 mm

DT24TB06

35 mm

DT35TB06

spherical head for angulated screw channels up to 25°



All abutments include final screw. Transfers include two screws (for open and closed tray).

● non-engaging

● engaging



# CONIC INK

compatible with  
GlobalID IN-KONE®



## Screw hex

GlobalID IN-KONE®  
equivalent prosthetic platform



1,22mm

19.086

19.686

## Analogue



14.086

Our analogues are suitable for both 3D and traditional models.

## Ti base



GH

1,5 mm



15.086

1,5 mm



16.086

## Ti base Castables

Pack of 5



32.001-P5



33.001-P5

## Scan abutments



for intra-oral scanning

52.086

on Ti base  
Pack of 10



53.100-P10



53.200-P10

All abutments include final screw. Transfers include two screws (for open and closed tray).

non-engaging

engaging

# CONIC DENT

compatible with

Dentium Superline™ & Implantium®



## Screw hex



1,28mm

DESS  
prosthetic platform  
Dentium Superline™ & Implantium®  
equivalent prosthetic platform

RP / YELLOW / GREEN / BLUE / RED  
3.8 3.6 4.0 4.5 5.0

NEW TIN coated

19.090

19.690

## Analogue



ON ABUTMENT

TIN coated

19.066

19.666

14.090

Our analogues are suitable for both 3D and traditional models.

## Ti base



GH

0,9mm



15.090

0,9mm



16.090

Ti base Castables

Pack of 5



32.001-P5



33.001-P5

## Scan abutments



NEW

for desktop scanning

\* use indicated screw

50.090

\* 19.090

for intra-oral scanning

52.090

on Ti base

Pack of 10



53.100-P10



53.200-P10

## Pre-milled blank



Ti

ø10mm

61.090

CoCr

ø14mm

71.090

To see all the Pre-milled blank available please refer to page 116

All abutments include final screw. Transfers include two screws (for open and closed tray).


non-engaging

engaging

# INTERNAL SEM

compatible with

Bego Semados®



DESS  
prosthetic platform  
Bego Semados®  
equivalent prosthetic platform

	3.25/3.75	4.1	4.5	5.5
	GREEN/BLUE	SILVER	RED	YELLOW

Screw hex	1,27mm	19.091	19.091	19.091	19.091
			19.691	19.691	19.691

## Analogue



14.091	14.092	14.093	14.094
--------	--------	--------	--------

Our analogues are suitable for both 3D and traditional models.

## Ti base



GH					
0,7mm				15.091	15.094
0,9mm			15.091		
1,1mm		15.091			
0,7mm				16.091	16.094
0,9mm			16.091		
1,1mm		16.091			

## Ti base Castables

Pack of 5		32.001-P5	32.001-P5	32.001-P5	32.001-P5
		33.001-P5	33.001-P5	33.001-P5	33.001-P5

## Scan abutments



for intra-oral scanning	52.091	52.092	52.093	52.094
-------------------------	--------	--------	--------	--------

on Ti base		53.100-P10	53.100-P10	53.100-P10	53.100-P10
Pack of 10		53.200-P10	53.200-P10	53.200-P10	53.200-P10

All abutments include final screw. Transfers include two screws (for open and closed tray).


non-engaging engaging



**NEW**  
COMPATIBILITY

# CONIC BIO

compatible with  
**Biotech KONTACT®**



## Screw hex

Biotech Kontakt®  
equivalent prosthetic platform

MULTIUNIT



TIN coated

	NP	RP
19.078	19.063	19.064
19.678	19.663	19.664

## Analogue



14.078

Our analogues are suitable for both 3D and traditional models.

## Ti base



- 15.078
- 16.078

### Ti base Castables

Pack of 5



- 32.001-P5
- 33.001-P5

## Scan abutments



for intra-oral scanning

52.078

on Ti base

Pack of 10

- 53.100-P10
- 53.200-P10


All abutments include final screw. Transfers include two screws (for open and closed tray).

● non-engaging    ● engaging

**NEW**  
COMPATIBILITY

# INTERNAL BT

compatible with  
**BTI®**



## Screw hex

BTI®  
equivalent prosthetic platform

4.1 MULTI-UNIT



19.079	19.065
19.679	19.665

## Analogue



14.079

Our analogues are suitable for both 3D and traditional models.

## Ti base



●	15.079
●	16.079

## Ti base Castables



Pack of 5

●	32.001-P5
●	33.001-P5

## Scan abutments



for intra-oral scanning

52.079

on Ti base

Pack of 10

●	53.100-P10
●	53.200-P10

All abutments include final screw. Transfers include two screws (for open and closed tray).

● non-engaging      ● engaging





DESS  
prosthetic platform

RP	WP
MULTI-UNIT 4.8	PLATFORM 6.5

## Transfer



for closed tray only



5,0mm		17.507	
5,0mm	Pack of 4	17.507-P4	
8,0mm		17.807	
8,0mm	Pack of 4	17.807-P4	

17.007 17.050

## Temporary abutments



24.007 24.030

## Healing abutments



20.100 20.054

## DESSLoc®



88.007

## Scan abutments



for desktop scanning  
\* use indicated screw

50.007 50.047  
\* 19.006 \* 19.031

**NEW** for intra-oral scanning

52.007 52.047

DESS  
prosthetic platform

NP	RP	WP
MULTI-UNIT PLATFORM 4.8		

## Active Hex

NobelActive® & NobelReplace® CC



Straight	1,5mm	●	40.007/1	40.008/1
	2,5mm	●	40.007/2	40.008/2
	3,5mm	●	40.007/3	40.008/3
	4,5mm	●		40.008/4



Angled 17°	2,5mm	●	41.707/2	41.708/2
	3,5mm	●	41.707/3	41.708/3



30°	3,5mm	●	43.007/3	43.008/3
	4,5mm	●	43.007/4	43.008/4

## Tri-lobe

NobelReplace Select™



Straight	1,0mm	●	40.004/1	40.005/1	40.006/1
	2,0mm	●	40.004/2	40.005/2	40.006/2
	3,0mm	●	40.004/3	40.005/3	40.006/3
	4,0mm	●		40.005/4	
	5,0mm	●		40.005/5	



Angled 17°	2,0mm	◀	41.704/2	41.705/2
	3,0mm	◀	41.704/3	41.705/3
	4,0mm	◀		41.705/4



30°	4,0mm	◀		43.005/4
	4,0mm	●		43.005/4R
	5,0mm	◀		43.005/5
	5,0mm	●		43.005/5R

## External Hex Universal

Nobel Brånemark®



Straight	1,0mm	●	40.001/1	40.002/1	40.003/1
	2,0mm	●	40.001/2	40.002/2	40.003/2
	3,0mm	●	40.001/3	40.002/3	40.003/3
	4,0mm	●		40.002/4	
	5,0mm	●		40.002/5	



Angled 17°	2,0mm	●	41.701/2	41.702/2
	3,0mm	●	41.701/3	41.702/3
	4,0mm	●		41.702/4






30°	4,0mm	●		43.002/4
	4,0mm	●		43.002/4R
	5,0mm	●		43.002/5
	5,0mm	●		43.002/5R




Angled Multiunits include DLC SCREW.

DESS  
prosthetic platform

**External hex usa**  
3i Osseotite®




		NP		RP		WP	
		MULTI-UNIT PLATFORM 4.8					
	Straight	1,0mm	●	40.009/1	40.017/1		
		2,0mm	●	40.009/2	40.017/2		
		3,0mm	●	40.009/3	40.017/3		
		4,0mm	●		40.017/4		
		5,0mm	●		40.017/5		
	Angled 17°	2,0mm	●		41.712/2		
		3,0mm	●		41.702/3*		
		4,0mm	●		41.702/4*		
	30°	3,0mm	●		43.012/3		
		4,0mm	●		43.012/4		
		5,0mm	●		43.012/5		

**Conical BL**  
Straumann® bone level




	Straight	1,5mm	●	40.043/1	40.044/1		
		2,5mm	●	40.043/2	40.044/2		
		3,5mm	●	40.043/3	40.044/3		
		4,5mm	●		40.044/4		
	Angled 17°	2,5mm	●	41.743/2	41.744/2		
		3,5mm	●	41.743/3	41.744/3		
	30°	3,5mm	●	43.043/3	43.044/3		
		4,5mm	●	43.043/4	43.044/4		

DESS  
prosthetic platform


**Internal Hex USA**  
Zimmer Screw-vent®

		NP		RP		WP	
		MULTI-UNIT PLATFORM 4.8					
	Straight	1,0mm	●	40.019/1	40.020/1		
		2,0mm	●	40.019/2	40.020/2		
		3,0mm	●	40.019/3	40.020/3		
		4,0mm	●		40.019/4		
		5,0mm	●		40.019/5		
	Angled 17°	2,5mm	●		41.719/2		
		3,5mm	●		41.719/3		
	30°	3,5mm	●		43.019/3		
		4,5mm	●		43.019/4		

**Internal Hex MI**  
MIS® Seven

	Straight	1,0mm	●	40.019/1	40.020/1		
		2,0mm	●	40.019/2	40.020/2		
		3,0mm	●	40.019/3	40.020/3		
		4,0mm	●		40.019/4		
		5,0mm	●		40.019/5		
	Angled 17°	2,5mm	●		41.719/2		
		3,5mm	●		41.719/3		
	30°	3,5mm	●		43.019/3		
		4,5mm	●		43.019/4		

# DESSLoc



## Analogue



Pack of 10

14.054

14.054-P10

## Transfer



17.054

Our analogues are suitable for both 3D and traditional models.

## Retention Kits



divergence  
between  
implants

up to 20° x1  
up to 20° x2

\* divergence up to 40°

DLRK-P1

DLRK-P2

up to 40° x1  
up to 40° x2

DLER-P1

DLER-P2

## Males



divergence  
between  
implants

up to 20° x4  
up to 20° x4  
up to 20° x4  
up to 40° x4  
up to 40° x4  
up to 40° x4

1.5 lbs / 680g  
3.0 lbs / 1360g  
5.0 lbs / 2270g  
1.0 lbs / 450g  
2.0 lbs / 910g  
4.0 lbs / 1810g

DLN2-P4

DLN3-P4

DLN4-P4

DLN1-P4

DLN6-P4

DLN7-P4

## Tools



DESSLoc Removal & Insertion Tool

PHLOC

### SPECIAL TOOLS



DESSLoc

DTLOC



Adaptor from straumann®  
torque wrench to square  
connection

DTSTSQ



## Active Hex

NobelActive® NobelReplace® CC

NP

RP



1,0mm  
2,0mm  
3,0mm  
4,0mm

	PURPLE 3.5	YELLOW 4.3-5.0
1,0mm	88.039/1	88.040/1
2,0mm	88.039/2	88.040/2
3,0mm	88.039/3	88.040/3
4,0mm	88.039/4	88.040/4

## Tri-Lobe

Nobel Replace Select™



1,0mm  
2,0mm  
3,0mm  
4,0mm

	PURPLE 3.5	YELLOW 4.3
1,0mm	88.004/1	88.005/1
2,0mm	88.004/2	88.005/2
3,0mm	88.004/3	88.005/3
4,0mm	88.004/4	88.005/4

## External Hex Universal

NobelBrånemark®



1,0mm  
2,0mm  
3,0mm  
4,0mm  
5,0mm

	3.5	4.1
1,0mm	88.001/1	88.002/1
2,0mm	88.001/2	88.002/2
3,0mm	88.001/3	88.002/3
4,0mm		88.002/4
5,0mm		88.002/5

## External Hex USA

3i Osseotite®



1,0mm  
2,0mm  
3,0mm  
4,0mm  
5,0mm

	PURPLE 3.4	BLUE 4.1
1,0mm	88.011/1	88.002/1
2,0mm	88.011/2	88.002/2
3,0mm	88.011/3	88.002/3
4,0mm	88.011/4	88.002/4
5,0mm		88.002/5

## Internal Hex "CLICK"

3i Certain®



1mm  
2mm  
3mm  
4mm

	PURPLE 3.4	BLUE 4.1
1mm	88.014/1	88.015/1
2mm	88.014/2	88.015/2
3mm	88.014/3	88.015/3
4mm	88.014/4	88.015/4
		88.002/5

## Octagon

Straumann® Soft Tissue Level & synOCTA®



1,0mm  
2,0mm  
3,0mm  
4,0mm

	4.8 RN
1,0mm	88.009/1
2,0mm	88.009/2
3,0mm	88.009/3
4,0mm	88.009/4

## Conical BL

Straumann® Bone Level

NP

RP

WP



1,0mm  
2,0mm  
3,0mm  
4,0mm

	NC 3.3	RC 4.1
1,0mm		88.042/1
2,0mm	88.041/2	88.042/2
3,0mm	88.041/3	88.042/3
4,0mm	88.041/4	88.042/4

## Internal Hex USA

Zimmer Screw-vent®



1,0mm  
2,5mm  
3,5mm  
4,5mm  
5,5mm

	GREEN / 3.5	PURPLE / 4.5
1,0mm	88.017/1	88.018/1
2,5mm	88.017/2	88.018/2
3,5mm	88.017/3	88.018/3
4,5mm	88.017/4	88.018/4
5,5mm	88.017/5	

## Conic EVO

Astra Tech Implant System™ EV



1,0mm  
2,0mm  
3,0mm  
4,0mm

	PURPLE 3.6	YELLOW 4.2	BLUE 4.8
1,0mm	88.059/1	88.060/1	88.061/1
2,0mm	88.059/2	88.060/2	88.061/2
3,0mm	88.059/3	88.060/3	88.061/3
4,0mm	88.059/4	88.060/4	88.061/4

## Internal Hex Conic

Astra Tech Osseospeed™



1,0mm  
2,0mm  
3,0mm  
4,0mm

	AQUA 3.5-4.0	LILAC 4.5-5.0
1,0mm	88.024/1	88.025/1
2,0mm	88.024/2	88.025/2
3,0mm	88.024/3	88.025/3
4,0mm	88.024/4	88.025/4

## Internal Hex FD

Dentsply friadent® XIVE®



1,0mm  
2,0mm  
3,0mm  
4,0mm

	SILVER 3.4	YELLOW 3.8
1,0mm	88.036/1	88.037/1
2,0mm	88.036/2	88.037/2
3,0mm	88.036/3	88.037/3
4,0mm	88.036/4	88.037/4

## Internal ANK

Ankylos® C/X



2,0mm  
3,0mm  
4,0mm

2,0mm	88.046/2
3,0mm	88.046/3
4,0mm	88.046/4



## Internal CAM

Camlog®



1,0mm  
2,0mm  
3,0mm  
4,0mm

*NP*

**YELLOW  
3.8**

88.065/1  
88.065/2  
88.065/3  
88.065/4

*RP*

**PINK  
4.3**

88.066/1  
88.066/2  
88.066/3  
88.066/4

## Internal Hex BH

Biohorizons® Internal



1,0mm  
2,5mm  
3,5mm  
4,5mm  
5,5mm

**YELLOW  
3.5**

88.017/1  
88.017/2  
88.017/3  
88.017/4  
88.017/5

**GREEN  
4.5**

88.018/1  
88.018/2  
88.018/3  
88.018/4

## Internal Hex MI

MIS® Seven



1,0mm  
2,5mm  
3,5mm  
4,5mm  
5,5mm

**PURPLE / STD**

88.017/1  
88.017/2  
88.017/3  
88.017/4  
88.017/5

**GREEN / WIDE**

88.018/1  
88.018/2  
88.018/3  
88.018/4

## Multi-Unit Connection

Multi-Unit® Abutments



**MULTI-UNIT  
4.8**

88.007

## Bar Attachment



88.100



# AURUMBase®



## Angular freedom

AURUMBase® is our answer to clinical situations where the long-axis of the implant results in an unfavorable location of the prosthetic screw access hole.


- Full recommended torque at maximum angle
- Up to 25° angle
- 360° freedom positioning
- Flat seat screw design



The specially designed Torx® based screw and driver concept will retain the ability to use full recommended torque even at full angulation.

**360°**  
**Get the angle you need**

# PRE-MILLED BLANK



		3.0	NP 3.5	RP 4.3-5.0	WP	
<b>Active Hex</b> NobelActive® NobelReplace® CC		3.0	PURPLE 3.5	YELLOW 4.3-5.0	WP	
	Ti	Ø10mm	61.068	61.041	61.042	61.069
	CoCr	NEW Ø14mm		62.041	62.042	
Ø14mm		71.068	71.041	71.042	71.069	

		PURPLE 3.5	YELLOW 4.3	BLUE 5.0	6.0	
<b>Tri-Lobe</b> Nobel Replace Select™						
	Ti	Ø10mm	61.004	61.005	61.006	61.097
	CoCr	Ø14mm		62.005	62.006	62.097
Ø14mm		71.004	71.005	71.006	71.097	

		3.5	4.1	5.1	
<b>External Hex Universal</b> NobelBranemark®					
	Ti	Ø10mm	61.001	61.002	61.003
	CoCr	Ø14mm	71.001	71.002	71.003

		PURPLE 3.4	BLUE 4.1	YELLOW 5.0	
<b>External Hex USA</b> 3i Osseotite®					
	Ti	Ø10mm	61.011	61.012	61.013
	CoCr	Ø14mm	71.011	71.012	71.013

		PURPLE 3.4	BLUE 4.1	YELLOW 5.0	
<b>Internal Hex "CLICK"</b> 3i Certain®					
	Ti	Ø10mm	61.014	61.015	61.016
	CoCr	Ø14mm		62.015	62.016
Ø14mm		71.014	71.015	71.016	



## Octagon

Straumann® Soft Tissue Level & synOCTA®



			NP 3.5	RP 4.8	WP 6.5
Ti	ø10mm		61.070	61.009	61.045
	ø14mm	NEW		62.009	62.045
CoCr	ø14mm		71.070	71.009	71.045

## Conical BL

Straumann® Bone Level



			NC 3.3	RC 4.1
Ti	ø10mm		61.043	61.044
	ø14mm	NEW	62.043	62.044
CoCr	ø14mm		71.043	71.044

## Internal Hex USA

Zimmer Abutmentschrauben-vent®



			GREEN 3.5	PURPLE 4.5	YELLOW 5.7
Ti	ø10mm		61.017	61.018	61.019
	ø14mm	NEW	62.017	62.018	62.019
CoCr	ø14mm		71.017	71.018	71.019

## Conic EVO

Astra Tech Implant System™ EV



			PURPLE 3.6	YELLOW 4.2	BLUE 4.8
Ti	ø10mm		61.059	61.060	61.061
	ø14mm		62.059	62.060	62.061
CoCr	ø14mm		71.059	71.060	71.061

## Internal Hex Conic

Astra Tech Osseospeed™



			NP 3.0	AQUA 3.5-4.0	LILAC 4.5-5.0
Ti	ø10mm		61.023	61.024	61.025
				62.024	62.025
CoCr	ø14mm			71.024	71.025

## Internal Hex FD

Dentsply friadent® XIVE®



			3.3 SILVER 3.4	NP RP 3.8 YELLOW 3.8	WP 4.5 BLUE 4.5	5.5 RED 5.5
Ti	ø10mm		61.038	61.039	61.040	61.071
	ø14mm			62.039	62.040	62.071
CoCr	ø14mm		71.038	71.039	71.040	71.071

## Internal ANK

Ankylos® C/X



Ti	ø10mm		61.250*
CoCr	ø14mm		71.250*

\*available only in 3mm height

## Conic oss

Osstem® TS



			YELLOW MINI	GREEN REGULAR
Ti	ø10mm		61.072	61.073
	ø14mm		62.072	62.073
CoCr	ø14mm		71.072	71.073

## Internal CAM

Camlog®



			SILVER 3.3	YELLOW 3.8	PINK 4.3	BLUE 5.0
Ti	ø10mm		61.064	61.065	61.066	61.067
	ø14mm			62.065	62.066	62.067
CoCr	ø14mm		71.064	71.065	71.066	71.067

## Internal CON

Conelog®



			3.3	3.8	5.0
Ti	ø10mm		61.074	61.075	61.076
CoCr	ø14mm		71.074	71.075	71.076



NP RP WP

GREEN 4.2 BLUE 5.2

## External Hex BH

Biohorizons®



Ti	∅10mm	61.021	61.022
CoCr	∅14mm	71.021	71.022

## Internal Hex MI

MIS® Seven



Ti	∅10mm	61.095	61.096
CoCr	∅14mm	71.095	71.096

## Conic ANYR

Megagen AnyRidge®



Ti	∅10mm		61.057
CoCr	∅14mm		71.057

## CONIC IC

Medentis ICX®



Ti	∅10mm	61.080	
	∅14mm	62.080	
CoCr	∅14mm	71.080	

## Conic DENT

Dentium Superline™ & Implantium®



			3.8
Ti	∅10mm	61.090	
CoCr	∅14mm	71.090	

## Blocks



Ti	□15mm L 20 mm	63.020	
Ti	□15mm L 40 mm	63.040	

## HOLDERS



for standard 98mm disc machines

Any milling machine with a 98 mm disc holder HLDSTD



for Imes-icore® machines

Coritec 245i touch HLDIMES  
Coritec 250i touch  
Coritec 350i / Coritec 350i Loader  
Coritec 450i  
Coritec 550i  
Coritec 650i / Coritec 650i Loader



for VHF

VHF S1 HLDVHF  
VHF S2  
VHF K5



NEW

for VHF R5

HLDVHFR5



for VHF N4

HLDVHFN4



for VHF Z4

HLDVHFZ4



for machines with support/changer 3R Yenadent® D14P & others

HLD3R

Holders for machines with support/changer 3R Yenadent® D14P & other 20 positions machines


## Adaptors for ZirkonZahn® holders



Adaptors for ZirkonZahn® machines

M1 abutment HLDZZ  
M1 wet heavy metal  
M4 wet heavy metal  
M5 heavy metal  
M6 wet heavy metal

# TOOLS



## Screwdriver HEX 18mm 20mm 24mm 35mm COMPATIBLE WITH



0,90mm	DT20H090	DT24H090			
1,00mm	DT20H100	DTC24H100	DT35H100	Dentsply Ankylos® C/X	
1,20mm	DT18H120	DT20H120	DT24H120	DT35H120	3i® Osseotite® 3i® Certain®
1,22mm	DT20H122	DT24H122	DT35H122		Dentsply Friadent Xive® Hiossen TS Global D, BTI
1,25mm	DT20H125	DT24H125			
1,27mm	DTC20H127	DT24H127	DT35H127		Astra Tech™ OsseoSpeed™ Zimmer Screw-Vent® & MIS® MIS® C1 MIS® V3 Seven BioHorizons® Astra Tech Implant System EV™ Camlog® Bego
1,30mm	DT20H130	DT24H130			
1,50mm	DT20H150	DT24H150			
1,70mm	DT20H170	DT24H170			
1,75mm	DT20H175	DT24H175			

## Screwdriver SQ



1,30mm	DT20S130	DT24S130
--------	----------	----------

## Screwdriver Torx® 06



DT20T06	DT24T06	DT35T06	Straumann® Soft Tissue Level Implants & synOcta® Bone Level®
---------	---------	---------	---



DT20TB06	DT24TB06	DT35TB06	spherical head for angulated screw channels up to 25°
----------	----------	----------	--

## Screwdriver UniGrip®



DT20U	DT24U	DT35U	Nobel Brånemark® Nobel Replace® Select™ Nobel Active™ & Nobel Replace® CC Multi-unit®
-------	-------	-------	--

<b>Laboratory handle</b>	
	MDTLAA
<b>Premium laboratory handle</b>	
	PHLAB
<b>Dentist handle</b>	
	7mm MDTMAN700
	9mm MDTMAN900
<b>DESS LOC Removal &amp; Insertion Tool</b>	
	PHLOC
<b>DESS CoCr</b>	
	CRCO1000

SCREWDRIVER HANDLES

	<b>Multi-unit® RP</b>	DTMURP
	<b>Multi-unit® WP</b>	DTMUWP
	<b>UniAbutment®</b>	DTUNI
	<b>Octagon</b>	DTSYN
	<b>Torque wrench adaptor</b>	TWADAP
	<b>DESS LOC</b>	DTLOC
	<b>Adaptor from straumann® torque wrench to square connection</b>	DTSTSQ
	<b>Straumann® contra-angles adaptor</b>	DTSTCA
	<b>Nobel Biocare™ Adapter from 8mm to 4x4</b>	DTNBSQ
	<b>Nobel Biocare™ contra-angles adaptor</b>	DTNBCA
	<b>Handpiece adaptor for Square Connection</b>	DTANGSQ
	<b>Manual driver for Intraoral Scan abutment</b>	DTPEI

SPECIAL TOOLS



# CLINICAL SCREWS RECOMMENDED TORQUE



ún ISO 10664:2005

## ACTIVE HEX

FITS  
NOBELACTIVE® &  
NOBELREPLACE® CC



## TRI-LOBE

FITS  
NOBEL REPLACE  
SELECT™



PLATFORM SIZE	DESS REF. N°	DESS RECOMMENDED TORQUE (Ncm)	ORIGINAL EQUIVALENT REF. N°
3.0	19.068	15	Nobel Biocare® 36805
3.0	19.268	15	Nobel Biocare® 37890
3.0	19.668	15	
NP	19.027	35	Nobel Biocare® 31168
NP	19.227	35	Nobel Biocare® 29282
NP	19.101	35	
NP	19.327	35	
NP	19.627	35	
NP AURUMBase®	19.441	35	
RP	19.030	35	Nobel Biocare® 28815
RP	19.230	35	Nobel Biocare® 36918
RP	19.328	35	
RP	19.630	35	
RP AURUMBase®	19.442	35	
On1®	19.021	35	Nobel Biocare® 38751
On1®	19.221	35	Nobel Biocare® 38750
On1®	19.621	35	
NP on implant for Multi-unit®	19.507	35	
RP on implant for Multi-unit®	19.508	35	
NP	19.004	35	Nobel Biocare® 31170
NP	19.204	35	Nobel Biocare® 36818
NP	19.304	35	
NP	19.604	35	
NP AURUMBase®	19.404	35	
RP/WP/6.0	19.005	35	Nobel Biocare® 29293
RP/WP/6.0	19.205	35	Nobel Biocare® 29475
RP/WP/6.0	19.305	35	
RP/WP/6.0	19.605	35	
RP/WP AURUMBase®	19.405	35	
NP on implant for Multi-unit®	19.504	35	
RP on implant for Multi-unit®	19.505	35	

## EXT HEX UNIVERSAL

FITS NOBELBRÄNEMARK®



PLATFORM SIZE	DESS REF. N°	DESS RECOMMENDED TORQUE (Ncm)	ORIGINAL EQUIVALENT REF. N°
NP	19.027	35	Nobel Biocare® 31168
NP	19.227	35	Nobel Biocare® 29282
NP	19.327	35	
NP	19.101	35	
NP	19.627	35	
NP AURUMBase®	19.401	35	
RP	19.028	35	Nobel Biocare® 29290
RP	19.228	35	Nobel Biocare® 29283
RP	19.328	35	
RP	19.628	35	
RP AURUMBase®	19.402	35	
WP	19.029	35	Nobel Biocare® 31169
WP	19.229	35	Nobel Biocare® 29284
WP	19.329	35	
WP	19.629	35	
NP on implant for Multi-unit®	19.501	35	
RP on implant for Multi-unit®	19.502	35	

## EXT HEX USA

FITS 3i OSSEOTITE®



PLATFORM SIZE	DESS REF. N°	DESS RECOMMENDED TORQUE (Ncm)	ORIGINAL EQUIVALENT REF. N°
NP/RP/WP	19.034	20	Biomet 3i® UNIHT
NP/RP/WP	19.634	20	
NP/RP/WP AURUMBase®	19.402	20	
RP on implant for Multi-unit®	19.512	20	
Low Profile® Abutment ø4.8	19.106	10	Biomet 3i® LPCTSH

## INT HEX CLIK

FITS 3i CERTAIN®



PLATFORM SIZE	DESS REF. N°	DESS RECOMMENDED TORQUE (Ncm)	ORIGINAL EQUIVALENT REF. N°
NP/RP/WP	19.011	20	Biomet 3i® IUNIHT
NP/RP/WP	19.311	20	
NP/RP/WP	19.611	20	
NP/RP/WP AURUMBase®	19.438	20	
Low Profile® Abutment ø4.8	19.106	10	Biomet 3i® LPCTSH

## OCTAGON

FITS STRAUMANN® SOFT TISSUE LEVEL & synOCTA®



PLATFORM SIZE	DESS REF. N°	DESS RECOMMENDED TORQUE (Ncm)	ORIGINAL EQUIVALENT REF. N°
NNC	19.070	35	Straumann® AG 048.314
NNC	19.670	35	
RN/WN on implant	19.026	35	Straumann® AG 048.356
RN/WN on implant	19.102	35	Straumann® AG 049.181
RN/WN on implant	19.328	35	
RN/WN on implant	19.626	35	
RN/WN AURUMBase®	19.446	35	
RN/WN on synOcta® abutment	19.009	15	Straumann® AG 048.350
RN/WN on synOcta® abutment	19.103	15	
RN/WN on synOcta® abutment	19.609	15	

## CONICAL BL

FITS STRAUMANN® BONE LEVEL



PLATFORM SIZE	DESS REF. N°	DESS RECOMMENDED TORQUE (Ncm)	ORIGINAL EQUIVALENT REF. N°
NC on implant	19.032	35	Straumann® AG 025.2908
NC on implant	19.632	35	
RC on implant	19.033	35	Straumann® AG 025.4908
RC on implant	19.633	35	
NC/RC on implant	19.037	35	Straumann® AG 025.4900
NC/RC on implant	19.104	35	Straumann® AG 025.4906
NC/RC on implant	19.311	20	
NC/RC AURUMBase®	19.443	35	
NC/RC on implant for Multi-unit®	19.544	35	
NC/RC on Multi-base® abutment	19.041	15	Straumann® AG 025.0900-04
NC/RC on Multi-base® abutment	19.105	15	
NC/RC on SRA® abutment	19.098	15	Straumann® AG 023.4763

## INT HEX USA

FITS ZIMMER SCREW-VENT®



PLATFORM SIZE	DESS REF. N°	DESS RECOMMENDED TORQUE (Ncm)	ORIGINAL EQUIVALENT REF. N°
NP/RP/WP	19.012	30	Zimmer® URS2
NP/RP/WP	19.012L	30	
NP/RP/WP	19.042	30	Zimmer® MHLAS
NP/RP/WP	19.642	30	
NP/RP/WP	19.312	30	
NP/RP/WP AURUMBase®	19.417	30	
NP (MIS®)	19.327	35	
NP on implant for Multi-unit®	19.519	30	
RP on Multi-unit® abutment ø4.8	19.110	15	
RP on Multi-unit® abutment ø4.8	19.300	15	

## CONIC EVO

FITS ASTRA TECH IMPLANT SYSTEM™ EV



PLATFORM SIZE	DESS REF. N°	DESS RECOMMENDED TORQUE (Ncm)	ORIGINAL EQUIVALENT REF. N°
3.6 on implant	19.059	25	
3.6 on implant	19.659	25	
3.6 AURUMBase®	19.441	25	
4.2 on implant	19.060	25	
4.2 on implant	19.660	25	Astra Tech® 25.205
4.2 AURUMBase®	19.460	25	
4.8 on implant	19.061	25	
4.8 on implant	19.661	25	
4.8 AURUMBase®	19.461	25	
UniAbutment® EV	19.058	15	
UniAbutment® EV	19.658	15	

## INT HEX CONIC

FITS ASTRA TECH OSSEOSPEED™



PLATFORM SIZE	DESS REF. N°	DESS RECOMMENDED TORQUE (Ncm)	ORIGINAL EQUIVALENT REF. N°
NP on implant	19.015	15	Dentsply® 24189
NP on implant	19.615	15	
RP on implant	19.016	20	Dentsply® 24449
RP on implant	19.616	20	
RP AURUMBase®	19.441	20	
WP on implant	19.017	25	Dentsply® 24209
WP on implant	19.617	25	
WP AURUMBase®	19.425	25	
UniAbutment® 20°/45°	19.018	15	Dentsply® 22435
UniAbutment® 20°/45°	19.618	15	

## INT HEX FD

FITS  
DENTSPLY  
FRIADENT XIVE®



PLATFORM SIZE	DESS REF. N°	DESS RECOMMENDED TORQUE (Ncm)	ORIGINAL EQUIVALENT REF. N°
NP/RP/WP	19.024	24	Dentsply® 454305
NP/RP/WP	19.624	24	
NP/RP/WP AURUMBase®	19.438	24	

## INT ANK

FITS  
DENTSPLY  
ANKYLOS® C/X



All platforms	19.048	15	
All platforms	19.050	15	
All platforms	19.648	15	

## CONIC OSS

FITS  
OSSTEM® TS



Mini on implant	19.072	20	
Mini on implant	19.672	20	
Mini AURUMBase®	19.444	20	
Standard on implant	19.073	30	Osstem® GSABSST
Standard on implant	19.673	30	
Standard AURUMBase®	19.461	30	

## INT CAM

FITS  
CAMLOG®



3,3 / 3,8 / 4,3 on implant	19.044	20	
3,3 / 3,8 / 4,3 on implant	19.644	20	Camlog® J4005. 1601
3,8 / 4,3 AURUMBase®	19.444	20	
5.0 on implant	19.045	20	Camlog® J4005. 2001
5.0 on implant	19.645	20	

## INT CON

FITS  
CONELOG®



3,3 / 3,8 / 4,3 on implant	19.074	20	Camlog® C4005. 1601
3,3 / 3,8 / 4,3 on implant	19.674	20	
5.0 on implant	19.076	20	Camlog® C4005. 2001
5.0 on implant	19.676	20	

## INT HEX BH

FITS  
BIOHORIZONS®  
INTERNAL



On implant	19.043	30	BioHorizons® PXAS
On implant	19.043	30	
Multi-unit® RP ø4.8	19.006	15	Nobel Biocare® 29287
Low Profile® abutment ø4.8	19.106	10	Biomet 3i® LPCTSH
Multi-unit® RP ø4.8	19.110	15	
Multi-unit® RP ø4.8	19.206	15	Nobel Biocare® 29285
Multi-unit® RP ø4.8 AURUMBase®	19.306	15	
Multi-unit® RP ø4.8	19.606	15	
MIS® Multi-unit® RP ø4.8	19.300	15	
Multi-unit® WP ø6.0	19.031	15	Nobel Biocare® 31163
Multi-unit® WP ø6.0	19.231	15	Nobel Biocare® 29286
Multi-unit® WP ø6.0 AURUMBase®	19.331	15	
Multi-unit® WP ø6.0	19.631	15	

## EXT HEX BH

FITS  
BIOHORIZONS®  
EXTERNAL



PLATFORM SIZE	DESS REF. N°	DESS RECOMMENDED TORQUE (Ncm)	ORIGINAL EQUIVALENT REF. N°
NP	19.013	30	BioHorizons® 130-050
NP	19.312	30	
RP/WP	19.014	30	BioHorizons® 140-050
RP/WP	19.328	35	

## INT HEX MI

FITS  
MIS® SEVEN



NP	19.056	30	
NP	19.656	30	MIS® MN-S0160
SP/WP	19.081	30	MIS® MD-S0220
SP/WP	19.681	30	
SP/WP AURUMBase®	19.417	30	
Multi-unit® MIS®	19.085	25	
Multi-unit® MIS®	19.685	25	MIS® MU-S0220

## CONIC MC

FITS  
MIS® C1



NP	19.056	30	
NP	19.656	30	MIS® MN-S0160
SP/WP	19.081	30	MIS® MD-S0220
SP/WP	19.681	30	
Multi-unit® MIS®	19.085	25	
Multi-unit® MIS®	19.685	25	MIS® MU-S0220

## CONIC MV

FITS  
MIS® V3



NP	19.056	30	
NP	19.656	30	MIS® MN-S0160
SP	19.081	30	MIS® MD-S0220
SP	19.681	30	
Multi-unit® MIS®	19.085	25	
Multi-unit® MIS®	19.685	25	MIS® MU-S0220

## CONIC ANYR

FITS  
MEGAGEN AnyRidge®



All platforms	19.057	35	
All platforms	19.657	35	Megagen® AANMSF
All platforms AURUMBase®	19.460	35	

## CONIC AXIO

FITS  
ANTHOGYR AXIOM®



On implant	19.077	25	Anthogyr® OPTS161
On implant	19.677	25	
Multi-unit® abutment	19.062	15	
Multi-unit® abutment	19.662	15	



## CONIC IC

FITS  
MEDENTIS ICX®



PLATFORM SIZE	DESS REF. N°	DESS RECOMMENDED TORQUE (Ncm)	ORIGINAL EQUIVALENT REF. N°
On implant	19.080	30	Medentis® C-007-000001-01
On implant	19.680	30	
On implant AURUMBase® H2.2	19.444	30	
On implant AURUMBase® H0.9	19.443	30	

## CONIC INK

FITS  
GLOBALD IN-KONE®



On implant	19.086	15	GlobalD® DVPCI
On implant	19.686	15	
Conical abutment Straight	19.035	15	GlobalD® DVPIINK
Conical abutment Straight	19.635	15	
Conical abutment angled	19.036	15	
Conical abutment angled	19.636	15	

## CONIC DENT

FITS  
DENTIUM SUPERLINE™ & IMPLANTUM®



On implant	19.090	30	Dentium® ASC 2045
On implant	19.690	30	
On abutment	19.066	10	Dentium® SRS 18T
On abutment	19.666	10	

## INTERNAL SEM

FITS  
BEGO Semados®



On implant	19.091	30	Bego® 57.031
On implant	19.691	30	

## CONIC BIO

FITS  
BIOTECH KONTAKT®



On implant	19.078	20	Biotech® KVP
On implant	19.678	20	
Conical abutment Narrow	19.063	20	
Conical abutment Narrow	19.663	20	
Conical abutment Standard	19.064	20	Biotech® KECGMV
Conical abutment Standard	19.664	20	

## INTERNAL BT

FITS  
BT1®



On implant	19.079	35	
On implant	19.679	35	
Multi IM®	19.065	10	
Multi IM®	19.665	10	

All DESS products are manufactured according to ISO 9001:2015 and ISO 13485:2016 with CE marking for all products Class IIb

All DESS® AURUMBase® screws and screwdrivers are based on the standard ISO 10664

3i® and 3i Certain®, Miniplant®, MicroMiniplant™ and Osseofite® are registered trademarks of 3i Implant Innovations, USA

ASTRA TECH™, OsseoSpeed™, ANKYLOS® C/X, XiVE®, FRIADENT®, ASTRATECH implant system™ EV and UniAbutment®

are registered trademarks of DENTSPLY SIRONA Implants

BioHorizons® is a registered trademark of BioHorizons, INC.

Brånemark System®, NobelReplace® and Replace Select™, NobelActive™, NobelReplace® CC, NobelSpeedy™ and Multi-unit® are

registered trademarks of Nobel Biocare AB, Sweden

ITI®, Straumann® and synOcta® are registered trademarks of Straumann Holding AG, Switzerland

MIS® is a registered trademark of MIS Implant Technologies Ltd.

Zimmer Screw-Vent® and SwissPlus® are registered trademarks of Zimmer Dental INC, USA

Dyna® is a registered trademark of Dyna Dental Engineering BV

Locator® is a registered trademark of ZEST IP Holdings

Camlog® and Conelog® are registered trademarks of CAMLOG Biotechnologies AG

Megagen® is a registered trademark of MEGAGEN IMPLANT CO. LTD

TORX® is a trademark of ACUMENT INTELLECTUAL PROPERTIES, LLC

Bego Semados® is a registered trademark of BEGO GmbH & Co. KG

Anthogyr® is a registered trademark of Anthogyr SAS

Medentis ICX® is a registered trademark of medentis medical GmbH

Osstem® is a registered trademark of OSSTEM IMPLANT CO. LTD

Dentium® is a trademark of Dentium Co. Ltd.

GOBALD® is a trademark of Global D SASU.

Biotech Kontakt® is a trademark Biotech Dental SAS.

BTI® is a trademark BTI Biotechnology Institute.

DESS products can be used only by licensed dentists, physicians and labs.

Please refer ever to the instructions of use available on the website

[www.dess-abutments.com](http://www.dess-abutments.com)

or supplied with the product.

Some products may not be available in your country. Some of the products are cleared for US and Canada.

Please contact your local distributor for more details.



DOC-16-ENG-04



**DESS**

> DENTAL SMART SOLUTIONS

[www.dess-abutments.com](http://www.dess-abutments.com)