


# dental products 2021



innovators, designers, manufacturers,  
partners and much, much more...

premium  
plus™

## P.1-2 INTRODUCTION

Who are we  
Why choose us  
What do we make  
Where are we

## P.3-8 SMALL EQUIPMENT

Apex Locators  
Curing Lights  
Curing Light Meter  
Low Speed Handpieces

## P.9-14 PROPHY

Prophy Angles  
Prophy Brushes  
Prophy Cups  
Prophy Points

## P.15-17 Green Line

Disposable Micro Applicators  
Disposable Micro Applicator Tips  
Disposable Syringe Tips  
Interdental Brushes  
PSP Barrier Envelopes

## P.18 SYRINGE TIPS

Disposable Syringe Tips

## P.19 Personal Protection

Disposable Face Masks  
Disposable Face Shields  
Face Shields  
Mask Extenders  
Safety Goggles

## P.20 DISPOSABLE

Disposable Bibs  
Disposable Face Masks  
Disposable Napkin Holders  
Disposable Tray Cover Papers

## P.21-22 BARRIERS

Barrier Film  
Bite Block Sleeves  
Chair Sleeves  
Curing Light Guide Sleeves  
Curing Light Sleeves  
Flowable Composite Sleeves  
Handpiece & Pen Sleeves  
Headrest Covers Non Woven  
Headrest Sleeves  
Impression Gun Sleeves  
Instrument Tray Sleeves  
Intraoral Camera Sleeves  
Keyboard Sleeves  
Mouth Mirror Sleeves  
PC Mouse Sleeves  
PSP Barrier Envelopes

## P.21-22 BARRIERS

Suction Tube Sleeves  
Syringe Sleeves  
T-Style Light Handle Sleeves  
Tubing Sleeves  
X-Ray Head Sleeves  
X-Ray Sensor Sleeves

## P.23 APPLICATORS

Brush Applicators  
Brush Tips and Handle  
Composite Gun and Tips  
Micro Applicators  
Micro Applicator Dispensers  
Micro Applicator Tips

## P.24 EVACUATION

HVE Suction Tubes  
Oral Evacuators  
Saliva Ejectors  
Surgical Aspirators

## P.25-26 IMPRESSION

Alginate and Plaster Spatulas  
Autoclavable Impression Trays  
Autoclavable Mixing Bowls  
Bite Registration Material  
Disposable 3-in-1 Trays  
Disposable Impression Syringes  
Disposable Impression Trays  
Disposable Intraoral Syringe Tips  
Disposable Mixing Tips

## P.27 ENDO INSTRUMENTS

Aluminium Endo Holder  
Endo Dispensers and Holders  
Endo Measuring Blocks  
Endo Rulers  
Endo Sponges  
Rubber Dam Frame

## P.28-32 SUNDRIES

Acrylic Mixing Cups  
Aluminium Bur Blocks  
Autoclavable Bur/Endo Organizers  
Autoclavable Cabinet Trays  
Autoclavable Cheek Retractors  
Articulating Mounting Plates  
Aspirator Brushes  
Autoclavable Instrument Trays  
Autoclavable Mouth Lippers  
Autoclavable Napkin Holders  
Autoclavable Prophy Rings  
Brass Bur Brush  
Cotton Roll Dispenser  
Dental Appliance Boxes  
Dental Bib Holder and Clip  
Disposable Bite Loops  
Disposable Cheek Retractors  
Disposable Composite Tips

## P.28-32 SUNDRIES

Disposable Curved Tip Syringes  
Disposable Dappen Dishes  
Disposable Evacuation Traps  
Disposable Eye Shields  
Disposable Fluoride Trays  
Disposable Mixing Pads  
Disposable Mixing Wells  
Disposable Mouth Lippers  
Disposable Mouth Mirrors  
Disposable Plastic Wedges  
Disposable Prophy Rings  
Disposable Sterilization Pouches  
Disposable Sticky Applicators  
Fracture Detector  
Glass Dappen Dishes  
Glass Mixing Slab  
Jumping Teeth  
Magnetic Bur Stands  
Mouth Props  
Needle Station  
Patient Tongue Cleaners  
Pen/Toothbrush Holder  
Plastic Bur Dispensers  
Retainer/Mouth Boxes/Denture Baths  
Silicone Instrument Mat  
Silicone Instrument Rings  
Suction Tube Adaptors  
X-Ray Film Holders

## P.33-34 ACRYLIC PRODUCTS

Barrier Film Dispenser  
Bib and C-Fold Towel Dispensers  
Chain Dispenser  
Composite Dispensers and Organizers  
Composite Syringe Holders  
Cup Dispensers  
Glove and Tissue Dispensers  
Grinding Box  
Impression Gun Holders  
Light Protection Covers  
Light Protection Hand Shield  
Mask Dispenser  
Micro Applicator Dispensers  
Pouch Dispensers

## P.35-36 ENDO INSTRUMENTS

Barbed Broaches  
Gates Drills  
Ni-Ti Files  
Pesso Reamers  
Pluggers and Files  
Spril Fillers  
Stainless Files

## P.37-40 PIEZO SCALERS

LED Scalers  
Scaler Handpieces  
Scaler Tips  
Scaler Wrenches and Accessories

## Who are we ?



At **Premium Plus**, manufacturing dental products is what we do. Only for the past decade we've not just made dental products... we've made better dental products.

Through innovation, research, investment in manufacturing, technical know-how and over 40 years experience in the dental trade, we've learned how to control and improve every step of the manufacturing process... and that's a huge advantage to our customers.

With a global view of the dental industry and knowledge of the different geographical markets, we have learned to understand what you expect and are committed to far exceeding your requirements.



## Why choose us ?

Whether its under our own **Premium Plus** brand, private labels or OEM projects, our emphasis is on quality for not only the products, but also its presentation. We not only manufacture in-house – We innovate and develop products, research raw material selection, manufacture moulds, construct production lines, create and design artwork and packaging for our partners, warehouse goods and turn our customers' ideas and requests into reality... providing the complete package.

Our continual investment in purpose-built machinery, technical training and market research along with our flexible approach keeps us at the forefront of dental manufacturers.



# What do we make ?

Over the past decade our range has increased to cover small equipment and the majority of plastic and paper disposable dental products. This gives us, and more importantly you, the ability to offer a huge range that includes LED curing lights, apex locators, handpieces, disposable prophy cups and angles, micro applicators, syringe tips, barrier sleeves, saliva ejectors and suction tubes etc.



disposable oral evacuators

disposable saliva ejectors



LED curing lights



disposable syringe tips



disposable trays for implants



disposable 3-in-1 trays



disposable prophy angles




disposable prophy cups



disposable prophy brushes



disposable micro applicators



disposable PSP barrier envelopes

# Where are we ?

**Premium Plus** now supplies to over 90 countries and regions throughout the world and has regional offices in the USA, Japan, Poland and the United Kingdom. Our corporate head office in Hong Kong oversees the production of our range in our purpose-built manufacturing site. It is also home to our dedicated regulatory affairs team that are constantly working on not only maintaining but exceeding standards set by ISO, CE and the FDA. We are proud of the fact that we hold **ISO13485: 2016** certification for the **Quality Management System of Medical Devices** and have all of the class IIa products manufactured by us certified with the **CE<sub>0123</sub>** mark by **TUV SUD**. We know that with our experience, our integrated range of production processes and our ever-expanding range we have the ability to cover all our customers' requirements.



## LOW SPEED HANDPIECES AND AIR MOTOR



**12 MONTH WARRANTY**

## A08 DENTAL APEX LOCATOR

10 colours  
available:



- Bright LCD screen with the trajectory of the file being clearly indicated by different colours
- Foldable design with adjustable view angle, saves space and protects the screen
- The unit is designed with a smooth seamless body and membrane buttons to enhance cold sterilization and help avoid cross contamination
- Advanced multiple frequency technology with automatic calibrating ensures accurate measurement
- Measurement results are not affected by tooth type, size of root canal or the internal environment of root canal
- Different beep tones indicate the position of the file in the root canal
- Screen size: 110 mm x 70 mm Overall size: L122 mm x W118 mm x H25 mm
- Accessories autoclavable up to 134°C
- Weight: 300 gms ( including rechargeable lithium battery )

A08 Apex Locator  
A08-1 Battery  
A08-2 Spare Probe  
A08-3 Spare Hook  
A08-4 Spare Cord  
A08-5 Spare Clip

**24 MONTH WARRANTY**

## C01-M / C02-M LED CURING LIGHTS MINI (with USB Charger)




- 360° Rotatable tips
- Automatic compensation circuit for constant power output
- Fully covered membrane panel for easy cleaning and infection control
- Light weight: approx. 85 gms
- Dual modes: FULL / SOFT
- 12 Operation times
- Fully charged battery provides over 100 x 10 second curing cycles

C01-M / C02-M SPECIFICATIONS		
Model	C01-M (F.O. Light Guide)	C02-M (Direct Light Source)
LIGHT TIP	8 mm ( dia. )	11 mm ( dia. )
LIGHT WAVELENGTH	440~480 nm	440~480 nm
MODE	FULL	1,200 mW/cm <sup>2</sup> for 5, 10, 15, 20, 25, 30 seconds±10%
	SOFT	1 <sup>st</sup> five seconds from 0-900 mW/cm <sup>2</sup> next 5, 10, 15, 20, 25 seconds 900 mW/cm <sup>2</sup> ±10%
WEIGHT	86 gms	84 gms
LENGTH	230 mm	220 mm

C01-M / C02-M CURING LIGHT DEPTH OF CURE							
MODE	MODEL	C01-M (F.O. Light Guide) Curing Time	Depth Measurements	ISO 4049 Depth Measurements (-50%)	C02-M (Direct Light Source) Curing Time	Depth Measurements	ISO 4049 Depth Measurements (-50%)
FULL		10 seconds	4.3 mm	2.15 mm	10 seconds	5.1 mm	2.55 mm
SOFT		15 seconds	4.6 mm	2.30 mm	15 seconds	4.8 mm	2.40 mm

**REMARKS:** Above data is based on test results using an A2 shade composite. The light tip was placed above and pointed perpendicular to the composite. Tests were done as per ISO 4049 Standard. The samples were measured and the data was divided by two ( 50% of the total composite depth cured ). ISO 4049 Standard requires that the results for class II restorative materials should be at least 1.5 mm for non-opaque shades and 1.0 mm for opaque shades. All resins and composites have different curing times. It is recommended that you should test your resins and composites performance to determine the curing times required.



### C10 LED & HALOGEN CURING LIGHT METER



- Simple, compact design for easy use
- Measures intensity up to 2500 mw/cm<sup>2</sup>
- Size: 110 mm x 68 mm x 33 mm

C10 Light Meter



C01-M Curing Light ( F.O. Light Guide )  
 C02-M Curing Light ( Direct Light Head )  
 C01-M-1 F.O. Light Guide 8 mm  
 C02-M-1 Direct Light Head 11 mm  
 C01/2-M-1 Replacement Battery  
 228 Light Sleeves Mini 500 pcs/box

**24 MONTH WARRANTY**

## C01 LED CURING LIGHTS with fibre optic light guides

C01 SPECIFICATIONS			
Model	C01-C (classic)	C01-S (super power)	C01-D (dual range)
F.O. LIGHT GUIDE	8 mm ( dia. )	11 mm ( dia. )	
LIGHT WAVELENGTH	440~480 nm	440~480 nm	390~430 nm 440~480 nm
APPLICATION	General	Ortho / General	General / Ortho
MODE	TACK	N/A	900 mW/cm <sup>2</sup> for 1 second±10%
	TURBO	1,500 mW/cm <sup>2</sup> for 5 seconds ±10%	2,000 mW/cm <sup>2</sup> for 4 seconds±10%
	3' + 3'	N/A	2,000 mW/cm <sup>2</sup> for 3 + 3 seconds±10% (with 1 second blink in between)
	6' + 6'	N/A	1,500 mW/cm <sup>2</sup> for 6 + 6 seconds±10% (with 1 second blink in between)
	FULL	1,200 mW/cm <sup>2</sup> for 5, 10, 15, 20 seconds±10%	
	RAMP	1 <sup>st</sup> five seconds from 0-1,200 mW/cm <sup>2</sup>	next 5, 10, 15, 20 seconds 1,200 mW/cm <sup>2</sup> ±10%
	SOFT CURE	1 <sup>st</sup> five seconds from 0-900 mW/cm <sup>2</sup>	next 5, 10, 15, 20, 25 seconds 900 mW/cm <sup>2</sup> ±10%
WEIGHT	205 gms	200 gms	200 gms
LENGTH	260 mm	265 mm	265 mm

CURING LIGHT MODE APPLICATIONS	
TACK	Tack cure, a very short initial curing for temporary processing before final cure. For example, veneer bonding or temporary cement for in-position and easy removal of excess material.
TURBO	Super fast curing for resin and composite under 2 mm thickness. Also recommended for ceramic brackets, veneer bonding etc.
3' + 3'	3 Seconds Mesial + 3 Seconds Distal for metal brackets resin bonding. (with 1 second blink in between)
6' + 6'	6 Seconds Mesial + 6 Seconds Distal for metal brackets with bonding resin requiring more curing time, and buccal tubes bonding. (with 1 second blink in between)
FULL	For general applications.
RAMP	With first 0-5 seconds ramping for general application.
SOFT CURE	With first 0-5 seconds ramping for more gentle processing, designed for the patients sensitive to the heat.



AUTOCLAVABLE FIBRE OPTIC LIGHT GUIDE CAN BE ROTATED 360°

ON/OFF SWITCH  
DISPLAY SCREEN  
TIME SWITCH  
MODE INDICATORS  
MODE SWITCH

AUTOMATIC COMPENSATION CIRCUIT FOR CONSTANT POWER OUTPUT

FULLY COVERED MEMBRANE PANEL FOR EASY CLEANING AND INFECTION CONTROL

SIZE: L265 x Dia.27 (mm)

A FULL CHARGE OF BATTERY CAN BE USED MORE THAN 100 TIMES WHEN SET AT 10 SECOND TIME MODE

REPLACEABLE BATTERY OPENING

C01 Complete Set with Built-In Light Intensity Indicator




CHARGING STATION  
LIGHT INTENSITY INDICATOR



063 Protective Hand Light Shield

C01-C Curing Light (Classic) with 8 mm Light Guide  
C01-S Curing Light (Super Power) with 11 mm Light Guide  
C01-D Curing Light (Dual Range) with 11 mm Light Guide  
C01-C-1 8 mm Fibre Optic Light Guide  
C01-S/D-1 11 mm Fibre Optic Light Guide  
C01-S/D-4 Tack Heat Protective Rings, 6 pcs/pack  
C01/2-1 Replacement Battery  
123S Light Sleeves Small (for C01-C) 500 pcs/box  
123L Light Sleeves Large (for C01-S/C01-D) 500 pcs/box

**24 MONTH WARRANTY**



C01-C / C01-S / C01-D CURING LIGHT DEPTH OF CURE									
MODEL	C01-C (classic) Curing Time	Depth Measurements	ISO 4049 Depth Measurements (-50%)	C01-S (super power) Curing Time	Depth Measurements	ISO 4049 Depth Measurements (-50%)	C01-D (dual range) Curing Time	Depth Measurements	ISO 4049 Depth Measurements (-50%)
TURBO	5 seconds	4.2 mm	2.10 mm	4 seconds	4.6 mm	2.30 mm	4 seconds	4.3 mm	2.15 mm
FULL	10 seconds	4.3 mm	2.15 mm	10 seconds	5.1 mm	2.55 mm	10 seconds	4.4 mm	2.20 mm
RAMP	10 seconds	4.1 mm	2.05 mm	10 seconds	5.0 mm	2.50 mm	10 seconds	4.2 mm	2.10 mm
SOFT CURE	15 seconds	4.6 mm	2.30 mm	15 seconds	4.8 mm	2.40 mm	15 seconds	4.6 mm	2.30 mm

**REMARKS:** Above data is based on test results using an A2 shade composite. The light guide tip was placed above and pointed perpendicular to the composite. Tests were done as per ISO 4049 Standard. The samples were measured and the data was divided by two (50% of the total composite depth cured). ISO 4049 Standard requires that the results for class II restorative materials should be at least 1.5 mm for non-opaque shades and 1.0 mm for opaque shades. All resins and composites have different curing times. It is strongly recommended that you should test your composite and resin performance to determine the curing times required.

Data is only for reference, always follow the instructions from your resin and composite manufacturers.

- There are many variables (distance and angle between the light tip and composite, area, shade, thickness and type etc.) affecting composite curing times. It is recommended to place and cure a maximum of 2 mm for each composite placement.
- Using a barrier sleeve on the curing light will reduce 5-10% of light intensity.
- The light guide tip should be placed approximately 1-2 mm above the composite or resin and pointed perpendicular to the tooth surface.
- High intensity curing lights produce more heat. This is a direct indication of the power of the light being emitted. When using the device for more than 10 seconds, do not keep the light tip in one position. It is always recommended to use a dental syringe to blow a cold air flow on the area during long periods of curing. This will maintain a lower temperature for the composite and surrounding area, particularly when using rubber dam so as to avoid any rubber dam breakage due to heat built-up.
- Do not expose soft tissue to the light being emitted for more than 2 seconds or burns may occur.
- Avoid the light guide tip coming into contact with any soft tissue in the mouth.

10 colours available:





## C02 LED CURING LIGHTS 90° right angle direct light source head




C02 SPECIFICATIONS			
Model	C02-C (classic)	C02-S (super power)	C02-D (dual range)
DIRECT LIGHT HEAD	10 mm ( dia. )		
LIGHT WAVELENGTH	440~480 nm	440~480 nm	390~430 nm 440~480 nm
APPLICATION	General	Ortho / General	General / Ortho
MODE	TACK	N/A	900 mW/cm <sup>2</sup> for 1 second±10%
	TURBO	1,500 mW/cm <sup>2</sup> for 5 seconds ±10%	2,500 mW/cm <sup>2</sup> for 3 seconds±10%
	3' + 3'	N/A	2,000 mW/cm <sup>2</sup> for 3 + 3 seconds±10% (with 1 second blink in between)
	6' + 6'	N/A	1,500 mW/cm <sup>2</sup> for 6 + 6 seconds±10% (with 1 second blink in between)
	FULL	1,200 mW/cm <sup>2</sup> for 5, 10, 15, 20 seconds±10%	
	RAMP	1 <sup>st</sup> five seconds from 0-1,200 mW/cm <sup>2</sup>	next 5, 10, 15, 20 seconds 1,200 mW/cm <sup>2</sup> ±10%
SOFT CURE	1 <sup>st</sup> five seconds from 0-900 mW/cm <sup>2</sup>	next 5, 10, 15, 20, 25 seconds 900 mW/cm <sup>2</sup> ±10%	
WEIGHT	185 gms	185 gms	185 gms
LENGTH	255 mm	255 mm	255 mm

CURING LIGHT MODE APPLICATIONS	
TACK	Tack cure, a very short initial curing for temporary processing before final cure. For example, veneer bonding or temporary cement for in-position and easy removal of excess material.
TURBO	Super fast curing for resin and composite under 2 mm thickness. Also recommended for ceramic brackets, veneer bonding etc.
3' + 3'	3 Seconds Mesial + 3 Seconds Distal for metal brackets resin bonding. (with 1 second blink in between)
6' + 6'	6 Seconds Mesial + 6 Seconds Distal for metal brackets with bonding resin requiring more curing time, and buccal tubes bonding. (with 1 second blink in between)
FULL	For general applications.
RAMP	With first 0-5 seconds ramping for general application.
SOFT CURE	With first 0-5 seconds ramping for more gentle processing, designed for the patients sensitive to the heat.



C02-C ( Classic ) Curing Light with 10 mm Light Head  
 C02-S ( Super Power ) Curing Light with 10 mm Light Head  
 C02-D ( Dual Range ) Curing Light with 10 mm Light Head  
 C02-C-1 ( Classic ) Direct Light Source Head  
 C02-S-1 ( Super Power ) Direct Light Source Head  
 C02-D-1 ( Dual Range ) Direct Light Source Head  
 C01/2-1 Replacement Battery  
 C02-3 Heat Protect Rings, 6 pcs/pack  
 C02-4 Tack Heat Protective Rings, 6 pcs/pack  
 125 Light Sleeves ( for C02-C/S/D ) 500 pcs/box

**24 MONTH WARRANTY**



C02-C / C02-S / C02-D CURING LIGHT DEPTH OF CURE									
MODEL	C02-C (classic) Curing Time	Depth Measurements	ISO 4049 Depth Measurements (-50%)	C02-S (super power) Curing Time	Depth Measurements	ISO 4049 Depth Measurements (-50%)	C02-D (dual range) Curing Time	Depth Measurements	ISO 4049 Depth Measurements (-50%)
TURBO	5 seconds	4.4 mm	2.20 mm	3 seconds	4.6 mm	2.30 mm	3 seconds	4.5 mm	2.25 mm
FULL	10 seconds	5.1 mm	2.55 mm	10 seconds	5.3 mm	2.65 mm	10 seconds	5.2 mm	2.60 mm
RAMP	10 seconds	4.8 mm	2.40 mm	10 seconds	5.3 mm	2.65 mm	10 seconds	4.9 mm	2.45 mm
SOFT CURE	15 seconds	5.0 mm	2.50 mm	15 seconds	5.4 mm	2.70 mm	15 seconds	5.1 mm	2.55 mm


**REMARKS:** Above data is based on test results using an A2 shade composite. The light tip was placed above and pointed perpendicular to the composite. Tests were done as per ISO 4049 Standard. The samples were measured and the data was divided by two (50% of the total composite depth cured). ISO 4049 Standard requires that the results for class II restorative materials should be at least 1.5 mm for non-opaque shades and 1.0 mm for opaque shades. All resins and composites have different curing times. It is strongly recommended that you should test your composite and resin performance to determine the curing times required.

Data is only for reference, always follow the instructions from your resin and composite manufacturers.

- There are many variables (distance and angle between the light tip and composite, area, shade, thickness and type etc.) affecting composite curing times. It is recommended to place and cure a maximum of 2 mm for each composite placement.
- Using a barrier sleeve on the curing light will reduce 5-10% of light intensity.
- The light tip should be placed approximately 1-2 mm above the composite or resin and pointed perpendicular to the tooth surface.
- High intensity curing lights produce more heat. This is a direct indication of the power of the light being emitted. When using the device for more than 10 seconds, do not keep the light tip in one position. It is always recommended to use a dental syringe to blow a cold air flow on the area during long periods of curing. This will maintain a lower temperature for the composite and surrounding area, particularly when using rubber dam so as to avoid any rubber dam breakage due to heat built-up.
- Do not expose soft tissue to the light being emitted for more than 2 seconds or burns may occur.
- Avoid the light tip coming into contact with any soft tissue in the mouth. As an option, you may cover the entire curing light with a disposable sleeve and then place the Heat Protective Ring (included inside the packing box) onto the light tip covered with sleeve as shown below. Ensure the Heat Protective Ring is securely positioned on the curing light before starting the cure.

10 colours available:





## DISPOSABLE 60° TURN RECIPROCATING LATEX FREE PROPHY ANGLES

**NO SPLATTER** - The centrifugal force generated by a normal 360° turn prophy angle results in splattering and mess. Our **NEW 60° turn reciprocating** prophy angles eliminates potential splattering of prophy paste, blood and saliva, keeping the prophy paste in the cup where it belongs.

**NO HEAT** - Our **NEW 60° turn reciprocating** prophy angles build up much less heat during use, assuring a smooth, cool treatment for your patient.

**EFFECTIVE** - Due to less heat generated during use, if necessary more pressure may be applied to remove stubborn stains.

**FASTER** - Thanks to our innovatively designed **NEW 60° turn reciprocating** prophy angles, the prophy cup or brush can be used continuously on the tooth surface, saving valuable chair time.

**SAFER** - The rotational motion of traditional prophy cups and brushes can cause laceration and bleeding of the gums. Our **NEW 60° turn reciprocating** prophy angles provide a much safer and pain-free prophylaxis treatment.

**WARNING: USE OF THESE 60° TURN RECIPROCATING PROPHY ANGLES IS EXTREMELY ADDICTIVE**  
*Once you've tried them, you will never want to use any other prophy angles again*

## DISPOSABLE 60° TURN RECIPROCATING PROPHY ANGLES STANDARD CUPS LATEX FREE TURBINE BLADES

<b>Regular Cup Colours</b>	White	Light Blue	Lavender	Orange
<b>Regular Single Colour Order No.</b>	CT3399-60WT	CT3399-60LB	CT3399-60LV	CT3399-60OR
<b>Regular Assorted Colours Order No.</b>	CT3399-60RA Assorted: White, L.Blue, Lavender, Orange			

<b>Soft Cup Colours</b>	Pink	Lime	Green	Dark Blue
<b>Soft Single Colour Order No.</b>	CT3399-60PK	CT3399-60LM	CT3399-60GR	CT3399-60DB
<b>Soft Assorted Colours Order No.</b>	CT3399-60SA Assorted: Pink, Lime, Green, D.Blue			

<b>X-Soft Cup Colours</b>	Red	Yellow
<b>X-Soft Single Colour Order No.</b>	CT3399-60RD	CT3399-60YL
<b>X-Soft Assorted Colours Order No.</b>	CT3399-60XA Assorted: Red, Yellow	

## DISPOSABLE 60° TURN RECIPROCATING PROPHY ANGLES SHORT CUPS LATEX FREE TURBINE BLADES

<b>Regular Cup Colours</b>	White	Light Blue	Lavender	Orange
<b>Regular Single Colour Order No.</b>	CTS3399-60WT	CTS3399-60LB	CTS3399-60LV	CTS3399-60OR
<b>Regular Assorted Colours Order No.</b>	CTS3399-60RA Assorted: White, L.Blue, Lavender, Orange			

<b>Soft Cup Colours</b>	Pink	Lime	Green	Dark Blue
<b>Soft Single Colour Order No.</b>	CTS3399-60PK	CTS3399-60LM	CTS3399-60GR	CTS3399-60DB
<b>Soft Assorted Colours Order No.</b>	CTS3399-60SA Assorted: Pink, Lime, Green, D.Blue			

<b>X-Soft Cup Colours</b>	Red	Yellow
<b>X-Soft Single Colour Order No.</b>	CTS3399-60RD	CTS3399-60YL
<b>X-Soft Assorted Colours Order No.</b>	CTS3399-60XA Assorted: Red, Yellow	

## DISPOSABLE 60° TURN RECIPROCATING PROPHY ANGLES LATEX FREE BRUSHES REGULAR / SOFT / X-SOFT

<b>Regular Type</b>	Flat	Tapered	Mini Cup
<b>Regular White Colour Order No.</b>	C3399-60-R261F	C3399-60-R261T	C3399-60-R269
<b>Regular Assorted Colours Order No.</b>	C3399-60-R261FA C3399-60-R261TA C3399-60-R269A Assorted: White, L.Blue, Lavender, Orange		

<b>Soft Type</b>	Flat	Tapered	Mini Cup
<b>Soft Clear Colour Order No.</b>	C3399-60-S261F	C3399-60-S261T	C3399-60-S269
<b>Soft Assorted Colours Order No.</b>	C3399-60-S261FA C3399-60-S261TA C3399-60-S269A Assorted: Pink, Lime, Green, D.Blue		


<b>X-Soft Type</b>	Flat	Tapered	Mini Cup
<b>X-Soft Yellow Colour Order No.</b>	C3399-60-X261F	C3399-60-X261T	C3399-60-X269
<b>X-Soft Assorted Colours Order No.</b>	C3399-60-X261FA C3399-60-X261TA C3399-60-X269A Assorted: Yellow, Red		



## STANDARD STRAIGHT HANDPIECE 1:1

L10-1 Standard Straight Handpiece 1:1

### DISPOSABLE PROPHY ANGLES STANDARD CUPS LATEX FREE RIBBED AND WEBBED



Type	90° Right Angle		105° Contra Angle	
Cup Colours	Regular Lavender	Soft Green	Regular Lavender	Soft Green
Order No.	3399-090RL	3399-090SG	3399-105RL	3399-105SG

### DISPOSABLE PROPHY ANGLES BRUSHES LATEX FREE FLAT AND TAPERED



Type	90° Right Angle		105° Contra Angle	
Brushes	Regular Flat	Regular Tapered	Regular Flat	Regular Tapered
Order No.	3399-090F	3399-090T	3399-105F	3399-105T

### DISPOSABLE CLEAR PROPHY ANGLES STANDARD CUPS LATEX FREE RIBBED AND WEBBED




Type	90° Right Angle		90° Right Angle	
Cup Colours	Regular Light Blue	Regular Lavender	Soft Green	Soft Pink
Order No.	C3399-090RB	C3399-090RL	C3399-090SG	C3399-090SP




Type	105° Contra Angle		105° Contra Angle	
Cup Colours	Regular Light Blue	Regular Lavender	Soft Green	Soft Pink
Order No.	C3399-105RB	C3399-105RL	C3399-105SG	C3399-105SP

### DISPOSABLE CLEAR PROPHY ANGLES SHORT CUPS LATEX FREE RIBBED AND WEBBED




Type	90° Right Angle		90° Right Angle	
Cup Colours	Regular Light Blue	Regular Lavender	Soft Green	Soft Pink
Order No.	CS3399-090RB	CS3399-090RL	CS3399-090SG	CS3399-090SP




Type	105° Contra Angle		105° Contra Angle	
Cup Colours	Regular Light Blue	Regular Lavender	Soft Green	Soft Pink
Order No.	CS3399-105RB	CS3399-105RL	CS3399-105SG	CS3399-105SP

### DISPOSABLE CLEAR PROPHY ANGLES STANDARD CUPS LATEX FREE TURBINE BLADES



Type	90° Right Angle		90° Right Angle	
Cup Colours	Regular Light Blue	Regular Lavender	Soft Green	Soft Pink
Order No.	CT3399-090RB	CT3399-090RL	CT3399-090SG	CT3399-090SP



Type	105° Contra Angle		105° Contra Angle	
Cup Colours	Regular Light Blue	Regular Lavender	Soft Green	Soft Pink
Order No.	CT3399-105RB	CT3399-105RL	CT3399-105SG	CT3399-105SP

# Prophy Cups and Points

**METAL SHANKS CUPS (8.5 mm)**

RIBBED AND WEBBED  
1.500 - 3.000 r.p.m

**REGULAR STANDARD CUPS RIBBED AND WEBBED**

<b>Regular Cup Colours</b>	White	Light Blue	Lavender	Orange
<b>Regular Single Colour Order No.</b>	M222WT	M222LB	M222LV	M222OR
<b>Regular Assorted Colours Order No.</b>	M222RA Assorted: White, L.Blue, Lavender, Orange			

**METAL SHANKS CUPS (8.5 mm)**

RIBBED AND WEBBED  
1.500 - 3.000 r.p.m

**SOFT STANDARD CUPS RIBBED AND WEBBED**

<b>Soft Cup Colours</b>	Pink	Lime	Green	Dark Blue
<b>Soft Single Colour Order No.</b>	M222PK	M222LM	M222GR	M222DB
<b>Soft Assorted Colours Order No.</b>	M222SA Assorted: Pink, Lime, Green, D.Blue			

**METAL SHANKS CUPS (8.5 mm)**

RIBBED AND WEBBED  
1.500 - 3.000 r.p.m

**X-SOFT STANDARD CUPS RIBBED AND WEBBED**

8.5mm  
15mm

<b>X-Soft Cup Colours</b>	Red	Yellow
<b>X-Soft Single Colour Order No.</b>	M222RD	M222YL
<b>X-Soft Assorted Colours Order No.</b>	M222XA Assorted: Red, Yellow	

**DISPOSABLE LATEX FREE STANDARD PROPHY CUPS CA METAL SHANKS RIBBED AND WEBBED**

**PLASTIC SHANKS CUPS (8.5 mm)**

RIBBED AND WEBBED  
1.500 - 3.000 r.p.m

**REGULAR STANDARD CUPS RIBBED AND WEBBED**

<b>Regular Cup Colours</b>	White	Light Blue	Lavender	Orange
<b>Regular Single Colour Order No.</b>	P222WT	P222LB	P222LV	P222OR
<b>Regular Assorted Colours Order No.</b>	P222RA Assorted: White, L.Blue, Lavender, Orange			

**PLASTIC SHANKS CUPS (8.5 mm)**

RIBBED AND WEBBED  
1.500 - 3.000 r.p.m

**SOFT STANDARD CUPS RIBBED AND WEBBED**

<b>Soft Cup Colours</b>	Pink	Lime	Green	Dark Blue
<b>Soft Single Colour Order No.</b>	P222PK	P222LM	P222GR	P222DB
<b>Soft Assorted Colours Order No.</b>	P222SA Assorted: Pink, Lime, Green, D.Blue			

**PLASTIC SHANKS CUPS (8.5 mm)**

RIBBED AND WEBBED  
1.500 - 3.000 r.p.m

**X-SOFT STANDARD CUPS RIBBED AND WEBBED**

8.5mm  
15mm

<b>X-Soft Cup Colours</b>	Red	Yellow
<b>X-Soft Single Colour Order No.</b>	P222RD	P222YL
<b>X-Soft Assorted Colours Order No.</b>	P222XA Assorted: Red, Yellow	

**DISPOSABLE LATEX FREE STANDARD PROPHY CUPS CA PLASTIC SHANKS RIBBED AND WEBBED**

**METAL SHANKS SHORT CUPS (7.0 mm)**

RIBBED AND WEBBED  
1.500 - 3.000 r.p.m

**REGULAR SHORT CUPS RIBBED AND WEBBED**

<b>Regular Cup Colours</b>	White	Light Blue	Lavender	Orange
<b>Regular Single Colour Order No.</b>	S222WT	S222LB	S222LV	S222OR
<b>Regular Assorted Colours Order No.</b>	S222RA Assorted: White, L.Blue, Lavender, Orange			

**METAL SHANKS SHORT CUPS (7.0 mm)**

RIBBED AND WEBBED  
1.500 - 3.000 r.p.m

**SOFT SHORT CUPS RIBBED AND WEBBED**

<b>Soft Cup Colours</b>	Pink	Lime	Green	Dark Blue
<b>Soft Single Colour Order No.</b>	S222PK	S222LM	S222GR	S222DB
<b>Soft Assorted Colours Order No.</b>	S222SA Assorted: Pink, Lime, Green, D.Blue			

**METAL SHANKS SHORT CUPS (7.0 mm)**

RIBBED AND WEBBED  
1.500 - 3.000 r.p.m

**X-SOFT SHORT CUPS RIBBED AND WEBBED**

7mm  
15mm

<b>X-Soft Cup Colours</b>	Red	Yellow
<b>X-Soft Single Colour Order No.</b>	S222RD	S222YL
<b>X-Soft Assorted Colours Order No.</b>	S222XA Assorted: Red, Yellow	

**DISPOSABLE LATEX FREE SHORT PROPHY CUPS CA METAL SHANKS RIBBED AND WEBBED**

**SHORT SHANKS SHORT CUPS (7.0 mm)**

RIBBED AND WEBBED  
1.500 - 3.000 r.p.m

**REGULAR SHORT CUPS SHORT SHANKS RIBBED AND WEBBED**

<b>Regular Cup Colours</b>	White	Light Blue	Lavender	Orange
<b>Regular Single Colour Order No.</b>	SS-222WT	SS-222LB	SS-222LV	SS-222OR
<b>Regular Assorted Colours Order No.</b>	SS-222RA Assorted: White, L.Blue, Lavender, Orange			

**SHORT SHANKS SHORT CUPS (7.0 mm)**

RIBBED AND WEBBED  
1.500 - 3.000 r.p.m

**SOFT SHORT CUPS SHORT SHANKS RIBBED AND WEBBED**

<b>Soft Cup Colours</b>	Pink	Lime	Green	Dark Blue
<b>Soft Single Colour Order No.</b>	SS-222PK	SS-222LM	SS-222GR	SS-222DB
<b>Soft Assorted Colours Order No.</b>	SS-222SA Assorted: Pink, Lime, Green, D.Blue			

**SHORT SHANKS SHORT CUPS (7.0 mm)**

RIBBED AND WEBBED  
1.500 - 3.000 r.p.m

**X-SOFT SHORT CUPS SHORT SHANKS RIBBED AND WEBBED**

7mm  
12mm  
SHORT SHANKS

<b>X-Soft Cup Colours</b>	Red	Yellow
<b>X-Soft Single Colour Order No.</b>	SS-222RD	SS-222YL
<b>X-Soft Assorted Colours Order No.</b>	SS-222XA Assorted: Red, Yellow	

**DISPOSABLE LATEX FREE SHORT PROPHY CUPS CA METAL SHANKS SHORT SHANKS RIBBED AND WEBBED**

[ fit mini head CA handpieces only ]

**REGULAR POINTS STANDARD SHANKS**

RIBBED AND WEBBED  
1.500 - 3.000 r.p.m

<b>Regular Cup Colours</b>	White	Light Blue	Lavender	Orange
<b>Regular Single Colour Order No.</b>	225WT	225LB	225LV	225OR
<b>Regular Assorted Colours Order No.</b>	225RA Assorted: White, L.Blue, Lavender, Orange			

**SOFT POINTS STANDARD SHANKS**

RIBBED AND WEBBED  
1.500 - 3.000 r.p.m

<b>Soft Cup Colours</b>	Pink	Lime	Green	Dark Blue
<b>Soft Single Colour Order No.</b>	225PK	225LM	225GR	225DB
<b>Soft Assorted Colours Order No.</b>	225SA Assorted: Pink, Lime, Green, D.Blue			

**X-SOFT POINTS STANDARD SHANKS**

RIBBED AND WEBBED  
1.500 - 3.000 r.p.m

9.5mm  
15mm

<b>X-Soft Cup Colours</b>	Red	Yellow
<b>X-Soft Single Colour Order No.</b>	225RD	225YL
<b>X-Soft Assorted Colours Order No.</b>	225XA Assorted: Red, Yellow	

**DISPOSABLE LATEX FREE PROPHY POINTS CA METAL SHANKS**

[ for lingual and interproximal ]

**METAL SHANKS CUPS (8.5 mm)**

**TURBINE BLADES**

1.500 - 3.000 r.p.m

**REGULAR STANDARD CUPS TURBINE BLADES**

<b>Regular Cup Colours</b>	White	Light Blue	Lavender	Orange
<b>Regular Single Colour Order No.</b>	T-M222 WT	T-M222 LB	T-M222 LV	T-M222 OR
<b>Regular Assorted Colours Order No.</b>	T-M222RA Assorted: White, L.Blue, Lavender, Orange			

**METAL SHANKS CUPS (8.5 mm)**

**TURBINE BLADES**

1.500 - 3.000 r.p.m

**SOFT STANDARD CUPS TURBINE BLADES**

<b>Soft Cup Colours</b>	Pink	Lime	Green	Dark Blue
<b>Soft Single Colour Order No.</b>	T-M222 PK	T-M222 LM	T-M222 GR	T-M222 DB
<b>Soft Assorted Colours Order No.</b>	T-M222SA Assorted: Pink, Lime, Green, D.Blue			

**METAL SHANKS CUPS (8.5 mm)**

**TURBINE BLADES**

1.500 - 3.000 r.p.m

**X-SOFT STANDARD CUPS TURBINE BLADES**

8.5mm  
15mm

<b>X-Soft Cup Colours</b>	Red	Yellow
<b>X-Soft Single Colour Order No.</b>	T-M222 RD	T-M222 YL
<b>X-Soft Assorted Colours Order No.</b>	T-M222XA Assorted: Red, Yellow	

**DISPOSABLE LATEX FREE STANDARD PROPHY CUPS CA METAL SHANKS TURBINE BLADES**

**PLASTIC SHANKS CUPS (8.5 mm)**

**TURBINE BLADES**

1.500 - 3.000 r.p.m

**REGULAR STANDARD CUPS TURBINE BLADES**

<b>Regular Cup Colours</b>	White	Light Blue	Lavender	Orange
<b>Regular Single Colour Order No.</b>	T-P222 WT	T-P222 LB	T-P222 LV	T-P222 OR
<b>Regular Assorted Colours Order No.</b>	T-P222RA Assorted: White, L.Blue, Lavender, Orange			

**PLASTIC SHANKS CUPS (8.5 mm)**

**TURBINE BLADES**

1.500 - 3.000 r.p.m

**SOFT STANDARD CUPS TURBINE BLADES**

<b>Soft Cup Colours</b>	Pink	Lime	Green	Dark Blue
<b>Soft Single Colour Order No.</b>	T-P222 PK	T-P222 LM	T-P222 GR	T-P222 DB
<b>Soft Assorted Colours Order No.</b>	T-P222SA Assorted: Pink, Lime, Green, D.Blue			

**PLASTIC SHANKS CUPS (8.5 mm)**

**TURBINE BLADES**

1.500 - 3.000 r.p.m

**X-SOFT STANDARD CUPS TURBINE BLADES**

8.5mm  
15mm

<b>X-Soft Cup Colours</b>	Red	Yellow
<b>X-Soft Single Colour Order No.</b>	T-P222 RD	T-P222 YL
<b>X-Soft Assorted Colours Order No.</b>	T-P222XA Assorted: Red, Yellow	

**DISPOSABLE LATEX FREE STANDARD PROPHY CUPS CA PLASTIC SHANKS TURBINE BLADES**

**METAL SHANKS SHORT CUPS (7.0 mm)**

**TURBINE BLADES**

1.500 - 3.000 r.p.m

**REGULAR SHORT CUPS TURBINE BLADES**

<b>Regular Cup Colours</b>	White	Light Blue	Lavender	Orange
<b>Regular Single Colour Order No.</b>	T-S222 WT	T-S222 LB	T-S222 LV	T-S222 OR
<b>Regular Assorted Colours Order No.</b>	T-S222RA Assorted: White, L.Blue, Lavender, Orange			

**METAL SHANKS SHORT CUPS (7.0 mm)**

**TURBINE BLADES**

1.500 - 3.000 r.p.m

**SOFT SHORT CUPS TURBINE BLADES**

<b>Soft Cup Colours</b>	Pink	Lime	Green	Dark Blue
<b>Soft Single Colour Order No.</b>	T-S222 PK	T-S222 LM	T-S222 GR	T-S222 DB
<b>Soft Assorted Colours Order No.</b>	T-S222SA Assorted: Pink, Lime, Green, D.Blue			

**METAL SHANKS SHORT CUPS (7.0 mm)**

**TURBINE BLADES**

1.500 - 3.000 r.p.m

**X-SOFT SHORT CUPS TURBINE BLADES**

7 mm  
15mm

<b>X-Soft Cup Colours</b>	Red	Yellow
<b>X-Soft Single Colour Order No.</b>	T-S222 RD	T-S222 YL
<b>X-Soft Assorted Colours Order No.</b>	T-S222XA Assorted: Red, Yellow	

**DISPOSABLE LATEX FREE SHORT PROPHY CUPS CA METAL SHANKS TURBINE BLADES**

**SHORT SHANKS SHORT CUPS (7.0 mm)**

**TURBINE BLADES**

1.500 - 3.000 r.p.m

**REGULAR SHORT CUPS SHORT SHANKS TURBINE BLADES**

<b>Regular Cup Colours</b>	White	Light Blue	Lavender	Orange
<b>Regular Single Colour Order No.</b>	SS-T222WT	SS-T222LB	SS-T222LV	SS-T222OR
<b>Regular Assorted Colours Order No.</b>	SS-T222RA Assorted: White, L.Blue, Lavender, Orange			

**SHORT SHANKS SHORT CUPS (7.0 mm)**

**TURBINE BLADES**

1.500 - 3.000 r.p.m

**SOFT SHORT CUPS SHORT SHANKS TURBINE BLADES**

<b>Soft Cup Colours</b>	Pink	Lime	Green	Dark Blue
<b>Soft Single Colour Order No.</b>	SS-T222PK	SS-T222LM	SS-T222GR	SS-T222DB
<b>Soft Assorted Colours Order No.</b>	SS-T222SA Assorted: Pink, Lime, Green, D.Blue			

**SHORT SHANKS SHORT CUPS (7.0 mm)**

**TURBINE BLADES**

1.500 - 3.000 r.p.m

**X-SOFT SHORT CUPS SHORT SHANKS TURBINE BLADES**

7 mm  
12 mm SHORT SHANKS

<b>X-Soft Cup Colours</b>	Red	Yellow
<b>X-Soft Single Colour Order No.</b>	SS-T222RD	SS-T222YL
<b>X-Soft Assorted Colours Order No.</b>	SS-T222XA Assorted: Red, Yellow	

**DISPOSABLE LATEX FREE SHORT PROPHY CUPS CA METAL SHANKS SHORT SHANKS TURBINE BLADES [ fit mini head CA handpieces only ]**

**REGULAR POINTS SCREW-IN**

1.500 - 3.000 r.p.m

<b>Regular Cup Colours</b>	White	Light Blue	Lavender	Orange
<b>Regular Single Colour Order No.</b>	226WT	226LB	226LV	226OR
<b>Regular Assorted Colours Order No.</b>	226RA Assorted: White, L.Blue, Lavender, Orange			

**SOFT POINTS SCREW-IN**

1.500 - 3.000 r.p.m

<b>Soft Cup Colours</b>	Pink	Lime	Green	Dark Blue
<b>Soft Single Colour Order No.</b>	226PK	226LM	226GR	226DB
<b>Soft Assorted Colours Order No.</b>	226SA Assorted: Pink, Lime, Green, D.Blue			

**X-SOFT POINTS SCREW-IN**

1.500 - 3.000 r.p.m

9.5 mm

<b>X-Soft Cup Colours</b>	Red	Yellow
<b>X-Soft Single Colour Order No.</b>	226RD	226YL
<b>X-Soft Assorted Colours Order No.</b>	226XA Assorted: Red, Yellow	

**DISPOSABLE LATEX FREE PROPHY POINTS SCREW-IN [ for lingual and interproximal ]**

# Prophy Brushes and Cups

## DISPOSABLE LATEX FREE PROPHY BRUSHES CA REGULAR / SOFT / X-SOFT



Regular Type	Flat	Tapered	Micro	Junior Cup	Mini Cup
<b>Regular White Colour Order No.</b>	R-262F	R-262T	R-265	R-M268N	R-269N
<b>Regular Assorted Colours Order No.</b>	R-262FA R-262TA R-265A R-268A R-269A				
	Assorted: White, L.Blue, Lavender, Orange				



Soft Type	Flat	Tapered	Micro	Junior Cup	Mini Cup
<b>Soft Clear Colour Order No.</b>	S-262F	S-262T	S-265	S-268	S-269
<b>Soft Assorted Colours Order No.</b>	S-262FA S-262TA S-265A S-268A S-269A				
	Assorted: Pink, Lime, Green, D.Blue				



X-Soft Type	Flat	Tapered	Micro	Junior Cup	Mini Cup
<b>X-Soft Yellow Colour Order No.</b>	X-262F	X-262T	X-265	X-268	X-269
<b>X-Soft Assorted Colours Order No.</b>	X-262FA X-262TA X-265A X-268A X-269A				
	Assorted: Red, Yellow				

## DISPOSABLE LATEX FREE SHORT SHANKS PROPHY BRUSHES CA [ fit mini head CA handpieces only ]



Regular Type	Flat	Tapered	Micro	Junior Cup	Mini Cup
<b>Regular White Colour Order No.</b>	SS-R262F	SS-R262T	SS-R265	SS-R268	SS-R269
<b>Regular Assorted Colours Order No.</b>	SS-R262FA SS-R262TA SS-R265A SS-R268A SS-R269A				
	Assorted: White, L.Blue, Lavender, Orange				



Soft Type	Flat	Tapered	Micro	Junior Cup	Mini Cup
<b>Soft Clear Colour Order No.</b>	SS-S262F	SS-S262T	SS-S265	SS-S268	SS-S269
<b>Soft Assorted Colours Order No.</b>	SS-S262FA SS-S262TA SS-S265A SS-S268A SS-S269A				
	Assorted: Pink, Lime, Green, D.Blue				



X-Soft Type	Flat	Tapered	Micro	Junior Cup	Mini Cup
<b>X-Soft Yellow Colour Order No.</b>	SS-X262F	SS-X262T	SS-X265	SS-X268	SS-X269
<b>X-Soft Assorted Colours Order No.</b>	SS-X261FA SS-X261TA SS-X265A SS-X268A SS-X269A				
	Assorted: Red, Yellow				



Regular Cup Colours	White	Light Blue	Lavender	Orange
<b>Regular Single Colour Order No.</b>	220WT	220LB	220LV	220OR
<b>Regular Assorted Colours Order No.</b>	220RA Assorted: White, L.Blue, Lavender, Orange			



Soft Cup Colours	Pink	Lime	Green	Dark Blue
<b>Soft Single Colour Order No.</b>	220PK	220LM	220GR	220DB
<b>Soft Assorted Colours Order No.</b>	220SA Assorted: Pink, Lime, Green, D.Blue			



X-Soft Cup Colours	Red	Yellow
<b>X-Soft Single Colour Order No.</b>	220RD	220YL
<b>X-Soft Assorted Colours Order No.</b>	220XA Assorted: Red, Yellow	

**DISPOSABLE LATEX FREE PROPHY CUPS SNAP-ON RIBBED AND WEBBED**



Regular Cup Colours	White	Light Blue	Lavender	Orange
<b>Regular Single Colour Order No.</b>	221WT	221LB	221LV	221OR
<b>Regular Assorted Colours Order No.</b>	221RA Assorted: White, L.Blue, Lavender, Orange			



Soft Cup Colours	Pink	Lime	Green	Dark Blue
<b>Soft Single Colour Order No.</b>	221PK	221LM	221GR	221DB
<b>Soft Assorted Colours Order No.</b>	221SA Assorted: Pink, Lime, Green, D.Blue			



X-Soft Cup Colours	Red	Yellow
<b>X-Soft Single Colour Order No.</b>	221RD	221YL
<b>X-Soft Assorted Colours Order No.</b>	221XA Assorted: Red, Yellow	

**DISPOSABLE LATEX FREE STANDARD PROPHY CUPS SCREW-IN RIBBED AND WEBBED**



Regular Cup Colours	White	Light Blue	Lavender	Orange
<b>Regular Single Colour Order No.</b>	S221WT	S221LB	S221LV	S221OR
<b>Regular Assorted Colours Order No.</b>	S221RA Assorted: White, L.Blue, Lavender, Orange			



Soft Cup Colours	Pink	Lime	Green	Dark Blue
<b>Soft Single Colour Order No.</b>	S221PK	S221LM	S221GR	S221DB
<b>Soft Assorted Colours Order No.</b>	S221SA Assorted: Pink, Lime, Green, D.Blue			



X-Soft Cup Colours	Red	Yellow
<b>X-Soft Single Colour Order No.</b>	S221RD	S221YL
<b>X-Soft Assorted Colours Order No.</b>	S221XA Assorted: Red, Yellow	

**DISPOSABLE LATEX FREE SHORT PROPHY CUPS SCREW-IN RIBBED AND WEBBED**

## DISPOSABLE LATEX FREE PROPHY BRUSHES SNAP-ON REGULAR / SOFT / X-SOFT



**REGULAR WHITE**  
(nylon brush dia. 0.20 mm)

Regular Type	Flat	Tapered
Regular White Brushes Order No.	R-260F	R-260T



**SOFT CLEAR**  
(nylon brush dia. 0.15 mm)

Soft Type	Flat	Tapered
Soft Clear Brushes Order No.	S-260F	S-260T



**X-SOFT YELLOW**  
(nylon brush dia. 0.10 mm)

X-Soft Type	Flat	Tapered
X-Soft Yellow Brushes Order No.	X-260F	X-260T

## DISPOSABLE LATEX FREE PROPHY BRUSHES SCREW-IN REGULAR / SOFT / X-SOFT



**REGULAR WHITE** (nylon brush dia. 0.20 mm)

Regular Type	Flat	Tapered	Micro	Junior Cup	Mini Cup
Regular White Colour Order No.	R-261F	R-261T	R-265-1	R-268-1	R-269-1
Regular Assorted Colours Order No.	R-261FA R-261TA R-265-1A R-268-1A R-269-1A				
	Assorted: White, L.Blue, Lavender, Orange				




**SOFT CLEAR** (nylon brush dia. 0.15 mm)

Soft Type	Flat	Tapered	Micro	Junior Cup	Mini Cup
Soft Clear Colour Order No.	S-261F	S-261T	S-265-1	S-268-1	S-269-1
Soft Assorted Colours Order No.	S-261FA S-261TA S-265-1A S-268-1A S-269-1A				
	Assorted: Pink, Lime, Green, D.Blue				




**X-SOFT YELLOW** (nylon brush dia. 0.10 mm)

X-Soft Type	Flat	Tapered	Micro	Junior Cup	Mini Cup
X-Soft Yellow Colour Order No.	X-261F	X-261T	X-265-1	X-268-1	X-269-1
X-Soft Assorted Colours Order No.	X-261FA X-261TA X-265-1A X-268-1A X-269-1A				
	Assorted: Red, Yellow				




**REGULAR CUPS TURBINE BLADES**

Regular Cup Colours	White	Light Blue	Lavender	Orange
Regular Single Colour Order No.	T-220WT	T-220LB	T-220LV	T-220OR
Regular Assorted Colours Order No.	T-220RA			
	Assorted: White, L.Blue, Lavender, Orange			



**SOFT CUPS TURBINE BLADES**


Soft Cup Colours	Pink	Lime	Green	Dark Blue
Soft Single Colour Order No.	T-220PK	T-220LM	T-220GR	T-220DB
Soft Assorted Colours Order No.	T-220SA			
	Assorted: Pink, Lime, Green, D.Blue			



**X-SOFT CUPS TURBINE BLADES**


X-Soft Cup Colours	Red	Yellow
X-Soft Single Colour Order No.	T-220RD	T-220YL
X-Soft Assorted Colours Order No.	T-220XA	
	Assorted: Red, Yellow	

**DISPOSABLE LATEX FREE PROPHY CUPS SNAP-ON TURBINE BLADES**




**REGULAR STANDARD CUPS TURBINE BLADES**

Regular Cup Colours	White	Light Blue	Lavender	Orange
Regular Single Colour Order No.	T-221WT	T-221LB	T-221LV	T-221OR
Regular Assorted Colours Order No.	T-221RA			
	Assorted: White, L.Blue, Lavender, Orange			



**SOFT STANDARD CUPS TURBINE BLADES**


Soft Cup Colours	Pink	Lime	Green	Dark Blue
Soft Single Colour Order No.	T-221PK	T-221LM	T-221GR	T-221DB
Soft Assorted Colours Order No.	T-221SA			
	Assorted: Pink, Lime, Green, D.Blue			



**X-SOFT STANDARD CUPS TURBINE BLADES**


X-Soft Cup Colours	Red	Yellow
X-Soft Single Colour Order No.	T-221RD	T-221YL
X-Soft Assorted Colours Order No.	T-221XA	
	Assorted: Red, Yellow	

**DISPOSABLE LATEX FREE STANDARD PROPHY CUPS SCREW-IN TURBINE BLADES**




**REGULAR SHORT CUPS TURBINE BLADES**

Regular Cup Colours	White	Light Blue	Lavender	Orange
Regular Single Colour Order No.	T-S221WT	T-S221LB	T-S221LV	T-S221OR
Regular Assorted Colours Order No.	T-S221RA			
	Assorted: White, L.Blue, Lavender, Orange			



**SOFT SHORT CUPS TURBINE BLADES**

Soft Cup Colours	Pink	Lime	Green	Dark Blue
Soft Single Colour Order No.	T-S221PK	T-S221LM	T-S221GR	T-S221DB
Soft Assorted Colours Order No.	T-S221SA			
	Assorted: Pink, Lime, Green, D.Blue			



**X-SOFT SHORT CUPS TURBINE BLADES**

X-Soft Cup Colours	Red	Yellow
X-Soft Single Colour Order No.	T-S221RD	T-S221YL
X-Soft Assorted Colours Order No.	T-S221XA	
	Assorted: Red, Yellow	

**DISPOSABLE LATEX FREE SHORT PROPHY CUPS SCREW-IN TURBINE BLADES**



Welcome to our new Greenline. We believe that making simple changes to the everyday products you purchase is the most sustainable way of helping our planet. This range is our first step towards offering you the choice of more environmentally friendly products.

**After scratching our heads, we've created our interdental brushes with a few 'ez' changes:**


## ez interdental brushes



- ISO size (colour coded)
- Latex and BPA free
- Vegan Friendly
- Reusable
- Non-slip, easy grip design
- Plastic free packaging
- Small, compact and easy to carry

*Interdental Brushes, ISO Size No. 1-6  
Single or Assorted Sizes, 6 pcs/box*

- 1 We've reduced the size of our handle to a smaller, more practical design – this uses up to 50% less plastic than other leading brands.
- 2 Instead of using new plastic, we use 100% recycled plastic for the brush handle and 50% recycled plastic for the protective cap. This recycled plastic is made using waste materials left over from other manufacturing processes.
- 3 Unlike other brands who package interdental brushes in unnecessary plastic boxes and bags, we use cardboard which is 100% plastic free and recyclable.



ISO Size	1	2	3	4	5	6
Reference Size	XX Fine	X Fine	Fine	Fine-Medium	Medium	Large
Made to fit hole (mm)	<0.8	0.9-1.0	1.1-1.2	1.3-1.5	1.6-1.8	>1.9
Wire Dia. (mm)	0.35	0.35	0.45	0.45	0.45	0.45
Order Code	G800-1	G800-2	G800-3	G800-4	G800-5	G800-6
Assorted Order Code	G800-A No.1-6 Assorted					



## Greenline bamboo cups

**Looking to cut down on plastic use? Switching to bamboo cups is a simple and easy change that can have a big impact on reducing plastic waste in your surgery. Here are some reasons to make the switch to using bamboo:**

- 1 Bamboo is the world's quickest growing plant and provides a sustainable source of material. When bamboo is cut down to make paper, it is able to quickly recover to be harvested again.
  - 2 Bamboo absorbs a large amount of CO<sup>2</sup> emissions as it grows, which helps to offset human carbon emissions.
  - 3 Our Greenline outer carton is 100% recyclable and the inner sleeves, which are needed to keep the product sanitary, are biodegradable.
- Leakproof construction, non-slip design
  - Dispenses easily from cup dispenser due to their rolled lip
  - Conveniently designed 170ml (6oz) size

*Bamboo Cups 170 ml (6 oz), 1000 pcs/box  
6800BB Blank  
6800BH Healthy Teeth (4 assorted designs)*

## Greenline micro applicators mini

In an effort to limit the environmental effect of one of the most used items in a dental surgery we came up with some great ideas:



- Bends into any angle for the placement of small controlled amounts of material in limited access areas.
- Economical - saving up to 80% by the reduction of excess materials used.

*Greenline Micro Applicators Mini, 100 pcs/box  
(Length 85 mm, dia 2.5 mm handles)  
G-9901 Regular (dia. 2.5 mm) Light Green  
G-9902 Fine (dia. 2 mm) Medium Green  
G-9903 Ultra Fine (dia. 1.5 mm) Dark Green*

- 1 We designed the handle to be a smaller, more practical size that reduces the amount of plastic used by 50% in comparison to competitive products.
- 2 Instead of new plastic we used 100% recycled plastic. This recycled plastic is made using waste materials from other manufacturing processes.
- 3 No more plastic tube that can use up to a third of the amount of plastic as the actual product - just a 100% recyclable box.



- For the placement of small controlled amounts of material in limited access areas.
- Economical - saving up to 80% by the reduction of excess materials used.

*Greenline Micro Applicator Tips, 100 pcs/box  
G-921 Regular (dia. 2.5 mm) Light Green  
G-922 Fine (dia. 2 mm) Medium Green  
Autoclavable (134°C) Micro Applicator Tip Handle  
7502W White  
7502T Transparent*

## Greenline micro applicator tips

Our most environmentally friendly micro applicators:

- 1 By using these tips you save 80% of the plastic that you would normally use in the handle of a standard micro applicator.
- 2 An autoclavable handle saves plastic. Clean it, autoclave it and re-use it. Simple and effective.
- 3 100% recyclable environmentally friendlier box. Recycling means preventing pollution by reducing the need to collect new raw materials.
- 4 Instead of new plastic we use 100% recycled plastic. The recycled plastic is made using waste materials from other manufacturing processes.



## Greenline air-water syringe tips

Reusable products are a great idea. Unfortunately, trying to clean the inside of a reusable metal air-water syringe tip is just not possible and if you can't clean it, you can't guarantee the effectiveness of its sterilisation. This means that using a disposable plastic air-water syringe tip is the only way to guarantee avoiding cross contamination.

We have however created a more environmentally friendly air-water syringe tip by making a few changes.

- Directly interchangeable with American type syringe tips (long), or European syringes which have been converted to use American type syringe tips (short)
- Made from 100% recycled plastic
- No sharp edges for patient comfort
- Unique quad air core design to ensure dry air
- Environmentally friendly packaging

**Greenline Air-water Syringe Tips**  
 G-018 (American Type) 200 pcs/box  
 G-028 (European Type) 200 pcs/box

**1** Our Greenline air-water syringe tips are made from 100% recycled plastic, using waste materials left over from other manufacturing processes.

**2** The Greenline air-water syringe tips are packaged in 100% recyclable cardboard boxes, instead of large plastic bags, helping to reduce the amount of plastic packaging in your surgery.

## Greenline biodegradable PSP barrier envelopes



In order to improve on an already great product and in an effort to reduce waste we've:

**1** Made our product from oxo-biodegradable plastic, which means the material will breakdown more easily than conventional plastics.

**2** Removed the plastic packaging and supplied them in a 100% recyclable paper box, which conserves natural resources like timber and water.

- Fits most phosphor plates
- Fully disposable envelopes
- Soft vinyl with rounded corners
- Environmentally friendly packaging

**Mid-Opening Barrier Envelopes**  
 G188-0 No.0 (I.D. 39 mm x 28 mm) 100 pcs/box  
 G188-1 No.1 (I.D. 44 mm x 29 mm) 100 pcs/box  
 G188-2 No.2 (I.D. 45 mm x 35 mm) 100 pcs/box

**Top-Opening Barrier Envelopes**  
 G198-0 No.0 (I.D. 27 mm x 40 mm) 100 pcs/box  
 G198-1 No.1 (I.D. 28 mm x 45 mm) 100 pcs/box  
 G198-2 No.2 (I.D. 34 mm x 46 mm) 100 pcs/box

## DISPOSABLE AIR-WATER SYRINGE TIPS (SHORT) EURO TYPE




- Directly interchangeable with American type short syringe tips (syringes which have been converted to use American type short syringe tips)
- No sharp edges for patient comfort
- Unique quad air core design to ensure dry air

Syringe Tips Short, 250 pcs/pack  
028S Syringe Tips *Short* Spectrum  
028W Syringe Tips *Short* White

## DISPOSABLE AIR-WATER 'e' SYRINGE TIPS WITHOUT CORE

ready to use, no converter required for American style syringe



- Directly interchangeable with most American style metal air/water syringe tips
- Economically designed without separate water core, in exchange for a split second of moisture when switching from water to air
- Rounded tip end provides maximum patient comfort

Disposable 'e' Air-Water Syringe Tips without core 250 pcs/pack  
0120S Opaque Colour Tips  
0120W Opaque White Tips



## DISPOSABLE AIR-WATER 'a' SYRINGE TIPS

ready to use, no converter required for American style syringe

- Directly interchangeable with most American style metal air/water syringe tips
- No sharp edges for patient comfort
- Unique quad air core design to ensure dry air

Disposable 'a' Air-Water Syringe Tips, 250 pcs/pack  
018S Spectrum Colour Tips/White Cores  
018C Clear Tips/Colour Cores  
0180S Opaque Colour Tips/White Cores  
018W Opaque White Tips/White Cores



## DISPOSABLE TRANSPARENT SYRINGE TIPS

- Directly interchangeable with \*Sani-Tip® type transparent tip (syringes which have been converted to use transparent tip)
- Costs less than sterilizing metal tips
- Size: Long (American type) Short (European type)
- Colour: Clear Transparent

Clear Tips, 250 pcs/pack  
011A Standard Length (American Type Syringe)  
011E Short Length (European Type Syringe)

\*Sani-Tip is a registered trademark of Dentsply Sirona

## DISPOSABLE IIR FACE MASKS FLUID RESISTANT LATEX FREE


**PERFORMANCE TYPE IIR**  
EN14683  
BFE ≥99% PFE ≥99%  
**LEVEL 3 BARRIER**  
ASTM F2100

- Non-irritating
- Fluid resistant, excellent filtration (BFE 99%)
- Permits air to pass through mask to prevent glasses from fogging
- Colours: Blue, Green, Pink, Lavender or Black (ear-loop only)



**IIR Face Masks, 50 pcs/box**  
2288 Ear-Loop  
2288T Tie-On

## MASK EXTENDERS



**098**  
Mask Extenders  
5 pcs/pack

- Relieve ear fatigue and pain
- Adjustable buckle strip for earloop masks
- Autoclavable soft silicone
- Colours: Light Blue, Light Green, Lavender, Pink, White or Assorted

**PERFORMANCE TYPE IIR**  
EN14683  
BFE ≥99% PFE ≥99%  
**LEVEL 3 BARRIER**  
ASTM F2100



## DISPOSABLE IIR FACE MASKS WITH SHIELDS EAR-LOOP FLUID RESISTANT LATEX FREE

- Non-irritating
- Fluid resistant, excellent filtration (BFE 99%)
- Anti-fog shields
- Permits air to pass through mask to prevent shield from fogging
- Colours: Blue, Green, Pink or Lavender

**FS2288 IIR Face Masks with Shields**  
Ear-Loop, 25 pcs/box

## DISPOSABLE FACE SHIELDS WITH HEADBAND



- For personal protection against droplets and splashes
- Light weight
- Colour: Blue
- Optically clear plastic
- Vented for air flow
- No pressure on temples

**1148**  
Disposable Face Shields  
20 pcs/box

PPE standards applied: EN 166:2001, ANSI / ISEA Z87 1-2015



## FACE SHIELDS

- For personal protection against droplets and splashes
- For personal protection against droplets and splashes
- Light weight
- Adjustable design to suit every user
- High quality replaceable shields
- Colours: Blue, White or Lavender

**1145 Face Shield complete with 3 shields**  
**1146 Replacement Shields, 5 pcs/pack**

PPE standards applied:  
EN 166:2001, ANSI / ISEA Z87 1-2015

## REFINE SAFETY GOGGLES







**EP-01**  
Safety Goggles

- For personal protection against droplets and splashes
- Light weight
- Soft TPU for all day comfort
- Soft nosepiece
- Compatible with wearing glasses
- Polycarbonate lenses for clear vision
- Flexible head strap

PPE standards applied: EN 166:2001, ANSI / ISEA Z87 1-2015

**DISPOSABLE FACE MASKS EAR-LOOP WITH PATTERNS** FLUID RESISTANT LATEX FREE






**LEVEL 3 BARRIER**  
INTERNATIONAL STANDARD ASTM F2100  
BFE ≥99% PFE ≥99%  
**PERFORMANCE TYPE IIR**  
EUROPEAN STANDARD EN14683

- Non-irritating
- Fluid resistant, excellent filtration (**BFE 99%**)
- Permits air to pass through mask to prevent glasses from fogging

2288 Face Masks Ear-Loop with Patterns, 50 pcs/box


**DISPOSABLE FLUID RESISTANT DENTAL BIBS WITH PATTERNS**



- Two plies of facial quality tissue plus a layer of polyethylene film offers quick absorbency with a positive moisture barrier
- Paper specially treated for wet strength
- Embossed horizontal pattern, water contact disperses horizontally instead of “channelling” down onto patients clothing
- Size: 45 cm x 33 cm

**Dental Bibs with Patterns**  
2200FA Flowers Assorted, 500 pcs/box  
2200LA Leaves Assorted, 500 pcs/box  
2200KID Kids, 500 pcs/box  
2200MON Monsters, 500 pcs/box


**DISPOSABLE PROPHY BIBS**  
**EXTRA LONG FLUID RESISTANT**



- Ideal for prophy, where extra protection is needed
- Features contour neck design for additional coverage to shoulders and arm
- Two plies of facial quality tissue plus a layer of polyethylene
- Size: W45 cm x L60 cm
- Colour: Light Blue

2208 Propy Bibs Extra Long  
100 pcs/box + Bib Holder XS


**DISPOSABLE FLUID RESISTANT**  
**TRAY COVER PAPERS**



- Two plies of facial quality tissue plus a layer of polyethylene film for positive barrier
- Colours: Blue and white barrier

2220 “B” Plastic Tray Covers 200’S (29.5 cm X 21.5 cm)  
2221 “F” Plastic Tray Covers 200’S (20 cm X 13.5 cm)  
2223 “ISO” Aluminium Tray Covers 200’S (27.5 cm X 17.5 cm)

**DISPOSABLE NAPKIN HOLDERS**



- Fully disposable
- Easy to apply
- Width: 15 mm
- Length: 44 cm extendable up to 60 cm

2209 Napkin Holders, 100 pcs/pack

## DISPOSABLE PSP BARRIER ENVELOPES OXY-BIODEGRADABLE



- Quick tear-off opening
- Fits most phosphor plates
- Fully disposable envelope
- Soft vinyl with rounded corners

### DURR® TYPE

#### Mid-Opening Barrier Envelopes

188-0 No. 0 (I.D. 39 mm x 28 mm) 100 pcs/box  
 188-1 No. 1 (I.D. 44 mm x 29 mm) 100 pcs/box  
 188-2 No. 2 (I.D. 45 mm x 35 mm) 100 pcs/box  
 188-3 No. 3 (I.D. 58 mm x 30 mm) 50 pcs/box  
 188-4 No. 4 (I.D. 82 mm x 60 mm) 50 pcs/box

#### Mid-Opening Barrier Envelopes Bulk

188-2B No. 2 (I.D. 45 mm x 35 mm) 500 pcs/box

#### Top-Opening Barrier Envelopes

198-0 No. 0 (I.D. 27 mm x 40 mm) 100 pcs/box  
 198-1 No. 1 (I.D. 28 mm x 45 mm) 100 pcs/box  
 198-2 No. 2 (I.D. 34 mm x 46 mm) 100 pcs/box

#### Top-Opening Barrier Envelopes Bulk

198-2B No. 2 (I.D. 33 mm x 44 mm) 500 pcs/box

### DIGORA® (SOREDEX®) TYPE

#### Top-Opening Barrier Envelopes

189-0 No. 0 (I.D. 24 mm x 34 mm) 100 pcs/box  
 189-1 No. 1 (I.D. 26 mm x 43 mm) 100 pcs/box  
 189-2 No. 2 (I.D. 33 mm x 44 mm) 100 pcs/box

### KODAK® (CARESTEAM®) TYPE

#### Top-Opening Barrier Envelopes

199-0 No. 0 (I.D. 31 mm x 36 mm) 100 pcs/box  
 199-1 No. 1 (I.D. 33 mm x 44 mm) 100 pcs/box  
 199-2 No. 2 (I.D. 40 mm x 46 mm) 100 pcs/box

#### Protective Paper Covers

178-0 (2 x 23 mm x 36 mm) 100 pcs/box  
 178-1 (2 x 24 mm x 42 mm) 100 pcs/box  
 178-2 (2 x 30 mm x 42 mm) 100 pcs/box



## DISPOSABLE PC MOUSE SLEEVES OXY-BIODEGRADABLE

- Universal size, fit both cordless and corded optical mouse
- Soft, pliable polypropylene sleeves
- Easy to apply

PC Mouse Sleeves, 500 pcs/box  
 133 15 cm x 8.5 cm (5 7/8" x 3 3/8")

## DISPOSABLE X-RAY SLEEVES OXY-BIODEGRADABLE



- Full x-ray unit coverage
- Disposable yet economical
- Soft, pliable polypropylene sleeve holds position until removed
- Easy application and removal

X-Ray Head Sleeves, 250 pcs/box  
 108 Small 20 cm + 17 cm x 60 cm (7 7/8" + 6 5/8" x 23 1/2")  
 109 Large 35 cm + 24 cm x 75 cm (13 3/4" + 9 1/2" x 29 1/2")



## DISPOSABLE HVE TUBE SLEEVES OXY-BIODEGRADABLE

- Pre-cut opening for easier application
- Made from very supple poly plastic for greater tactile feel

HVE Suction Tube Sleeves, 500 pcs/box  
 135S Small (11 mm) 35 cm x 5.5 cm (13 3/4" x 2 1/8")  
 135L Large (16 mm) 38 cm x 6 cm (15" x 2 3/8")



### A. STANDARD

140XS  
 140S  
 140M



### B. TWO STEP

183-1  
 183-2

## DISPOSABLE X-RAY SENSOR SLEEVES OXY-BIODEGRADABLE

- Made from very supple poly plastic for greater tactile feel
- Easy to apply

A. Standard Sensor Sleeve, 500 pcs/box  
 140XS X-Small 3.8 cm x 20 cm (1 1/2" x 7 7/8")  
 140S Small 4.2 cm x 20 cm (1 5/8" x 7 7/8")  
 140M Medium 4.5 cm x 20 cm (1 3/4" x 7 7/8")  
 140L Large 6 cm x 20 cm (2 3/8" x 10")

B. Two Step Sensor Sleeves, 500 pcs/box  
 183-1 Size 1 3.4 cm / 5 cm x 22 cm (1 3/8" / 2" x 8 5/8")  
 183-2 Size 2 3.8 cm / 5.5 cm x 22 cm (1 1/2" / 2 1/8" x 8 5/8")



## DISPOSABLE INSTRUMENT TRAY SLEEVES OXY-BIODEGRADABLE

- Instruments are placed directly on top of the disposable plastic sleeve
- Reduces the possibility of cross-contamination, saves cleaning time

Tray Sleeves, 500 pcs/box  
 101 Standard 'B' 27 cm x 36 cm (10 1/2" x 14")  
 102 Mini 'F' 19 cm x 28 cm (7 1/2" x 11")



## DISPOSABLE ISO INSTRUMENT TRAY SLEEVES OXY-BIODEGRADABLE

- Instruments are placed directly on top of the disposable plastic sleeve
- Reduces the possibility of cross-contamination, saves cleaning time

ISO Metal Tray Sleeves, 500 pcs/box  
 190 Standard 31 cm x 21 cm (12 1/8" x 8 1/4")



## DISPOSABLE IMPRESSION GUN SLEEVES OXY-BIODEGRADABLE

- Plastic sleeve covers cartridge and handle
- Provides protection in case of cartridge failure or leakage

Impression Gun Sleeves, 500 pcs/pack  
 107 Universal 25 cm x 21 cm (9 7/8" x 8 1/4")




## DISPOSABLE MOUTH MIRROR SLEEVES OXY-BIODEGRADABLE

- Made from very supple poly plastic for greater tactile feel

Mouth Mirror Sleeves, 500 pcs/box  
 140XS X-Small 3.8 cm x 20 cm (1 1/2" x 7 7/8")

## DISPOSABLE BARRIER FILM



- With 5 mm non-adhesive edge for simple placement and removal
- Residue free
- Colours: Blue and Clear

8008-B 8008-C

Barrier Film, 1200 pcs/roll  
 8008-C Clear 10 cm x 15 cm (3 7/8" x 6")  
 8008-B Blue 10 cm x 15 cm (3 7/8" x 6")

## DISPOSABLE T-STYLE LIGHT HANDLE SLEEVES OXY-BIODEGRADABLE



- Universal sizing to fit most T-style handles
- Full handle coverage
- Disposable yet economical
- Soft, pliable polypropylene sleeve holds position until removed
- Easy application and removal

T-Shape Light Handle Sleeves, 500 pcs/box  
 106 Universal 10 cm / 15 cm x 8.5 cm (3 7/8" / 6" x 3 3/8")



## DISPOSABLE BITE BLOCK SLEEVES OXY-BIODEGRADABLE

- Polypropylene sleeves
- Easy application and removal
- Fully disposable

Bite Block Sleeves, 5 x 200 pcs/box  
 145 Universal 5.5 cm x 2.6 cm (2 1/8" x 1")

## DISPOSABLE PEN TYPE CURING LIGHT SLEEVES



- Made from very supple poly plastic for greater tactile feel
- Easy to apply

Pen Type Curing Light Sleeves, 500 pcs/box  
228 Mini Short 25 cm x 3.8 cm (9" x 1 1/2")  
123SS Small Short 28 cm x 5 cm (11" x 2")

123S Small 32 cm x 5 cm (12 1/2" x 2")  
123L Large 35 cm x 6.5 cm (13 3/4" x 2 1/2")  
123XL X-Large 38 cm x 7.2 cm (15" x 2 7/8")

## DISPOSABLE INTRAORAL CAMERA /RA CURING LIGHT SLEEVES



- Made from very supple poly plastic for greater tactile feel
- Easy to apply

Intraoral Camera Sleeves / RA Curing Light Sleeves  
228 Mini Short 25 cm x 3.8 cm (9" x 1 1/2"), 500 pcs/box  
125 Standard 33 cm x 4.8 cm (13" x 1 7/8"), 500 pcs/box  
125SS Short 28 cm x 4.8 cm (11" x 1 7/8"), 500 pcs/box



## DISPOSABLE PEEL-N-STICK LIGHT GUIDE SLEEVES

- Soft, pliable polypropylene Sleeve
- Easy to apply
- Economical

Light Guide Sleeves, 200 pcs/box  
128 Small (fits 7-8 mm Guide)  
129 Large (fits 9-11 mm Guide)



## DISPOSABLE PEN AND HANDPIECE SLEEVES OXY-BIODEGRADABLE

- Disposable sleeves for pen, handpieces, and ultrasonic scalers
- Made from soft pliable poly plastic for greater tactile feel

500 pcs/box  
103 Pen Shape Instrument 22 cm x 2.4 cm (8 1/2" x 1")  
104S Low Speed/Universal Slim 22 cm x 3.8 cm (8 1/2" x 1 1/2")  
104L Low Speed/Universal Large 22 cm x 4 cm (8 1/2" x 1 5/8")



## DISPOSABLE SYRINGE/HVE SLEEVES OXY-BIODEGRADABLE

- Pre-cut opening for easier application
- Ideal for 3-way syringes, saliva ejectors and HVE valves etc

Syringe Sleeves, 500 pcs/box  
100C Clear 26 cm x 6.5 cm (10" x 2 1/2")  
100B Blue 26 cm x 6.5 cm (10" x 2 1/2")

## DISPOSABLE TUBING SLEEVES OXY-BIODEGRADABLE

- For straight and coiled tubing
- Affordable protection from infectious aerosols and minimizes time spent on cleaning
- 1200 ft/roll (366 m)

118 Tubing Sleeve for straight tubing 2" (5 cm)  
119 Tubing Sleeve for coiled tubing 4" (10 cm)

## DISPOSABLE FLOWABLE COMPOSITE SYRINGE SLEEVES OXY-BIODEGRADABLE

- Made from very supple poly plastic for greater tactile feel
- Easy to apply
- Economical

Flowable Composite Syringe Sleeves, 200 pcs/box  
138 Universal 1.8 cm / 5 cm x 12.5 cm (5/8" / 2" x 5")



## DISPOSABLE KEYBOARD SLEEVES OXY-BIODEGRADABLE

- Soft, pliable polypropylene sleeves

Keyboard Sleeves  
158 Standard 16 cm x 55 cm (6 1/4" x 21 5/8"), 500 pcs/box  
108 Large 20 cm + 17 cm x 60 cm (7 7/8" + 6 5/8" x 23 1/2"), 250 pcs/box




## DISPOSABLE CHAIR SLEEVES OXY-BIODEGRADABLE

- Eliminates the need for separate headrest covers
- Avoids the need for harmful disinfectants and aerosols prolonging the life of dental chairs/stools


Chair Sleeves, 125 pcs/box  
111 Full Chair 180 cm x 72 cm (70" x 28 3/8")  
112 Half Chair 100 cm x 65 cm (39 3/8" x 25 1/8")

## DISPOSABLE HEADREST SLEEVES OXY-BIODEGRADABLE



- Polypropylene sleeves
- Reduces possible cross-contamination from infectious aerosol spray

Headrest Sleeves, 500 pcs/box  
113 Small 26 cm x 27.5 cm (10 1/4" x 10 7/8")  
114 Large 35 cm x 28 cm (13 3/4" x 11")



## DISPOSABLE NON-WOVEN HEADREST COVERS

- Breathable non-woven fabric
- Soft, provides maximum patient comfort
- Colours: Light Blue and White

Non Woven Headrest Covers, 500 pcs/box  
780S Small 26 cm x 28 cm (10 1/4" x 11")  
780M Medium 35 cm x 28 cm (13 3/4" x 11")






## DISPOSABLE MICRO APPLICATORS

- Economical and disposable, saving up to 80% by the reduction of excess materials used
- Bends into any angle for the placement of small controlled amounts of material in limited access areas



Available in :-  
**Standard Handles**  
 100 mm x dia. 3 mm  
**Mini Handles**  
 85 mm x dia. 2.5 mm



Available in :-  
**Standard Handles**  
 100 mm x dia. 3 mm  
**Mini Handles**  
 85 mm x dia. 2.5 mm



Available in :-  
**Standard Handles**  
 100 mm x dia. 3 mm


**Standard Handles**  
 Tube Pack 400 pieces  
 901T Regular  
 902T Fine  
 903T Ultrafine  
 904T Cylinder

**Mini Handles**  
 Tube Pack 400 pieces  
 9901T Regular  
 9902T Fine  
 9903T Ultrafine

**Standard Handles**  
 Bulk Pack 1000 pieces  
 901B Regular  
 902B Fine  
 903B Ultrafine  
 904B Cylinder

**Mini Handles**  
 Bulk Pack 1000 pieces  
 9901B Regular  
 9902B Fine  
 9903B Ultrafine

**Standard Handles**  
 Dispenser Pack 400 pieces  
 901D Regular  
 902D Fine  
 903D Ultrafine  
 904D Cylinder



## DISPOSABLE MICRO APPLICATOR DISPENSERS

- Small, sturdy, durable construction
- Provides aseptic barrier against operator aerosols and accidental splatter

**Applicator Dispenser**  
 18-900 *Standard Handle*  
 18-9900 *Mini Handle*

## DISPOSABLE MICRO APPLICATOR TIPS




- Economical and disposable saving up to 80% by the reduction of excess materials used
- For the placement of small controlled amounts of material in limited access areas
- Can be used for etchants, bonding agents, cavity lining, fluoride varnishing, hemostatic and sealers etc

**Micro Applicator Tips, 100 pcs/box**  
 (Blue, Green, Lavender or Yellow)  
 921 Regular  
 922 Fine

**Brush Handle Autoclavable**  
 7502W - White  
 7502T - Transparent

## DISPOSABLE BRUSH APPLICATORS



- Perfect for placement of etchants, bonding agents, sealers and cements etc
- Bendable to reach around corners and the tightest spaces
- Handles are colour coded to eliminate confusion between materials
- Fully disposable, eliminates cross-contamination
- Available colours: Blue, Green, Lavender or Yellow

**Brush Applicator Single Colour, 100 pcs/pack**  
 7500 Regular  
 7510 Mini

## DISPOSABLE BRUSH TIPS AND HANDLES



- Perfect for placement of etchants, bonding agents, sealers and cements etc
- Available Colours: Blue, Green, Lavender, or Yellow


7501 Brush Tips *Regular* Standard Pack, 100 pcs/box  
 7511 Brush Tips *Mini* Standard Pack, 100 pcs/box  
 7502W Brush Handle Autoclavable *White*  
 7502T Brush Handle Autoclavable *Clear*

## COMPOSITE TIP GUN AND TIPS




- For placement of composites, cements etc
- Reusable handle with disposable tubes and plugs
- Autoclavable plastic handle with pistol grip design
- Tips are photoblock

## AUTOCLAVABLE HVE SUCTION TUBES



- Fits European style 16 mm or standard 11 mm suction tubing
- Autoclavable up to 135°C
- Special high quality plastic, sturdy enough for cheek retraction
- Fully polished internal surface and edge for quiet operation and patient comfort
- Assortment of bright, lively colours: Lavender, Light Blue, Light Green, Lime and Yellow

**Assorted Colours, 10 pcs/pack**  
 335L Adult Large (16 mm)  
 335M Adult Medium (16 mm)  
 336P Pedo (16 mm)  
 005L Adult Large (16 mm)  
 005M Adult Medium (16 mm)  
 006P Pedo (16 mm)  
 205M Adult Medium (11 mm)  
 206P Pedo (11 mm)



## DISPOSABLE SOFT TOUCH™ ORAL EVACUATORS (SLOTTED) VENTED LATEX FREE

- Soft Touch edge eliminates the risk of lacerating the oral tissue
- Rigid tubing strong enough for cheek retraction
- Vented to reduce unnecessary tissue grab and increase evacuation cover area
- Thoroughly polished surface for smooth and quiet operation
- Fits standard 11 mm suction holders
- Colour: White (Blue or Lavender Tip)

PATENT PENDING

ST001 Soft Touch™ Oral Evacuators, 50 pcs/pack



## VENTED (SLOTTED) ORAL EVACUATORS

- Vented to reduce unnecessary tissue grab
- Soft rigid tubing, allows for greater patient comfort yet is strong enough for cheek retraction
- Thoroughly polished surface for smooth and quiet operation
- Fits standard 11 mm suction holders


**Oral Evacuators, 100 pcs/pack**  
 001 White Disposable  
 001A Single Colour Disposable  
 003 Grey Autoclavable



## VENTED/NON-VENTED ORAL EVACUATORS 'S' CUT

- Vented and non-vented combination
- Soft rigid tubing, allows for greater patient comfort yet is strong enough for cheek retraction
- Thoroughly polished surface for smooth and quiet operation
- Fits standard 11 mm suction holders

**Oral Evacuators, 100 pcs/pack**  
 301 White Disposable  
 301A Single Colour Disposable  
 303 Grey Autoclavable



## VENTED ORAL EVACUATORS 'S' CUT

- Vented to reduce unnecessary tissue grab
- Soft rigid tubing, allows for greater patient comfort yet is strong enough for cheek retraction
- Thoroughly polished surface for smooth and quiet operation
- Fits standard 11 mm suction holders
- Colours: Blue, Yellow, Green, Lime or Lavender

**Oral Evacuators, 100 pcs/pack**  
 308 White Disposable  
 308A Single Colour Disposable  
 309 Grey Autoclavable



## AUTOCLAVABLE SURGICAL ASPIRATOR TIPS

- Non-sterile
- Autoclavable up to 135°C
- Colours: Standard - White Large orifice - Blue

**Autoclavable Surgical Tips, 25 pcs/pack**  
 007 Mini Tip  
 009 Standard Non-Vented  
 009V Standard Vented  
 008 Large Orifice Non-Vented  
 008V Large Orifice Vented



## DISPOSABLE SALIVA EJECTORS

- Tip design that eliminates suction of tissue
- Smooth fixed tip for patient safety and comfort

**Saliva Ejectors, 100 pcs/pack**  
 300W White Tip/Clear Tube  
 300B Blue Tip/Clear Tube  
 300A White Tip/Coloured Tube



## DISPOSABLE SALIVA EJECTORS SOFT TIPS

- Flexible soft cushion tip for patient comfort
- Latex free tip design that eliminates suction of soft tissue
- Fixed tip for safety

**Saliva Ejectors, 100 pcs/pack**  
 333W White Tip/Clear Tube  
 333B Blue Tip/Clear Tube  
 333A White Tip/Coloured Tube




## DISPOSABLE 3-IN-1 TRAYS

- Wide occlusal plane
- Strong and tough plastic
- Specially designed walls for extra retention
- Tear resistant quality mesh
- Colour: **Blue**

**3-in-1 Trays**  
 18-N401 Posterior 36 pcs/box  
 18-N402 Quadrant 36 pcs/box  
 18-N403 Sideless 36 pcs/box  
 18-N404 Anterior 36 pcs/pack  
 18-N405 Full Arch 24 pcs/pack

## DISPOSABLE 3-IN-1 TRAYS

Stainless Steel Wire Connectors




- RIGID Stainless Steel Wire Connector
- Stainless steel wire connector for greater access in limited space
- Wide occlusal plane
- Special rigid walls designed for extra retention
- Tear resistant quality mesh
- Colour: **Blue**

**3-in-1 Trays**  
 18-S401 Posterior 36 pcs/box  
 18-S402 Quadrant 36 pcs/box  
 18-S403 Sideless 36 pcs/box

## DISPOSABLE 3-IN-1 TRAYS

Rigid Bar Connectors




- RIGID Aluminium Bar Connector
- Strong and tough
- Wide occlusal plane
- Special rigid walls designed for extra retention
- Tear resistant quality mesh
- Colour: **Blue**


**3-in-1 Trays**  
 18-T401 Posterior 36 pcs/box  
 18-T402 Quadrant 36 pcs/box  
 18-T403 Sideless 36 pcs/box

## DISPOSABLE IMPRESSION TRAYS WITH RIM LOCK

for Implant Post and General Impressions



base sections can be easily removed with a bur for implant posts



rim lock reduced thickness trim lines on labial wall for easy removal in inclination post cases

**Disposable Impression Trays, 10 pcs/pack**  
 410 Intro (one size each)  
 411-420 Single pack

- Save time and expensive laboratory charges
- Strong, rigid distortion free plastic construction
- Anatomically designed
- Smooth edges for patient comfort
- Excellent retention for impression materials whilst providing sufficient pressure for all details
- Colour: **Blue**



## AUTOCLAVABLE IMPRESSION TRAYS WITH RIM LOCK

- Autoclavable up to **135°C (275°F)**
- Strong, rigid distortion free plastic construction
- Anatomically designed
- Smooth edges for patient comfort
- Excellent retention for impression materials whilst providing sufficient pressure for all details
- Colour: **Light Grey**

**Autoclavable Impression Trays**  
 430 Intro 10 pcs/pack (one size each)  
 431-440 Single 5 pcs/pack



## DISPOSABLE 3-IN-1 TRAYS

- Wide occlusal plane
- Strong and tough plastic
- Specially designed walls for extra retention
- Tear resistant quality mesh
- Individually wrapped

**3-in-1 Trays**  
 N401 Posterior 36 pcs/box  
 N402 Quadrant 36 pcs/box  
 N403 Sideless 36 pcs/box  
 N404 Anterior 36 pcs/pack  
 N405 Full Arch 24 pcs/pack

## DISPOSABLE 3-IN-1 TRAYS

Wire Connectors Stainless Steel



- Stainless steel wire connector for greater access in limited space
- Wide occlusal plane
- Special rigid walls designed for extra retention
- Tear resistant quality mesh

**3-in-1 Trays**  
 S401 Posterior 36 pcs/box  
 S402 Quadrant 36 pcs/box  
 S403 Sideless 36 pcs/box

## DISPOSABLE 3-IN-1 TRAYS

Rigid Bar Connectors



- Rigid Aluminium Bar Connector
- Strong and tough
- Wide occlusal plane
- Special rigid walls designed for extra retention
- Tear resistant quality mesh

**3-in-1 Trays**  
 T401 Posterior 36 pcs/box  
 T402 Quadrant 36 pcs/box  
 T403 Sideless 36 pcs/box

## DISPOSABLE PLASTIC COATED METAL Pliable IMPRESSION TRAYS



- Fully disposable
- Pliable metal

451-460 Pliable Metal Tray

## AUTOCLAVABLE ALGinate/PLASTER CURVED SPATULA



- For alginate or plaster
- Light weight, 58 gms only
- Fully autoclavable up to 135°C
- Stainless steel blade
- Handle colour: Blue

MS455 Curved Spatula

## DISPOSABLE IMPRESSION SYRINGES



- Pre-bent for easy application
- Fully disposable
- 5 ml capacity

089 Impression Syringes 50 pcs/pack


## FLEXIBLE MIXING BOWLS



- For effective mixing of alginates and plasters
- Sizes: 7460 Small dia. 11 cm x H8 cm  
7470 Medium dia. 12.5 cm x H10 cm
- Available in Transparent Red, Green, Blue, Purple, Yellow and solid Blue

7460 Flexible Mixing Bowl Small  
 7470 Flexible Mixing Bowl Medium


## AUTOCLAVABLE ALGinate AND PLASTER SPATULAS



- Fully autoclavable up to 134°C
- Fit all flexible mixing bowls
- Will not scratch the surface of bowls and clean up easily
- Flexible control in mixing with easy grip handle
- Size: Length: 190 mm

450R Regular Blue  
 450XS Extra Stiff Grey

## DISPOSABLE INTRAORAL SYRINGE TIPS



- Universal fitting
- Available in Yellow or White

**Intraoral Tips, 100 pcs/pack**  
 085 Yellow for Yellow mixing tips  
 086 Clear for Green and Pink mixing tips

## DISPOSABLE DYNAMIC MIXING TIPS



- Fits Pentamix<sup>®</sup> type mixing machine
- Economically priced
- Colours: Red or White

7055 Dynamic Mixing Tips, 50 pcs/pack

<sup>1</sup> Pentamix is a registered trademark of 3M or 3M ESPE AG.


## AUTOCLAVABLE ENDO STAND



- Fully autoclavable plastic stand with disposable sponge insert
- Cleans and holds endo instruments
- Silicone ring base resists sliding
- Fully autoclavable up to 134°C
- Colour: Blue

4833 Endo Stand Large (dia. 45 mm)  
812 Endo Sponges, 50 pcs/pack

## DISPOSABLE ENDO SPONGES



811  
for round endo stand  
size: 2" dia. x 3/8" thick  
(50mm dia. x 8mm)

812  
for oval and round endo stand  
size: 2 1/2" dia. x 3/8" thick  
(65mm dia. x 8mm)

- Fully disposable blue polyurethane sponges
- Colour: Blue

Endo Sponges, 50 pcs/pack  
811 for Round Endo Stand  
812 for Oval and Large Endo Stand

## DISPOSABLE PEEL-AND-STICK ENDO CUSHIONS



802 Peel-and-Stick  
Endo Cushions  
50 pcs/box

- Hold, arrange and clean small instruments during endodontic or implant procedures
- Ideal for files, screws, drills and pluggers etc
- Peel-and-stick back secures to patient napkins, tray covers or anywhere handy
- Pre-arranging saves set up time
- Dense blue polyurethane foam 75 mm long

## AUTOCLAVABLE ENDO CUSHION HOLDER



- Holder for used files with disposable foam cushions
- Built in endo file ruler
- Stainless steel construction
- Fully autoclavable up to 134°C
- Sizes: 50 mm x 50 mm x 25 mm

1180 Endo Cushion Holder  
(without Cushion)  
801 Square Endo Cushions  
50 pcs/pack

## AUTOCLAVABLE TRIANGULAR ENDO RING AND CUSHIONS



- Fully disposable cushions
- Colour: Blue
- Autoclavable up to 134°C

088 Autoclavable Cushion Holders  
with Large and Small Rings  
803 Disposable Cushions 50 pcs/box



## AUTOCLAVABLE ENDO HOLDER ALUMINIUM

2800 Endo Holder


- Specially designed for ultrasonic cleaning and autoclaving of root canal instruments
- Holds 18 hand or engine endo instrument up to size 100 all lengths
- Millimeter rule for rubber stop measurements for both right or left hand use
- Adjustable cover with silicone stop usage counter for sterilization
- Size: W65 mm x D30 mm x H55 mm
- Fully autoclavable up to 134°C
- Colour: Blue

## AUTOCLAVABLE RUBBER DAM FRAME



4866  
Rubber  
Dam Frame

- Proven design
- Better grip
- Enhance patient comfort




## AUTOCLAVABLE ENDO DISPENSER PLASTIC

055 Endo Dispenser

- Specially designed for cleaning and autoclaving of endo instruments
- Holds 18 hand or engine instruments up to size 100 (all lengths)
- Medical grade plastic, autoclavable up to 134°C
- Size: 85 mm x 52 mm x 14 mm
- Colour: Blue

## AUTOCLAVABLE ENDO MEASURING BLOCK PLASTIC



4888  
Endo Measuring Block

- Accurate settings
- Durable construction
- Fully autoclavable up to 134°C
- Size: L100 mm x D24 mm x H32 mm
- Colour: Blue

## AUTOCLAVABLE ENDO RULER STAINLESS STEEL



- Durable Stainless steel
- Accurate setting
- Size: L80 mm x D12.5 mm x H3 mm


4899 Endo Ruler



## AUTOCLAVABLE ENDO RULER ALUMINIUM

- For both hand and engine instruments
- Gauges from 1 to 30 mm for right or left hand

4898 Endo Ruler



10005  
Endo Measuring Block

## AUTOCLAVABLE ENDO MEASURING BLOCK ALUMINIUM

- Durable aluminium construction
- Accurate settings
- Fully autoclavable up to 134°C
- Size: L150 mm x W24 mm x H33 mm
- Colour: Blue

### AUTOCLAVABLE TRAYS PLASTIC




- Fully autoclavable up to 134°C

650 Standard Flat 'B' Tray 34 cm x 24 cm x 2 cm  
 651 Standard Divided 'B' Tray 34 cm x 24 cm x 2 cm  
 652 Mini Tray Flat 'F' Tray 24 cm x 16.5 cm x 2 cm

STANDARD COLOURS
Blue
Light Blue
Green
Yellow
White
Light Beige
Lavender

### AUTOCLAVABLE CABINET TRAYS PLASTIC



- Autoclavable up to 134°C
- Indispensable drawer organizer
- Scientifically designed for maximum convenience and efficiency
- Easy to clean, sterilize and disinfect
- Resists breaking, chipping and chemical attack
- Colours: Light Blue, Blue, White, Yellow, Lavender, Green and Light Beige
- Size: 9.5 cm x 19.5 cm x 2 cm

653 Cabinet Tray

STANDARD COLOURS	Yellow	Light Blue	Light Beige	Blue	White	Green	Lavender
Blue	White	Green	Lavender				



### INSTRUMENT TRAY RACKS

- Sturdy, chromium plated steel construction
- Size: Standard (8 trays) W37 cm x D24 cm x H37 cm  
 Mini (6 trays) W28 cm x D17 cm x H29 cm

658 Standard Rack      659 Mini Rack

658 Tray Rack Standard 'B'  
 659 Tray Rack Mini 'F'

### AUTOCLAVABLE INSTRUMENT MAT



- Fully autoclavable
- Medical grade silicone material
- Size: L172 mm x W50 mm x H10 mm

STANDARD COLOURS	Yellow	Light Blue	Light Beige
Blue	White	Green	Lavender


### AUTOCLAVABLE NEEDLE STATION STAINLESS STEEL



- Holds any dental needle sheath
- Solid stainless construction, fully autoclavable
- Silicone ring base resists sliding
- Size: Dia. D55 mm x H38 mm

031 Needle Station

### AUTOCLAVABLE STERILIZATION CASSETTES PLASTIC



- Sturdy, durable construction
- Fully autoclavable

3881 Small (5 instruments)  
 3882 Medium (8 instruments)

STANDARD COLOURS	Blue	White	Light Blue	Green	Lavender
------------------	------	-------	------------	-------	----------

### AUTOCLAVABLE SILICONE INSTRUMENT CODE RINGS



- Fully autoclavable to 134°C
- Sizes: Small - for small instruments  
 Large - for pliers and forceps etc
- Available in single colors: Blue, Light Blue, Green, Yellow, Pink, Red, Orange, Lavender, Black and White

Silicone Instrument Rings  
 657S Small, 50 pcs/box  
 657L Large, 25 pcs/box

### AUTOCLAVABLE BUR/ENDO ORGANIZERS



4810 (78 holes) for both hand/engine endo instruments 21 mm - 30 mm

4811 (48 holes) for both hand/engine endo instruments 21 mm - 30 mm

4812 (36 holes) for both hand/engine endo instruments 21 mm - 30 mm

4813 12 endo vials

4818 78 FG

4819 42 FG + 36 CA



- Smart, flexible design for customize setups
- Fully autoclavable up to 134°C
- Colour: Blue

Endo Stand, W115 mm x D52 mm x H40 mm  
 4810 - 78 Holes  
 4811 - 48 Holes + 4 Endo Vials  
 4812 - 36 Holes + Endo Clean  
 4813 - 12 Endo Vials  
 Bur Stand, W115 mm x D52 mm x H40 mm  
 4818 - 78 FG Holes  
 4819 - 42 FG + 36 CA Holes

Stainless Steel Cover, W115 mm x D52 mm x H15 mm  
 4830 - Sterilization Cover

Bur/Endo Box, (box only)  
 4821 Organizer Box for 1 Stand W120 mm x D55 mm x H56 mm  
 4823 Organizer Box for 3 Stands W160 mm x D120 mm x H56 mm  
 4825 Organizer Box for 5 Stands W265 mm x D120 mm x H56 mm





## DISPOSABLE EYE SHIELDS

- Fully disposable
- Available in tinted or clear lenses
- Light weight, optical plastic shields
- Assorted colours frames: **Blue**, **Light Blue**, **Lavender**, **Green** and **White**

**Disposable Eye Shield**  
20 Lenses + 20 Frames (Assorted Colours)  
720T, Tinted  
720C, Clear

**Replacement Eye Shield**  
Lens Only, 50 pcs/pack  
720T-R, Tinted  
720C-R, Clear




## DISPOSABLE MOUTH MIRRORS

- Fully disposable plastic mouth mirrors for patients
- Anti-fog front surface fiber glass mirror
- Mirror size: dia. 23 mm

800 Disposable Mouth Mirrors, 10 pcs/box

## DISPOSABLE PLASTIC WEDGES



actual size

- Anatomically designed
- Soft tough plastic

**Disposable Plastic Wedges, 100 pcs/box**  
7650X X-Large (17 mm) White  
7650L Large (15 mm) Yellow  
7650M Medium (13 mm) Green  
7650S Small (11 mm) Blue



## TONGUE CLEANERS

- Effective in the treatment of halitosis
- Multiple cleaning ridges
- Assorted colours

9000 Tongue Cleaners  
20 pcs/pack

## RETAINER BOXES/MOUTH GUARD BOXES/DENTURE BATHS



**600 Retainer Box**

W75 mm x D61 mm x H28 mm



**601 Mouth Guard Box**

W77 mm x D64 mm x H40 mm



**602 All Guard Box**

W77 mm x D77 mm x H38 mm



**603 Denture Bath**

W83 mm x D68 mm x H52 mm

Colours: **Blue**, **Green**, **Yellow**, **White**, **Lime**, **Light Blue**, **Lavender** or Assorted

600 Retainer Boxes, 10 pcs/box  
601 Mouth Guard Boxes, 10 pcs/box

602 All Guard Boxes, 10 pcs/box  
603 Denture Baths, 10 pcs/box

## DENTAL APPLIANCE BOXES WITH MIRRORS




PASTEL COLOURS	
Vanilla	Sea Green
Sand	Lilac
Light Mauve	Baby Blue
White	Assorted

612

Dental Appliance Boxes  
10 pcs/box

- Sturdy strong plastic
- Size: W80 mm x D72 mm x H32 mm

## INTRAORAL CHEEK RETRACTORS



- Holds mouth open, depresses tongue movement
- Anatomically designed
- Available in both autoclavable and disposable



**Autoclavable Intraoral Cheek Retractor**  
2060A Adult Large, 1 pc/box  
2060B Adult Small, 1 pc/box  
2060C Child, 1 pc/box

**Disposable Intraoral Cheek Retractors**  
2080A Adult Large, 10 pcs/box  
2080B Adult Small, 10 pcs/box  
2080C Child, 10 pcs/box

## INTRAORAL MOUTH LIPPERS



- Expands the mouth vertically rather than horizontally
- Ideal for working in the gingival areas for anteriors, ortho procedures, bleaching etc...
- Available in both autoclavable and disposable



**Autoclavable Intraoral Lippers, 2 pcs/box**  
2040A Adult, Semi-Transparent  
2040C Child, Semi-Transparent


**Disposable Intraoral Lippers, 10 pcs/box**  
2030A Adult, White  
2030C Child, White

## AUTOCLAVABLE CHEEK RETRACTORS



- Autoclavable up to 134°C

**Mouth Retractor**  
2050C Child, 2 pcs/pack  
2050A Adult, 2 pcs/pack  
2055C Child, 2 pcs/pack  
2055A Adult, 2 pcs/pack



## AUTOCLAVABLE MOUTH PROPS LATEX FREE

2090A Mouth Prop Adult  
2090P Mouth Prop Pedo

- Made of chemical resistant, autoclavable silicone
- Durable
- Available in: - Adult (30 mm x 40 mm x 20 mm)  
Pedo (30 mm x 25 mm x 20 mm)



**DISPOSABLE MULTI-PURPOSE DAPPEN DISHES**

004B Standard Pack Assorted Colours 1000 pcs/box

- Fully disposable to save time and prevent cross-contamination
- For prophy, etchant and bonding etc
- Colours: Lavender, White, Green, Light blue and Yellow

**DISPOSABLE PROPHY RINGS**



010 Disposable Propy Rings, 200 pcs/box

- Fully disposable to save time and prevent cross-contamination
- For prophy, endo etc
- Colour: Blue

**AUTOCLAVABLE PROPHY RINGS**



A010 Autoclavable Propy Rings, 10 pcs/pack

- Autoclavable up to 134°C
- For prophy, endo etc
- Colour: Grey


**GLASS DAPPEN DISH**



040 Glass Dappen Dish

- Colours: Light Blue, Green, Clear or Brown

**DOUBLE ARCH**



LARGE blue

MEDIUM yellow

SMALL green

**SINGLE ARCH**



LARGE blue

MEDIUM yellow

SMALL green


**DISPOSABLE FLUORIDE TRAYS**

- Extremely comfortable, anatomically designed trays
- Economical price
- Colour coded

Double Arch, 50 pcs/box  
7800S Small (green)  
7800M Medium (yellow)  
7800L Large (blue)

Single Arch, 100 pcs/box  
7801S Small (green)  
7801M Medium (yellow)  
7801L Large (blue)

**DISPOSABLE MIXING PADS**



Mixing Pads, 3X100 pcs/pack  
3220 Small 35 mm X 45 mm  
3225 Large 70 mm X 80 mm

**DISPOSABLE MIXING WELLS**



906

907

- Fully disposable
- Sturdy design

906 Mixing Wells 4 Wells 200 pcs/box  
907 Mixing Wells 2 Wells 500 pcs/box

**DISPOSABLE FLOWABLE COMPOSITE AND ETCHING GEL TIPS**



actual size

081 ETCH-TIP

080 FLOW-TIP

082 LINER-TIP

- Universal Luer-lock design
- Bendable
- Gauges: 080 G.20 (0.9 mm)  
081 G.23 (0.6 mm)  
082 G.18 (1.2 mm)

100 pcs/pack  
080 Flow-Tips Black G.20  
081 Etch-Tips Light Blue G.23  
082 Liner-Tips Pink G.18

**DISPOSABLE VALUSTICK STICKY APPLICATORS**



- Bends into any angle for placement of Veneers, Inlays, Onlays, Crowns etc
- Strong adhesive for multiple applications
- Fully disposable
- Length: 110 mm
- Colour: White

909 Valustick Sticky Applicators 50 pcs/box


**AUTOCLAVABLE ASPIRATOR BRUSHES**



- Autoclavable up to 134°C
- Rigid bristles for effective cleaning

020 X-Fine dia. 5 mm, 6 pcs/pack  
021 Fine dia. 8 mm, 6 pcs/pack  
022 Medium dia. 14 mm, 6 pcs/pack  
023 Large dia. 20 mm, 6 pcs/pack

**AUTOCLAVABLE SUCTION TUBE ADAPTORS**



Saliva Ejector 6.5 mm

Suction Tube 11 mm

Standard HVE Hose 11 mm

European HVE Hose 16 mm

306 Saliva Ejector Adaptor reduces 11 mm to 6.5 mm

305 Suction Tube Adaptor reduces 16 mm to 11 mm



## OBLONG ARTICULATING MOUNTING PLATES



- Fit Denar type articulators
- Fully disposable
- Colours: Blue or White

490 Mounting Plates, 100 pcs/box

## AUTOCLAVABLE ACRYLIC MIXING CUPS



- Fully autoclavable up to 134°C

280  
281  
282 Mixing Cup Small dia. 25 mm  
281 Mixing Cup Medium dia. 35 mm  
282 Mixing Cup Large dia. 50 mm  
283 Mixing Cup X-Large dia. 70 mm

## DISPOSABLE EVACUATION TRAPS



dia. 1 7/8" fits Belmont, Den-Tal-Ez Pelton & Crane, Proma etc.

041




dia. 2 1/8" fits Adec models with plastic canisters

042

041 Disposable Evacuator Traps dia. 48 mm Green, 20 pcs/pack  
042 Disposable Evacuator Traps dia. 54 mm Blue, 20 pcs/pack

## AUTOCLAVABLE ALUMINIUM BUR BLOCKS



- Ideal for storage of dental burs
- Specially designed for ultrasonic cleaning and autoclaving of burs
- Sturdy construction, fully autoclavable up to 134°C
- Colours: Silver and Blue

**Small Bur Block**  
038-FG 15 FG W58 mm x D25 mm x H31 mm  
039-MIX 10 FG + 5 RA W58 mm x D25 mm x H31 mm  
037-HP 6 HP W54 mm x D28 mm x H62 mm  
**Large Bur Block**  
2832-FG 32 FG W80 mm x D42 mm x H33 mm  
2832-MIX 16 FG + 16 RA W80 mm x D42 mm x H33 mm  
2880-FG 80 FG W100 mm x D75 mm x H33 mm  
2880-MIX 40 FG + 40 RA W100 mm x D75 mm x H33 mm


## DISPOSABLE EVACUATION TRAPS



- Fits Adec type unit

044 Evacuator Traps  
20 pcs/pack

## AUTOCLAVABLE PLASTIC BUR DISPENSERS



- Specially designed for cleaning and autoclaving of burs
- Locks open or closed for processing
- Medical grade plastic, autoclavable up to 134°C
- Size: 75 mm x 35 mm x 10 mm

050-FG, Bur Dispenser 12 FG  
050-MIX Bur Dispenser 6 FG + 6 RA

COLOURS	Yellow
Blue	White
Light Blue	Light Beige
Green	Lavender

## AUTOCLAVABLE MAGNETIC BUR STANDS



COLOURS	Yellow
Blue	White
Light Blue	Light Beige
Green	Lavender

- Stands autoclavable up to 134°C
- Fits both FG and RA burs
- Size: Small Square 42 mm x 42 mm x 12 mm  
Large Rectangular 80 mm x 42 mm x 12 mm

033 Bur Stand Square, 8 Holes  
033A Bur Stand Cover Square  
034 Bur Stand Rectangular, 14 Holes  
034A Bur Stand Cover Rectangular

## AUTOCLAVABLE BRASS BUR BRUSH



- Telescopic handle with brass wire bristles
- Length: 12 cm

1110 Brass Bur Brush

## DISPOSABLE CURVED TIP SYRINGES



078  
Curved Tip  
Syringes  
50 pcs/box

- Made of polypropylene plastic
- Full 12 ml capacity
- Self sealing medical grade plunger
- Designed for perio irrigation, impression materials, post surgical home use, fluoride treatments etc

## AUTOCLAVABLE FRACTURE DETECTOR


The Instrument for locating cracks in teeth



- Fully autoclavable to 134°C
- Simple tool for practice
- Quick and precise to locate cracks
- Can be used for crown and bridge seating

025 Autoclavable  
Fracture Detector Blue

## GLASS CEMENT MIXING SLAB



- Polished glass mixing slab with bevelled edges
- Size: 65 mm x 135 mm x 15 mm

045 Glass Slab

## COTTON ROLL DISPENSER



1140 Roll Dispenser

- Provides an aseptic barrier against operator aerosols and accidental splatter
- Top flips back for easy loading, sliding drawer dispenses up to 4 rolls with a single pull
- Foam rubber strips inserted into base prevent slipping on table top or counter

COLOURS	Blue	Light Blue	Green
Yellow	White	Light Beige	Lavender

### DISPOSABLE SELF-SEALING STERILIZATION POUCHES

- With internal and external steam indicators
- Triple adhesive seal to ensure sterile storage
- Blue tinted plastic window helps detect puncture holes that may be caused by jagged instruments

**Standard Pack, 200 pcs/box**  
 6001 2 1/4" x 5" (55 mm x 130 mm )  
 6003 3 1/2" x 5 3/4" (90 mm x 145 mm )  
 6005 2 3/4" x 9" (70 mm x 230 mm )  
 6007 3 1/2" x 9" (90 mm x 230 mm )  
 6009 5 1/2" x 10" (135 mm x 260 mm )  
 6011 7 1/2" x 13" (190 mm x 330 mm )

**Standard Pack, 100 pcs/box**  
 6015 10" x 15" (255 mm x 380 mm )



### AUTOCLAVABLE NAPKIN HOLDERS

- Medical grade silicone
- Fully autoclavable up to 134°C
- Stainless steel alligator clips
- Non-slip design
- Bright, attractive colours
- Colours available  
 Adult: Light Blue, Blue, Green, Red, Yellow, White, Pink and Lavender  
 Child: Light Blue, Lavender, Blue and Pink  
 XS (for neck contour bibs): Blue only



090 Napkin Holder Adult (L47 cm)  
 090C Napkin Holder Child (L41 cm)  
 090XS Napkin Holder Extra Short (L37 cm)

### JUMPING TEETH

- Cute design
- Economical giveaway for kids



8001 Jumping Teeth  
 24 pcs/box

### PEN / TOOTHBRUSH HOLDER

- Cute design

2005  
 Pen / Toothbrush Holder



### AUTOCLAVABLE X-RAY FILM HOLDER PLASTIC

- One end for anterior x-rays, the other end for posterior
- Both ends securely hold film without bending it
- Improves quality and accuracy of intraoral films
- Helps to standardize the bisecting angle technique
- Colours: Blue and Light Beige



1188 X-Ray Film Holder

### DENTAL BIB HOLDER AND CLIP

- Cold disinfection only
- Cute design


091 Clip  
 092 Bib Holder, White or Red



### DISPOSABLE BITE WING LOOPS

- Convenient pop-open design ensures quick and easy use
- Manufactured from quality ten point paper stock
- Quick, simple and economical

**Bite Wing Loops, 500 pcs/box**  
 A. 2011-1 Film Child  
 B. 2011-2 Film Adult  
 C. 2012-1 Sensor Size 1  
 D. 2012-2 Sensor Size 2






## DELUXE ACRYLIC COMPOSITE ORGANIZERS

- Smart, flexible design
- Sturdy, durable construction
- Clear material makes contents easy to see
- For storage of composites, adhesive, micro applicators etc.

**Composite Organizer**  
 M060 Mini *W19.5 cm x H9.5 cm x D14.5 cm*  
 S060 Standard *W29 cm x H9.5 cm x D14.5 cm*



## DISPOSABLE MICRO APPLICATOR DISPENSERS

**Applicator Dispenser**  
 18-900 *Standard Handle*  
 18-9900 *Mini Handle*

- Small, sturdy, durable construction
- Provides aseptic barrier against operatory aerosols and accidental splatter

## ACRYLIC ORTHO CHAIN DISPENSER




- Long lasting dispenser that will fit the decor of any office
- Chain is dispensed easily with an interior roller
- Holds up to 15 spools



## ACRYLIC COMPOSITE DISPENSER

- Smart, durable construction
- Clear material makes contents easy to see
- For storage of 20 composite syringes, etch and bonding material etc.

*H060 Composite Dispenser*



## ACRYLIC COMPOSITE SYRINGE HOLDERS

*551 Syringe Holder Small*  
*552 Syringe Holder Medium*

- Smart, durable construction
- Size: 551 Small (11 holes) *W10 cm x D12.5 cm x H12 cm*  
 552 Medium (23 holes) *W20 cm x D12.5 cm x H12 cm*



## LIGHT PROTECTION HAND SHIELD

- Hand held shield for curing light
- Protection for both dentist and assistant
- Cold disinfection only
- Size: *12.5 cm x 26 cm x 0.3 cm*


*063 Light Protection Hand Shield*



## LIGHT PROTECTION COVERS

- Extends working time of composite materials
- Sturdy, durable construction
- Cold disinfection only
- Size: Small *W10 cm x D7.5 cm x H3 cm*  
 Medium *W15 cm x D10 cm x H3 cm*

*062-0 Light Protection Cover Small*  
*062-1 Light Protection Cover Medium*



## ACRYLIC IMPRESSION GUN HOLDERS

- For both loaded or empty guns
  - Store all guns in upright position
  - Include storage compartments
  - Sturdy, durable construction
  - Sizes:
    - 072 W145 mm x D140 mm x H150 mm
    - 074 W265 mm x D140 mm x H150 mm
    - 076 W395 mm x D140 mm x H150 mm
- 072 Gun Holder for 2 guns  
074 Gun Holder for 4 guns  
076 Gun Holder for 6 guns



## ACRYLIC GRINDING BOX

- Ideal for grinding and sand blasting
  - Retains flying debris
  - Sturdy durable construction
  - Size: W30 cm x D20 cm x H18 cm
- 065 Grinding Box

## ACRYLIC GLOVE AND TISSUE DISPENSERS



- Smart and attractive acrylic design
- Sturdy, durable construction
- Pre-drilled holes for wall mounting
- Internal measurements:-
  - 064 Glove Dispenser *Standard* W25 cm x D14 cm x H9 cm
  - 066 Glove Dispenser *Small* W25 cm x D14 cm x H7 cm
  - 068 Glove/Tissue Dispenser *Large* W24 cm x D12.5 cm x H10 cm
  - 069 Glove/Tissue Dispenser *Extra Large* W24 cm x D12.5 cm x H11 cm



## ACRYLIC CUP DISPENSER STAINLESS STEEL


- Wall mounted deluxe cup dispenser
  - Holds approx. one hundred cups
  - Can be adjusted to hold cups from 120 mls to 150 mls (5 oz to 7 oz)
  - Sturdy design
  - Size: H30 cm x W8 cm x D8 cm
- 1150 Cup Dispenser



## ACRYLIC CUP DISPENSER PLASTIC

- Magnetic, stick on or screw-in
  - Holds approx. one hundred cups
  - Can be adjusted to hold cups from 120 mls to 150 mls (5 oz to 7 oz)
  - Size: Dia. 80 mm x L360 mm
- 1250 Cup Dispenser

## ACRYLIC BIB AND C-FOLD TOWEL DISPENSERS




- Sturdy, durable construction
  - Smart, attractive acrylic design
  - Sizes:
    - 057 W15 cm x D11 cm x H12 cm
    - 058 W23.5 cm x D10 cm x H13.5 cm
- 057 Bib Dispenser  
058 C-Fold Towel Dispenser  
057CV Bib Dispenser With Cover  
058CV C-Fold Towel Dispenser With Cover



## ACRYLIC MASK DISPENSER

- Sturdy, durable construction
  - Clear material makes contents easy to see
  - Pre-drilled holes for wall mounting
  - Size: W94 mm x D106 mm x H108 mm
- 095 Mask Dispenser



## ACRYLIC POUCH DISPENSERS

- Can be used on table top or wall mounted in either vertical or horizontal position
- Sizes:-
  - 061-0 (7.5 cm x 14.5 cm x 21 cm)
  - 061-1 (8.5 cm x 27.5 cm x 21 cm)
  - 061-2 (10 cm x 18.5 cm x 21 cm)
  - 061-3 (10 cm x 27.5 cm x 21 cm)
  - 061-4 (15 cm x 29.5 cm x 21 cm)


- 061-0 Pouch Dispenser for 5.5 cm x 10 cm Pouches
- 061-1 Pouch Dispenser for 7 cm x 23 cm Pouches
- 061-2 Pouch Dispenser for 9 cm x 13.5 cm Pouches
- 061-3 Pouch Dispenser for 9 cm x 23 cm Pouches
- 061-4 Pouch Dispenser for 13.5 cm x 26 cm Pouches

## ACRYLIC BARRIER FILM DISPENSER



- Sturdy durable construction
  - Clear material makes contents easy to see
  - Size: dia. W14 cm x D23 cm x H19 cm
- 1155 Barrier Film Dispenser

## CROSS-SECTION



### E01 SUPER FILES GOLD NiTi heat activation

- Smart varied taper design
- High cutting efficiency
- Good flexibility and fracture resistance
- Torque 2.0 Ncm - 2.5 Ncm
- Recommended speed 150-300 r.p.m.


E01 SUPER FILES GOLD NiTi heat activation			
Length	Size	Taper %	Tip (mm)
19 mm	SX	3.5-9	0.19
21 mm or 25 mm	S1	2-11	0.17
	S2	4-11.5	0.20
	F1	7	0.20
	F2	8	0.25
	F3	9	0.30
	F4	6	0.40
	F5	5	0.50

E01 Super Files Gold  
Single or Assorted Sizes  
6 pcs/pack

## E01 RECOMMENDED OPERATION PROCESS

PROBE	#10	
	#15	
OPENING	SX	
SHAPING	S1	
	S2	
FINISHING	F1	
	F2	
	F3	
ENLARGING	F4	
	F5	

## CROSS-SECTION



### E02 SUPER FILES BLUE NiTi heat activation

- Smart varied taper design
- High flexibility and pre-curved memory
- Safe tip, reduces the possibility of root canal deviation
- Torque 2.0 Ncm - 2.5 Ncm
- Recommended speed 150-300 r.p.m.

E02 SUPER FILES BLUE NiTi heat activation			
Length	Size	Taper %	Tip (mm)
19 mm	SX	3.5-9	0.19
21 mm or 25 mm	S1	2-11	0.17
	S2	4-11.5	0.20
	F1	7	0.20
	F2	8	0.25
	F3	9	0.30
	F4	6	0.40
	F5	5	0.50

E02 Super Files Blue  
Single or Assorted Sizes  
6 pcs/pack

## E02 RECOMMENDED OPERATION PROCESS

PROBE	#10	
	#15	
OPENING	SX	
SHAPING	S1	
	S2	
FINISHING	F1	
	F2	
	F3	
ENLARGING	F4	
	F5	

## CROSS-SECTION



- Simple effective system
- Unique flexibility
- Torque 2.0 Ncm - 2.5 Ncm
- Recommended speed 150-300 r.p.m.

E03 Pro-Flexi Files  
Single or Assorted Sizes  
6 pcs/pack


### E03 PRO-FLEXI FILES NiTi heat activation function

E03 PRO-FLEXI FILES heat activation function			
Length	Size	Taper %	Tip (mm)
19 mm	#01/09	9	0.25
21 mm or 25 mm	#20/04	4	0.20
	#25/04	4	0.25
	#30/04	4	0.30
	#35/04	4	0.35
	#25/06	6	0.25

## E03 RECOMMENDED OPERATION PROCESS

OPENING	#01	
NARROW CANAL	#20 (-4%)	
	#25 (-4%)	
MEDIUM CANAL	#30 (-4%)	
WIDE CANAL	#35 (-4%)	
	#25 (-6%)	

## CROSS-SECTION



### E05 ONE FILES NiTi heat activation

- Reciprocating movement
- Use only one instrument for root canal preparation, efficient and time saving
- 3 sizes for different size root canals
- Torque 2.0 Ncm - 2.5 Ncm
- Recommended speed 150-300 r.p.m.

E05 One Files  
Single or Assorted Sizes  
6 pcs/pack

E05 ONE FILES NiTi heat activation	Length	Size	Taper %	Tip (mm)
	21 mm or 25 mm	#R25	8	0.25
		#R40	6	0.40
		#R50	5	0.50

#R25	
#R40	
#R50	

## E38 BARBED BROACHES stainless steel



- Good flexibility
- Highly resistant to fracture

*E38 Barbed Broaches  
Single Size  
Stainless Steel  
10 pcs/pack*

## E38 BARBED BROACHES stainless steel

Length	Size
21 mm	XXXXF (0)
	XXXF (1)
	XXF (2)
	XF (3)
	F (4)
	M (5)
	C (6)

## E48 C+ FILES stainless steel



- For calcified root canal, with 3 mm very rigid tip
- Recommended for single use only

*E48 C+ Files  
Single or  
Assorted Sizes  
6 pcs/pack*

## E48 C+ FILES stainless steel

Length	Size
21 mm or 25 mm	#06
	#08
	#10
	#12.5
	#15

## E04 ULTRASONIC FILES NiTi alloy



- For use with ultrasonic scaler
- Excellent tenacity
- Length: 33 mm

## E04 ULTRASONIC FILES NiTi alloy

#15	#30
#20	#35
#25	#40

*E04  
Ultrasonic Files  
Single or  
Assorted Sizes  
6 pcs/pack*

## E11 SPIRAL FILLERS stainless steel



## E11 SPIRAL FILLERS stainless steel

Length	Size
21 mm or 25 mm	#25
	#30
	#35
	#40

*E11  
Spiral Fillers  
Single or  
Assorted Sizes  
4 pcs/pack*

## E12 GATES DRILLS stainless steel



- High cutting efficiency
- Recommended speed 800-1,200 r.p.m.

## E12 GATES DRILLS stainless steel

Length	Size	Diameter (mm)
28 mm or 32 mm	#1	0.5
	#2	0.7
	#3	0.9
	#4	1.1
	#5	1.3
	#6	1.5

*E12  
Gates Drills  
Single or  
Assorted Sizes  
6 pcs/pack*

## E15 PEESO REAMERS stainless steel



- High cutting efficiency
- Recommended speed 800-1,200 r.p.m.

## E15 PEESO REAMERS stainless steel

Length	Size	Diameter (mm)
28 mm or 32 mm	#1	0.7
	#2	0.9
	#3	1.1
	#4	1.3
	#5	1.5
	#6	1.7

*E15  
Peeso Reamers  
Single or  
Assorted Sizes  
6 pcs/pack*

## E30 K-FILES stainless steel



## E30 K-FILES stainless steel

#06	#08	#10			
#15	#20	#25	#30	#35	#40
#45	#50	#55	#60	#70	#80

*E30 K-Files Stainless Steel 21 or 25 mm, 6 pcs/pack  
No.06-80 Single Size  
No.15-40, 45-80 Assorted Sizes*

## E32 K-FILES NiTi alloy



## E30 K-FILES stainless steel

#08	#10				
#15	#20	#25	#30	#35	#40
#45	#50	#55	#60	#70	#80

*E32 K-Files NiTi Alloy 21 or 25 mm, 6 pcs/pack  
No.06-80 Single Size  
No.15-40, 45-80 Assorted Sizes*

## E34 H-FILES stainless steel



## E30 K-FILES stainless steel

#08	#10				
#15	#20	#25	#30	#35	#40
#45	#50	#55	#60	#70	#80

*E34 H-Files Stainless Steel 21 or 25 mm, 6 pcs/pack  
No.10-80 Single Size  
No.15-40, 45-80 Assorted Sizes*

## E36 H-FILES NiTi alloy



## E30 K-FILES stainless steel

#08	#10				
#15	#20	#25	#30	#35	#40
#45	#50	#55	#60	#70	#80

*E36 H-Files NiTi Alloy 21 or 25 mm, 6 pcs/pack  
No.10-80 Single Size  
No.15-40, 45-80 Assorted Sizes*

## E40 / E42 SPREADERS stainless steel / NiTi alloy



## E40 SPREADERS stainless steel

#15	#20	#25	#30	#35	#40
-----	-----	-----	-----	-----	-----

*E40 Spreaders Stainless Steel 21 or 25 mm, 6 pcs/pack  
No.15-40, Single or Assorted Sizes*

## E40 SPREADERS stainless steel

#15	#20	#25	#30	#35	#40
-----	-----	-----	-----	-----	-----

*E42 Spreaders NiTi Alloy 21 or 25 mm, 6 pcs/pack  
No.15-40, Single or Assorted Sizes*

## E44 / E46 PLUGGERS stainless steel / NiTi alloy



## E40 SPREADERS stainless steel

#15	#20	#25	#30	#35	#40
-----	-----	-----	-----	-----	-----

*E44 Pluggers Stainless Steel 21 or 25 mm, 6 pcs/pack  
No.15-40, Single or Assorted Sizes*

## E40 SPREADERS stainless steel

#15	#20	#25	#30	#35	#40
-----	-----	-----	-----	-----	-----

*E46 Pluggers NiTi Alloy 21 or 25 mm, 6 pcs/pack  
No.15-40, Single or Assorted Sizes*




**ONE YEAR WARRANTY** (except scaler tips)

MaxPiezo 7+ (EMS Type) Portable LED Scaler Set  
 MaxPiezo DS7+ (SATELEC Type) Portable LED Scaler Set

## REFINE MaxPiezo 7+ / DS7+ PORTABLE LED SCALERS

- Automatic frequency tracking, real-time feedback
- Extra large, capacity 600 ml water tank for water, chlorhexidine, hydrogen peroxide, sodium hypochlorite etc...
- Power and water controlled by touch panel, easy to clean for infection control
- Detachable handpiece
- Frequency: 28 kHz ± 3 kHz
- Complete with 8 tips
- Size: W180 mm x D180 mm x H150 mm
- Weight: 1.6 Kg (unit only)
- Colour: White



1. EMS is a registered trademark of Electro Medical System S.A. Switzerland
2. SATELEC is a registered trademark of Satelec/Acteon Group France




**ONE YEAR WARRANTY** (except scaler tips)

MaxPiezo 6+ (EMS Type) LED Scaler Set  
 MaxPiezo DS6+ (SATELEC Type) LED Scaler Set

## REFINE MaxPiezo 6+ / DS6+ LED SCALERS

- Automatic frequency tracking, real-time feedback
- Power and water controlled by touch panel, easy to clean for infection control
- Detachable handpiece
- Frequency: 28 kHz ± 3 kHz
- Complete with 6 tips
- Size: W155 mm x D168 mm x H80 mm
- Weight: 0.6 Kg (unit only)
- Colour: White



1. EMS is a registered trademark of Electro Medical System S.A. Switzerland
2. SATELEC is a registered trademark of Satelec/Acteon Group France




**ONE YEAR WARRANTY** (except scaler tips)

N3000L (EMS Type) Built-In LED Scaler Set  
 V3000L (SATELEC Type) Built-In LED Scaler Set

## REFINE N3000L / V3000L BUILT-IN LED SCALERS

- Automatic frequency tracking, real-time feedback
- Detachable handpiece
- Frequency: 28 KHz ± 3 KHz
- Complete with 6 tips



1. EMS is a registered trademark of Electro Medical System S.A. Switzerland
2. SATELEC is a registered trademark of Satelec/Acteon Group France

## REFINE SCALER HANDPIECES



HP-3H Non-LED Scaler Handpiece (EMS<sup>1</sup> Type)



HS-7H Non-LED Scaler Handpiece (SATELEC<sup>2</sup> Type)



HP-5L LED Scaler Handpiece (EMS<sup>1</sup> Type)



HS-7L LED Scaler Handpiece (SATELEC<sup>2</sup> Type)

1. EMS is a registered trademark of Electro Medical System S.A. Switzerland
2. SATELEC is a registered trademark of Satelec/Acteon Group France
3. NSK is a registered trademark of Nakanishi Inc. Japan

## REFINE SCALER TORQUE WRENCHES



**TW-1L**  
For EMS<sup>1</sup>,  
KAVO PiezoLED<sup>5</sup>  
SATELEC<sup>2</sup>, NSK<sup>3</sup>  
type scalers



**TS-1L**  
For SIRONA<sup>4</sup>  
type scaler



**TK-1L**  
For KAVO<sup>5</sup>  
SONICflex<sup>5</sup>  
SONOsoft<sup>5</sup>  
type scalers

1. EMS is a registered trademark of Electro Medical System S.A. Switzerland
2. SATELEC is a registered trademark of Satelec/Acteon Group France
3. NSK is a registered trademark of Nakanishi Inc. Japan
4. SIRONA is a registered trademark of Sirona Dental System
5. KAVO, SONICflex, SONOsoft, PiezoLED are registered trademarks of Kavo Dental GmbH Germany

## REFINE SCALER HANDPIECE HOSES



3H Non-LED (EMS<sup>1</sup> Type)  
Handpiece Hose



7H Non-LED (SATELEC<sup>2</sup> Type)  
Handpiece Hose




5L LED (EMS<sup>1</sup> Type)  
Handpiece Hose



7L LED (SATELEC<sup>2</sup> Type)  
Handpiece Hose

1. EMS is a registered trademark of Electro Medical System S.A. Switzerland
2. SATELEC is a registered trademark of Satelec/Acteon Group France

## REFINE ENDO WRENCH



Multi function wrench  
for both endo chuck & bur

TW-A

## REFINE FOOT SWITCH



## REFINE SCALER TIP HOLDERS



## E04 ULTRASONIC FILES NiTi alloy

- For use with ultrasonic scaler
- Excellent tenacity
- Length: 33 mm

E04 Ultrasonic Files  
Single or  
Assorted Sizes  
6 pcs/pack

E04 ULTRASONIC FILES NiTi alloy	
#15 ○	#30 ●
#20 ●	#35 ●
#25 ●	#40 ●




## REFINE SCALER TIPS STAINLESS STEEL

FOR EMS<sup>1</sup>, SATELEC<sup>2</sup>, NSK<sup>3</sup> and SIRONA<sup>4</sup> REFINE Type Scalers

### SCALING



**G1 (EMS<sup>1</sup> Type)**  
**GD1 (SATELEC<sup>2</sup>, NSK<sup>3</sup> Type)**  
**GS1 (SIRONA<sup>4</sup> Type)**  
 Supragingival deposits in all quadrants




**G4 (EMS<sup>1</sup> Type)**  
**GD4 (SATELEC<sup>2</sup>, NSK<sup>3</sup> Type)**  
**GS4 (SIRONA<sup>4</sup> Type)**  
 Supragingival and interproximal deposits




**G2 (EMS<sup>1</sup> Type)**  
**GD2 (SATELEC<sup>2</sup>, NSK<sup>3</sup> Type)**  
**GS2 (SIRONA<sup>4</sup> Type)**  
 Heavy supragingival deposits on anterior teeth



**G5 (EMS<sup>1</sup> Type)**  
**GD5 (SATELEC<sup>2</sup>, NSK<sup>3</sup> Type)**  
**GS5 (SIRONA<sup>4</sup> Type)**  
 Supragingival deposits in all quadrants




**G3 (EMS<sup>1</sup> Type)**  
**GD3 (SATELEC<sup>2</sup>, NSK<sup>3</sup> Type)**  
**GS3 (SIRONA<sup>4</sup> Type)**  
 Supragingival deposits in all quadrants, including the interproximal and sulcus areas




**G6 (EMS<sup>1</sup> Type)**  
**GD6 (SATELEC<sup>2</sup>, NSK<sup>3</sup> Type)**  
**GS6 (SIRONA<sup>4</sup> Type)**  
 Voluminous supragingival deposits


### ENDO




**E1 (EMS<sup>1</sup> Type)**  
**ED1 (SATELEC<sup>2</sup>, NSK<sup>3</sup> Type)**  
**ES1 (SIRONA<sup>4</sup> Type)**  
 120°file holder for anterior root canal irrigation




**E4 (EMS<sup>1</sup> Type)**  
**ED4 (SATELEC<sup>2</sup>, NSK<sup>3</sup> Type)**  
**ES4 (SIRONA<sup>4</sup> Type)**  
 Removing root filling obstructions during root canal retreatment



**E2 (EMS<sup>1</sup> Type)**  
**ED2 (SATELEC<sup>2</sup>, NSK<sup>3</sup> Type)**  
**ES2 (SIRONA<sup>4</sup> Type)**  
 95°file holder for molar teeth root canal irrigation



**E3 (EMS<sup>1</sup> Type)**  
**ED3 (SATELEC<sup>2</sup>, NSK<sup>3</sup> Type)**  
**ES3 (SIRONA<sup>4</sup> Type)**  
 Gutta-percha melting




**E4D (EMS<sup>1</sup> Type)**  
**ED4D (SATELEC<sup>2</sup>, NSK<sup>3</sup> Type)**  
**ES4D (SIRONA<sup>4</sup> Type)**  
 Removing calcification and filling material during root canal retreatment




**E3D (EMS<sup>1</sup> Type)**  
**ED3D (SATELEC<sup>2</sup>, NSK<sup>3</sup> Type)**  
**ES3D (SIRONA<sup>4</sup> Type)**  
 Diamond coated instrument for root canal enlarging




**P4D (EMS<sup>1</sup> Type)**  
**PD4D (SATELEC<sup>2</sup>, NSK<sup>3</sup> Type)**  
**PS4D (SIRONA<sup>4</sup> Type)**  
 Diamond coated instrument for root canal enlarging




**E5 (EMS<sup>1</sup> Type)**  
**ED5 (SATELEC<sup>2</sup>, NSK<sup>3</sup> Type)**  
**ES5 (SIRONA<sup>4</sup> Type)**  
 Removing root filling obstructions during root canal retreatment



**E14 (EMS<sup>1</sup> Type)**  
**ED14 (SATELEC<sup>2</sup>, NSK<sup>3</sup> Type)**  
**ES14 (SIRONA<sup>4</sup> Type)**  
 Removing root filling obstructions during root canal retreatments



**E5D (EMS<sup>1</sup> Type)**  
**ED5D (SATELEC<sup>2</sup>, NSK<sup>3</sup> Type)**  
**ES5D (SIRONA<sup>4</sup> Type)**  
 Removing calcification and filling material during canal retreatment



**E15 (EMS<sup>1</sup> Type)**  
**ED15 (SATELEC<sup>2</sup>, NSK<sup>3</sup> Type)**  
**ES15 (SIRONA<sup>4</sup> Type)**  
 Removing root filling obstructions during root canal retreatments


1. EMS is a registered trademark of Electro Medical System S.A. Switzerland  
 2. SATELEC is a registered trademark of Satelec/Acteon Group France  
 3. NSK is a registered trademark of Nakanishi Inc. Japan  
 4. SIRONA is a registered trademark of Sirona Dental System

## REFINE SCALER TIPS STAINLESS STEEL


### FOR EMS<sup>1</sup>, SATELEC<sup>2</sup>, NSK<sup>3</sup> and SIRONA<sup>4</sup> Type Scalers



**P1 (EMS<sup>1</sup> Type)**  
**PD1 (SATELEC<sup>2</sup>, NSK<sup>3</sup> Type)**  
**PS1 (SIRONA<sup>4</sup> Type)**  
 Shallow pocket subgingival deposits



**P3 (EMS<sup>1</sup> Type)**  
**PD3 (SATELEC<sup>2</sup>, NSK<sup>3</sup> Type)**  
**PS3 (SIRONA<sup>4</sup> Type)**  
 Deep pocket subgingival deposits



**P4 (EMS<sup>1</sup> Type)**  
**PD4 (SATELEC<sup>2</sup>, NSK<sup>3</sup> Type)**  
**PS4 (SIRONA<sup>4</sup> Type)**  
 Shallow pocket subgingival deposits



**P3D (EMS<sup>1</sup> Type)**  
**PD3D (SATELEC<sup>2</sup>, NSK<sup>3</sup> Type)**  
**PS3D (SIRONA<sup>4</sup> Type)**  
 Diamond coated instrument for root planning after periodontal flap surgery


### PERIO



**P2L (EMS<sup>1</sup> Type)**  
**PD2L (SATELEC<sup>2</sup>, NSK<sup>3</sup> Type)**  
 Left angle instrument to remove calculus from very narrow inter-root space and furcation



**P2R (EMS<sup>1</sup> Type)**  
**PD2R (SATELEC<sup>2</sup>, NSK<sup>3</sup> Type)**  
 Right angle instrument to remove calculus from very narrow inter-root space and furcation



**P2LD (EMS<sup>1</sup> Type)**  
**PD2LD (SATELEC<sup>2</sup>, NSK<sup>3</sup> Type)**  
 Removal of calculus from narrow inter-root spaces (diamond-coated)



**P2RD (EMS<sup>1</sup> Type)**  
**PD2RD (SATELEC<sup>2</sup>, NSK<sup>3</sup> Type)**  
 Diamond coated instrument for root planning

### FOR AMDENT<sup>6</sup> Type Scalers



**A1 (AMDENT<sup>6</sup> Type)**  
 Supragingival scaling (#37)



**A2 (AMDENT<sup>6</sup> Type)**  
 Supragingival scaling (#39)

### FOR KAVO SONICflex<sup>5</sup> Type Scalers



**GK1 (KAVO<sup>5</sup> Type)**  
 Supragingival deposits in all quadrants



**GK2 (KAVO<sup>5</sup> Type)**  
 Supragingival heavy calculus and plaque




**GK3 (KAVO<sup>5</sup> Type)**  
 Supragingival interdental calculus and calculus at the neck of the tooth



**GK4 (KAVO<sup>5</sup> Type)**  
 Supragingival deposits, including the interproximal and sulcus areas



**GK5 (KAVO<sup>5</sup> Type)**  
 Subgingival calculus



**GK6 (KAVO<sup>5</sup> Type)**  
 Left angle instrument for removing subgingival calculus



**GK7 (KAVO<sup>5</sup> Type)**  
 Right angle instrument for removing subgingival calculus

### FOR KAVO SONOsoft<sup>5</sup> Type Scalers



**GC1 (KAVO<sup>5</sup> Type)**  
 Supragingival deposits in all quadrants



**GC2 (KAVO<sup>5</sup> Type)**  
 Supragingival interdental calculus and calculus at the neck of the tooth



**PC1 (KAVO<sup>5</sup> Type)**  
 Subgingival calculus, including the interproximal and sulcus areas

### KAVO PiezoLED<sup>5</sup> Type Scalers



**201 (KAVO<sup>5</sup> Type)**  
 Supragingival and interproximal deposits



**202 (KAVO<sup>5</sup> Type)**  
 Supragingival deposits in all quadrants, including the interproximal and sulcus areas



**203 (KAVO<sup>5</sup> Type)**  
 Deep pocket subgingival deposits

1. EMS is a registered trademark of Electro Medical System S.A. Switzerland  
 2. SATELEC is a registered trademark of Satelec/Acteon Group France  
 3. NSK is a registered trademark of Nakanishi Inc. Japan  
 4. SIRONA is a registered trademark of Sirona Dental System  
 5. KAVO, SONICflex, SONOsoft, PiezoLED are registered trademarks of Kavo Dental GmbH Germany  
 6. AMDENT is a registered trademark of Amdent AB Sweden